cloudera MANAGER

Search | Support | admin

Clusters | Hosts | Diagnostics | Audits | Charts | Administration

Impala (Cluster 1) Actions

Status | Instances | **Configuration** | Commands | Queries | Charts Library | Best Practices | Audits | Web UI | Quick Links

Switch to the classic layout | Role Groups

Filters

SCOPE

Impala (Service-Wide)	57
Impala Catalog Server	62
Impala Daemon	84
Impala Llama ApplicationMaster	62
Impala StateStore	45

CATEGORY

Admission Control	6
Advanced	72
Logs	28
Main	16
Monitoring	56
Performance	10
Policy File-Based Sentry	2
Ports and Addresses	15
Resource Management	7
Security	31
Stacks Collection	5

STATUS

Error	0
Warning	0
Edited	0
Non-default	11
Has Overrides	0

Search

Show All Descriptions

YARN Service for Resource Management
Impala (Service-Wide)
- YARN (MR2 Included)
- none

HDFS Service
Impala (Service-Wide)
- HDFS

HBase Service
Impala (Service-Wide)
- none

Hive Service
Impala (Service-Wide)
- Hive

Kudu Service
Impala (Service-Wide)
- Kudu
- none

Sentry Service
Impala (Service-Wide)
- none

ZooKeeper Service for Llama HA
Impala (Service-Wide)
- ZooKeeper
- none

Enable Catalog Server Web Server
enable_webserver
[x] Impala Catalog Server Default Group

Impala Daemon Scratch Directories
scratch_dirs
Edit Individual Values
Impala Daemon Default Group ...and 2 others
/impala/impalad
/data/impala/impalad

Impala Daemon Query Options Advanced Configuration Snippet (Safety Valve)
default_query_options
Edit Individual Values
Impala Daemon Default Group ...and 2 others

Feedback

Save Changes

Impala Daemons Load Balancer
Edit Individual Values

Impala Daemon Default Group ...and 2 others

Local UDF Library Dir
local_library_dir
Edit Individual Values

Impala Daemon Default Group ...and 2 others

/var/lib/impala/udfs

Core Queues
llama.am.core.queues

Impala Llama ApplicationMaster Default Group

Administrative Interface ACLs
llama.am.server.thrift.admin.acl

Impala Llama ApplicationMaster Default Group

*

Client ACLs
llama.am.server.thrift.client.acl

Impala Llama ApplicationMaster Default Group

*

Enable StateStore Web Server
enable_webserver

☑ Impala StateStore Default Group

Enable Impala Admission Control

☑ Impala (Service-Wide)

Enable Dynamic Resource Pools

☑ Impala (Service-Wide)

Admission Control Queue Timeout
queue_wait_timeout_ms

Impala (Service-Wide)

1 minute(s

Single Pool Max Running Queries
default_pool_max_requests

Impala (Service-Wide)

200

Single Pool Max Queued Queries
default_pool_max_queued

Impala (Service-Wide)

200

Single Pool Mem Limit
default_pool_mem_limit

Impala (Service-Wide)

-1 B

Impala System User (except Llama)

Impala (Service-Wide)

impala

Impala System Group (except Llama)

Impala (Service-Wide)

impala

Maximum HBase Client Retries
hbase.client.retries.number

Impala (Service-Wide)

3

Feedback

Save Changes

HBase RPC Timeout
hbase.rpc.timeout

Impala (Service-Wide)

3 second(s

Impala Command Line Argument Advanced Configuration Snippet (Safety Valve)

Impala (Service-Wide)

Use Debug Build

☐ Impala (Service-Wide)

Enable Core Dump

☐ Impala (Service-Wide)

Fair Scheduler Configuration Rules (Deployed)

Impala (Service-Wide)

[]

Fair Scheduler Configuration Rules (Staged)

Impala (Service-Wide)

Fair Scheduler Allocations (Deployed)

Impala (Service-Wide)

{"defaultFairSharePreemptionThreshold":null,"defaultFairSharePreemptionTimeout":null,"defaultMinSharePreemptionTimeout":null,"defaultQueueSchedulingPolicy":null,"queueMaxAMShareDefault":null,"queueMaxAppsDefault":null,"queuePlacementRules":null,"queues":[{"aclAdministerApps":null,"aclSubmitApps":null,"allowPreemptionFro

Fair Scheduler Allocations (Staged)

Impala (Service-Wide)

{"defaultFairSharePreemptionThreshold":null,"defaultFairSharePreemptionTimeout":null,"defaultMinSharePreemptionTimeout":null,"defaultQueueSchedulingPolicy":"fair","queueMaxAMShareDefault":null,"queueMaxAppsDefault":null,"queuePlacementRules":[{"create":false,"name":"specified","queue":null,"rules":null},

Use HDFS Rules to Map Kerberos Principals to Short Names
load_auth_to_local_rules

☐ Impala (Service-Wide)

Impala Service Advanced Configuration Snippet (Safety Valve) for sentry-site.xml

Impala (Service-Wide)

View as XML

Feedback

Save Changes

Impala Service Environment Advanced Configuration Snippet (Safety Valve)

Impala (Service-Wide)

Catalog Server Command Line Argument Advanced Configuration Snippet (Safety Valve)

Impala Catalog Server Default Group

Java Configuration Options for Catalog Server

Impala Catalog Server Default Group

Impala Catalog Server Advanced Configuration Snippet (Safety Valve) for core-site.xml

Impala Catalog Server Default Group

View as XML

Catalog Server HBase Advanced Configuration Snippet (Safety Valve)

Impala Catalog Server Default Group

View as XML

Catalog Server Hive Metastore Connection Timeout
hive.metastore.client.socket.timeout

Impala Catalog Server Default Group

1 hour(s)

Catalog Server Hive Metastore Connection Retries
hive.metastore.connect.retries

Impala Catalog Server Default Group

5

Catalog Server Hive Advanced Configuration Snippet (Safety Valve)

Impala Catalog Server Default Group

View as XML

Catalog Server HDFS Advanced Configuration Snippet (Safety Valve)

Impala Catalog Server Default Group

View as XML

Load Catalog in Background
load_catalog_in_background

Impala Catalog Server Default Group

Catalog Server Core Dump Directory
core_dump_dir

Impala Catalog Server Default Group

/var/log/catalogd

Save Changes

Feedback

Catalog Server Breakpad Dump Directory
minidump_path

Impala Catalog Server Default Group

/var/log/impala-minidumps

Catalog Server Max Breakpad Dump Files
max_minidumps

Impala Catalog Server Default Group

9

Automatically Restart Process
Edit Individual Values

☑ Impala Catalog Server Default Group ...and 5 others

Enable Metric Collection
Edit Individual Values

☑ Impala Catalog Server Default Group ...and 5 others

Dump Heap When Out of Memory
Edit Individual Values

☑ Impala Catalog Server Default Group ...and 1 other

Heap Dump Directory
oom_heap_dump_dir
Edit Individual Values

Impala Catalog Server Default Group ...and 1 other

/tmp

Kill When Out of Memory
Edit Individual Values

☑ Impala Catalog Server Default Group ...and 1 other

Impala Catalog Server Environment Advanced Configuration Snippet (Safety Valve)

Impala Catalog Server Default Group

Result Cache Maximum Size
max_result_cache_size
Edit Individual Values

Impala Daemon Default Group ...and 2 others

100000

Abort on Config Error
abort_on_config_error
Edit Individual Values

☑ Impala Daemon Default Group ...and 2 others

Impala Daemon Logging Advanced Configuration Snippet (Safety Valve)
Edit Individual Values

Impala Daemon Default Group ...and 2 others

Impala Daemon Command Line Argument Advanced Configuration Snippet (Safety Valve)
Edit Individual Values

Impala Daemon Default Group ...and 2 others

Feedback

Save Changes

Impala Daemon Advanced Configuration Snippet (Safety Valve) for core-site.xml
Edit Individual Values

Impala Daemon Default Group ...and 2 others

View as XML

Impala Daemon HBase Advanced Configuration Snippet (Safety Valve)
Edit Individual Values

Impala Daemon Default Group ...and 2 others

View as XML

Impala Daemon Hive Metastore Connection Timeout
hive.metastore.client.socket.timeout
Edit Individual Values

Impala Daemon Default Group ...and 2 others

1 hour(s)

Impala Daemon Hive Metastore Connection Retries
hive.metastore.connect.retries
Edit Individual Values

Impala Daemon Default Group ...and 2 others

5

Impala Daemon Hive Advanced Configuration Snippet (Safety Valve)
Edit Individual Values

Impala Daemon Default Group ...and 2 others

View as XML

Impala Daemon HDFS Advanced Configuration Snippet (Safety Valve)
Edit Individual Values

Impala Daemon Default Group ...and 2 others

View as XML

Impala Daemon Llama Site Advanced Configuration Snippet (Safety Valve)
Edit Individual Values

Impala Daemon Default Group ...and 2 others

View as XML

Impala Daemon Fair Scheduler Advanced Configuration Snippet (Safety Valve)
Edit Individual Values

Impala Daemon Default Group ...and 2 others

Llama Maximum Request Attempts
llama_max_request_attempts
Edit Individual Values

Impala Daemon Default Group ...and 2 others

5

Llama Registration Timeout Seconds
llama_registration_timeout_secs
Edit Individual Values

Impala Daemon Default Group ...and 2 others

30 second(s

Llama Registration Wait Seconds
llama_registration_wait_secs
Edit Individual Values

Impala Daemon Default Group ...and 2 others

3 second(s

Feedback

Save Changes

Impala Daemon Core Dump Directory
core_dump_dir
Edit Individual Values

Impala Daemon Default Group ...and 2 others

/var/log/impalad

Impala Daemon Breakpad Dump Directory
minidump_path
Edit Individual Values

Impala Daemon Default Group ...and 2 others

/var/log/impala-minidumps

Impala Daemon Max Breakpad Dump Files
max_minidumps
Edit Individual Values

Impala Daemon Default Group ...and 2 others

9

Impala Daemon Environment Advanced Configuration Snippet (Safety Valve)
Edit Individual Values

Impala Daemon Default Group ...and 2 others

Java Configuration Options for Llama Server

Impala Llama ApplicationMaster Default Group

Impala Llama ApplicationMaster Advanced Configuration Snippet (Safety Valve) for llama-site.xml

Impala Llama ApplicationMaster Default Group

View as XML

Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)

Impala Llama ApplicationMaster Default Group

Llama System User

Impala Llama ApplicationMaster Default Group

llama

Llama System Group

Impala Llama ApplicationMaster Default Group

llama

Enable Resource Caching
llama.am.cache.enabled

☑ Impala Llama ApplicationMaster Default Group

Resource Caching Idle Timeout
llama.am.cache.eviction.timeout.policy.idle.timeout.ms

Impala Llama ApplicationMaster Default Group

30 second(s

Feedback

Save Changes

Enable Resource Cache Normalization
llama.am.resource.normalizing.enabled

☑ Impala Llama ApplicationMaster Default Group

Anti-Deadlock No Allocation Limit Interval
llama.am.gang.anti.deadlock.no.allocation.limit.ms

Impala Llama ApplicationMaster Default Group
30 second(s

Anti-Deadlock Backoff Percentage
llama.am.gang.anti.deadlock.backoff.percent

Impala Llama ApplicationMaster Default Group
30

Anti-Deadlock Minimum Delay
llama.am.gang.anti.deadlock.min_delay_ms

Impala Llama ApplicationMaster Default Group
10 second(s

Anti-Deadlock Maximum Delay
llama.am.gang.anti.deadlock.max_delay_ms

Impala Llama ApplicationMaster Default Group
30 second(s

Maximum Client Notification Retries
llama.am.server.thrift.client.notifier.max.retries

Impala Llama ApplicationMaster Default Group
5

Client Notification Retry Interval
llama.am.server.thrift.client.notifier.retry.interval.ms

Impala Llama ApplicationMaster Default Group
5 second(s

Impala Llama ApplicationMaster Environment Advanced Configuration Snippet (Safety Valve)

Impala Llama ApplicationMaster Default Group

Impala Llama ApplicationMaster Logging Advanced Configuration Snippet (Safety Valve)

Impala Llama ApplicationMaster Default Group

Statestore Command Line Argument Advanced Configuration Snippet (Safety Valve)

Impala StateStore Default Group

StateStore Core Dump Directory
core_dump_dir

Impala StateStore Default Group
/var/log/statestore

Statestore Breakpad Dump Directory
minidump_path

Impala StateStore Default Group
/var/log/impala-minidumps

Save Changes

Feedback

Statestore Max Breakpad Dump Files
max_minidumps

Impala StateStore Default Group
9

Impala StateStore Environment Advanced Configuration Snippet (Safety Valve)

Impala StateStore Default Group

Catalog Server Log Directory
log_dir

Impala Catalog Server Default Group
/var/log/catalogd

Impala Catalog Server Logging Threshold

Impala Catalog Server Default Group
INFO

Catalog Server Verbose Log Level
GLOG_v

Impala Catalog Server Default Group
1

Impala Catalog Server Max Log Size

Impala Catalog Server Default Group
200 MiB

Catalog Server Maximum Log Files
max_log_files

Impala Catalog Server Default Group
10

Catalog Server Log Buffer Level
logbuflevel

Impala Catalog Server Default Group
0

Impala Daemon Log Directory
log_dir
Edit Individual Values

Impala Daemon Default Group ...and 2 others
/var/log/impalad

Impala Daemon Logging Threshold
Edit Individual Values

Impala Daemon Default Group ...and 2 others
INFO

Impala Daemon Verbose Log Level
GLOG_v
Edit Individual Values

Impala Daemon Default Group ...and 2 others
1

Impala Daemon Max Log Size
Edit Individual Values

Impala Daemon Default Group ...and 2 others
200 MiB

Impala Maximum Log Files
max_log_files
Edit Individual Values

Impala Daemon Default Group ...and 2 others
10

Enable Impala Audit Event Generation
enable_audit_event_log
Edit Individual Values

☑ Impala Daemon Default Group ...and 2 others

Feedback

Save Changes

Impala Daemon Audit Log Directory
audit_event_log_dir
Edit Individual Values

Impala Daemon Default Group ...and 2 others
/var/log/impalad/audit

Impala Daemon Maximum Audit Log File Size
max_audit_event_log_file_size
Edit Individual Values

Impala Daemon Default Group ...and 2 others
5000

Enable Impala Lineage Generation
enable_lineage_log
Edit Individual Values

☑ Impala Daemon Default Group ...and 2 others

Impala Daemon Lineage Log Directory
lineage_event_log_dir
Edit Individual Values

Impala Daemon Default Group ...and 2 others
/var/log/impalad/lineage

Impala Daemon Maximum Lineage Log File Size
max_lineage_log_file_size
Edit Individual Values

Impala Daemon Default Group ...and 2 others
5000

Impala Daemon Log Buffer Level
logbuflevel
Edit Individual Values

Impala Daemon Default Group ...and 2 others
0

Llama Log Directory
llama_log_dir

Impala Llama ApplicationMaster Default Group
/var/log/impala-llama

Impala Llama ApplicationMaster Logging Threshold

Impala Llama ApplicationMaster Default Group
INFO

Impala Llama ApplicationMaster Max Log Size

Impala Llama ApplicationMaster Default Group
200 MiB

Impala Llama ApplicationMaster Maximum Log File Backups

Impala Llama ApplicationMaster Default Group
10

StateStore Log Directory
log_dir

Impala StateStore Default Group
/var/log/statestore

Impala StateStore Logging Threshold

Impala StateStore Default Group
INFO

StateStore Verbose Log Level
GLOG_v

Impala StateStore Default Group
1

Impala StateStore Max Log Size

Impala StateStore Default Group
200 MiB

Save Changes

Feedback

StateStore Maximum Log Files
max_log_files

Impala StateStore Default Group
10

StateStore Log Buffer Level
logbuflevel

Impala StateStore Default Group
0

Admin Users Query List Visibility Settings

Impala (Service-Wide)
- (•) All
- ( ) Their own only
- ( ) None

Non-Admin Users Query List Visibility Settings

Impala (Service-Wide)
- (•) All
- ( ) Their own only
- ( ) None

Assignment Locality Ratio Thresholds

Impala (Service-Wide)
Warning Specify 80.0
Critical Specify 5.0

Assignment Locality Monitoring Period

Impala (Service-Wide)
15 minute(s

Assignment Locality Minimum Assignments

Impala (Service-Wide)
10

Enable Configuration Change Alerts
Edit Individual Values

[ ] Impala (Service-Wide) ...and 6 others

Enable Service Level Health Alerts

[x] Impala (Service-Wide)

Service Triggers

Impala (Service-Wide)
[]

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Impala (Service-Wide)
View as XML

Impala StateStore Role Health Test

[x] Impala (Service-Wide)

Impala Catalog Server Role Health Test

[x] Impala (Service-Wide)

Feedback

Save Changes

Healthy Impala Daemon Monitoring Thresholds

Impala (Service-Wide)

Warning Specify 95.0

Critical Specify 90.0

Healthy Impala Llama ApplicationMaster Monitoring Thresholds

Impala (Service-Wide)

Warning Specify 99.0

Critical Specify 51.0

Health Test Startup Tolerance

Impala Catalog Server Default Group

5 minute(s

Catalog Server Connectivity Health Test

☑ Impala Catalog Server Default Group

Catalog Server Connectivity Tolerance at Startup

Impala Catalog Server Default Group

3 minute(s

Enable Health Alerts for this Role

Edit Individual Values

☑ Impala Catalog Server Default Group ...and 5 others

File Descriptor Monitoring Thresholds

Impala Catalog Server Default Group

Warning Specify 50.0

Critical Specify 70.0

Impala Catalog Server Process Health Test

☑ Impala Catalog Server Default Group

Impala Catalog Server Host Health Test

☑ Impala Catalog Server Default Group

Log Directory Free Space Monitoring Absolute Thresholds

Edit Individual Values

Impala Catalog Server Default Group ...and 5 others

Warning Specify 10 GiB

Critical Specify 5 GiB

Log Directory Free Space Monitoring Percentage Thresholds

Edit Individual Values

Impala Catalog Server Default Group ...and 5 others

Warning Never

Critical Never

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Edit Individual Values

Impala Catalog Server Default Group ...and 5 others

Warning Specify 10 GiB

Critical Specify 5 GiB

Feedback

Save Changes

Heap Dump Directory Free Space Monitoring Percentage Thresholds
Edit Individual Values

Impala Catalog Server Default Group ...and 5 others

Warning Never

Critical Never

Unexpected Exits Thresholds
Edit Individual Values

Impala Catalog Server Default Group ...and 5 others

Warning Never

Critical Any

Unexpected Exits Monitoring Period
Edit Individual Values

Impala Catalog Server Default Group ...and 5 others

5 minute(s

Role Triggers
Edit Individual Values

Impala Catalog Server Default Group ...and 5 others

[]

Process Swap Memory Thresholds
Edit Individual Values

Impala Catalog Server Default Group ...and 2 others

Warning Any

Critical Never

Impala Daemon Default Group ...and 2 others

Warning Any

Critical Any

Web Metric Collection

☑ Impala Catalog Server Default Group

Web Metric Collection Duration

Impala Catalog Server Default Group

Warning Specify 10 second(s

Critical Never

Resident Set Size Thresholds
Edit Individual Values

Impala Catalog Server Default Group ...and 4 others

Warning Never

Critical Never

Impala Daemon Connectivity Health Test
Edit Individual Values

☑ Impala Daemon Default Group ...and 2 others

Impala Daemon Connectivity Tolerance at Startup
Edit Individual Values

Impala Daemon Default Group ...and 2 others

3 minute(s

Query Monitoring Timeout
Edit Individual Values

Impala Daemon Default Group ...and 2 others

5 second(s

Feedback

Save Changes

Query Monitoring Period
Edit Individual Values

Impala Daemon Default Group ...and 2 others
1 second(s

Impala Daemon Ready Status Health Check
Edit Individual Values

☑ Impala Daemon Default Group ...and 2 others

Impala Daemon Query Collection Status Health Check
Edit Individual Values

☑ Impala Daemon Default Group ...and 2 others

Monitoring Period For Query Monitoring Failures
Edit Individual Values

Impala Daemon Default Group ...and 2 others
5 minute(s

Query Monitoring Failures Thresholds
Edit Individual Values

Impala Daemon Default Group ...and 2 others
Warning Never
Critical Any

Impala Daemon Ready Status Startup Tolerance
Edit Individual Values

Impala Daemon Default Group ...and 2 others
3 minute(s

File Descriptor Monitoring Thresholds
Edit Individual Values

Impala Daemon Default Group ...and 2 others
Warning Specify 50.0
Critical Specify 70.0

Impala Daemon Process Health Test
Edit Individual Values

☑ Impala Daemon Default Group ...and 2 others

Impala Daemon Host Health Test
Edit Individual Values

☑ Impala Daemon Default Group ...and 2 others

Web Metric Collection
Edit Individual Values

☑ Impala Daemon Default Group ...and 2 others

Web Metric Collection Duration
Edit Individual Values

Impala Daemon Default Group ...and 2 others
Warning Specify 10 second(s
Critical Never

Impala Daemon Scratch Directories Free Space Monitoring Absolute Thresholds
Edit Individual Values

Impala Daemon Default Group ...and 2 others
Warning Specify 10 GiB
Critical Specify 5 GiB

Impala Daemon Scratch Directories Free Space Monitoring Percentage Thresholds
Edit Individual Values

Impala Daemon Default Group ...and 2 others
Warning Never
Critical Never

Save Changes

Feedback

File Descriptor Monitoring Thresholds
Impala Llama ApplicationMaster Default Group
Warning Specify ▾ 50.0
Critical Specify ▾ 70.0

Impala Llama ApplicationMaster Process Health Test
☑ Impala Llama ApplicationMaster Default Group

Impala Llama ApplicationMaster Host Health Test
☑ Impala Llama ApplicationMaster Default Group

Health Test Startup Tolerance
Impala StateStore Default Group
5 minute(s ▾

File Descriptor Monitoring Thresholds
Impala StateStore Default Group
Warning Specify ▾ 50.0
Critical Specify ▾ 70.0

Impala StateStore Process Health Test
☑ Impala StateStore Default Group

Impala StateStore Host Health Test
☑ Impala StateStore Default Group

Web Metric Collection
☑ Impala StateStore Default Group

Web Metric Collection Duration
Impala StateStore Default Group
Warning Specify ▾ 10 second(s ▾
Critical Never ▾

Enable HDFS Short-Circuit Read
dfs.client.read.shortcircuit
☑ Impala (Service-Wide)

StateStoreSubscriber Timeout
statestore_subscriber_timeout_seconds
Impala (Service-Wide)
30 second(s ▾

Maximum Process File Descriptors
Edit Individual Values
Impala Catalog Server Default Group ...and 5 others

AM Heartbeat Interval
llama.am.server.thrift.client.notifier.heartbeat.ms
Impala Llama ApplicationMaster Default Group
5 second(s ▾

Thrift Server Minimum Threads
llama.am.server.thrift.server.min.threads
Impala Llama ApplicationMaster Default Group
10

Feedback

Save Changes

Thrift Server Maximum Threads
llama.am.server.thrift.server.max.threads

Impala Llama ApplicationMaster Default Group
50

Thrift Transport Timeout
llama.am.server.thrift.transport.timeout.ms

Impala Llama ApplicationMaster Default Group
1 minute(s

Queue Expiration Age
llama.am.queue.expire.ms

Impala Llama ApplicationMaster Default Group
5 minute(s

StateStore Worker Threads
state_store_num_server_worker_threads

Impala StateStore Default Group
4

Maximum StateStore Pending Tasks
state_store_pending_task_count_max

Impala StateStore Default Group
0

Proxy User Configuration
authorized_proxy_user_config

Impala (Service-Wide)
hue=*

Enable Sentry Authorization using Policy Files
impala.sentry.enabled

☐ Impala (Service-Wide)

Catalog Server Service Port
catalog_service_port

Impala Catalog Server Default Group
26000

Catalog Server HTTP Server Port
webserver_port

Impala Catalog Server Default Group
25020

Impala Daemon Backend Port
be_port
Edit Individual Values

Impala Daemon Default Group ...and 2 others
22000

Llama Callback Port
llama_callback_port
Edit Individual Values

Impala Daemon Default Group ...and 2 others
28000

Impala Daemon Beeswax Port
beeswax_port
Edit Individual Values

Impala Daemon Default Group ...and 2 others
21000

Impala Daemon HiveServer2 Port
hs2_port
Edit Individual Values

Impala Daemon Default Group ...and 2 others
21050

Enable Impala Daemon Web Server
enable_webserver
Edit Individual Values

☑ Impala Daemon Default Group ...and 2 others

Feedback

Save Changes

Impala Daemon HTTP Server Port
webserver_port
Edit Individual Values
Impala Daemon Default Group ...and 2 others
25000

StateStoreSubscriber Service Port
state_store_subscriber_port
Edit Individual Values
Impala Daemon Default Group ...and 2 others
23000

Bind Impala Llama ApplicationMaster to Wildcard Address
☐ Impala Llama ApplicationMaster Default Group

Llama Thrift Admin Port
llama.am.server.thrift.admin.address
Impala Llama ApplicationMaster Default Group
15002

Llama Thrift Port
llama.am.server.thrift.address
Impala Llama ApplicationMaster Default Group
15000

Llama HTTP Port
llama.am.server.thrift.http.address
Impala Llama ApplicationMaster Default Group
15001

StateStore Service Port
state_store_port
Impala StateStore Default Group
24000

StateStore HTTP Server Port
webserver_port
Impala StateStore Default Group
25010

Java Heap Size of Catalog Server in Bytes
Impala Catalog Server Default Group
4 GiB

Cgroup CPU Shares
cpu.shares
Edit Individual Values
Impala Catalog Server Default Group ...and 5 others
1024

Cgroup I/O Weight
blkio.weight
Edit Individual Values
Impala Catalog Server Default Group ...and 5 others
500

Cgroup Memory Soft Limit
memory.soft_limit_in_bytes
Edit Individual Values
Impala Catalog Server Default Group ...and 5 others
-1 MiB

Cgroup Memory Hard Limit
memory.limit_in_bytes
Edit Individual Values
Impala Catalog Server Default Group ...and 5 others
-1 MiB

Feedback

Save Changes

Impala Daemon Memory Limit
mem_limit

Impala Daemon Default Group
21055 MiB ≈20.56 GiB

Impala Daemon Group 1
21721 MiB ≈21.21 GiB

Impala Daemon Group 2
22386 MiB ≈21.86 GiB

Java Heap Size of Impala Llama ApplicationMaster in Bytes

Impala Llama ApplicationMaster Default Group
256 MiB

Kerberos Principal

Impala (Service-Wide)
impala

Kerberos Re-init Interval
kerberos_reinit_interval

Impala (Service-Wide)
1 hour(s)

Enable TLS/SSL for Impala
client_services_ssl_enabled

☐ Impala (Service-Wide)

Impala TLS/SSL Server Certificate File (PEM Format)
ssl_server_certificate

Impala (Service-Wide)

Impala TLS/SSL Server Private Key File (PEM Format)
ssl_private_key

Impala (Service-Wide)

Impala TLS/SSL Private Key Password
ssl_private_key_password_cmd

Impala (Service-Wide)

Impala TLS/SSL CA Certificate
ssl_client_ca_certificate

Impala (Service-Wide)

Enable LDAP Authentication
enable_ldap_auth

☐ Impala (Service-Wide)

LDAP URL
ldap_uri

Impala (Service-Wide)

Enable LDAP TLS
ldap_tls

☐ Impala (Service-Wide)

Active Directory Domain
ldap_domain

Impala (Service-Wide)

Feedback

Save Changes

LDAP BaseDN
ldap_baseDN
Impala (Service-Wide)

LDAP Pattern
ldap_bind_pattern
Impala (Service-Wide)

Catalog Server Web Server Username
webserver_htpassword_user
Impala Catalog Server Default Group

Catalog Server Webserver TLS/SSL Server Certificate File (PEM Format)
webserver_certificate_file
Impala Catalog Server Default Group

Catalog Server Webserver TLS/SSL Server Private Key File (PEM Format)
webserver_private_key_file
Impala Catalog Server Default Group

Catalog Server Webserver TLS/SSL Private Key Password
webserver_private_key_password_cmd
Impala Catalog Server Default Group

Catalog Server Web Server User Password
webserver_htpassword_password
Impala Catalog Server Default Group

Impala Daemon Web Server Username
webserver_htpassword_user
Edit Individual Values
Impala Daemon Default Group ...and 2 others

LDAP Server CA Certificate
ldap_ca_certificate
Edit Individual Values
Impala Daemon Default Group ...and 2 others

Disk Spill Encryption
disk_spill_encryption
Edit Individual Values
Impala Daemon Default Group ...and 2 others

Impala Daemon Webserver TLS/SSL Server Certificate File (PEM Format)
webserver_certificate_file
Edit Individual Values
Impala Daemon Default Group ...and 2 others

Impala Daemon Webserver TLS/SSL Server Private Key File (PEM Format)
webserver_private_key_file
Edit Individual Values
Impala Daemon Default Group ...and 2 others

Feedback

Save Changes

Impala Daemon Webserver TLS/SSL Private Key Password
webserver_private_key_password_cmd
Edit Individual Values

Impala Daemon Default Group ...and 2 others

Impala Daemon Web Server User Password
webserver_htpassword_password
Edit Individual Values

Impala Daemon Default Group ...and 2 others

Role-Specific Kerberos Principal

Impala Llama ApplicationMaster Default Group

llama

Statestore Web Server Username
webserver_htpassword_user

Impala StateStore Default Group

StateStore Webserver TLS/SSL Server Certificate File (PEM Format)
webserver_certificate_file

Impala StateStore Default Group

StateStore Webserver TLS/SSL Server Private Key File (PEM Format)
webserver_private_key_file

Impala StateStore Default Group

StateStore Webserver TLS/SSL Private Key Password
webserver_private_key_password_cmd

Impala StateStore Default Group

Statestore Web Server User Password
webserver_htpassword_password

Impala StateStore Default Group

Stacks Collection Enabled
stacks_collection_enabled
Edit Individual Values

☐ Impala Catalog Server Default Group ...and 1 other

Stacks Collection Directory
stacks_collection_directory
Edit Individual Values

Impala Catalog Server Default Group ...and 1 other

Stacks Collection Frequency
stacks_collection_frequency
Edit Individual Values

Impala Catalog Server Default Group ...and 1 other

5 second(s

Feedback

Save Changes

Stacks Collection Data Retention
stacks_collection_data_retention
Edit Individual Values

Impala Catalog Server Default Group ...and 1 other

100 MiB

Stacks Collection Method
stacks_collection_method
Edit Individual Values

Impala Catalog Server Default Group ...and 1 other

jstack

Display All **Per Page**

Feedback

Save Changes