cloudera MANAGER

Search | Support | admin

Clusters | Hosts | Diagnostics | Audits | Charts | Administration

Kafka (Cluster 1) Actions

Status | Instances | **Configuration** | Commands | Charts Library | Audits | Quick Links

Switch to the classic layout | Role Groups

Filters

SCOPE

Kafka (Service-Wide)	45
Gateway	6
Kafka Broker	66
Kafka MirrorMaker	73

CATEGORY

Advanced	22
Logs	9
Main	89
Monitoring	17
Performance	1
Ports and Addresses	5
Resource Management	4
Security	12
Stacks Collection	5

STATUS

Error	0
Warning	0
Edited	0
Non-default	5
Has Overrides	1

Search

Show All Descriptions

General Warning(s)

No host heartbeat; CDH versions cannot be verified. Show 2 Similar Messages

ZooKeeper Service
Kafka (Service-Wide)
ZooKeeper

Sentry Service
Kafka (Service-Wide)
none

ZooKeeper Root
zookeeper.chroot
Kafka (Service-Wide)

Enable Kerberos Authentication
kerberos.auth.enable
Kafka (Service-Wide)

Topic Auto Creation
auto.create.topics.enable
Kafka (Service-Wide)

Default Number of Partitions
num.partitions
Kafka (Service-Wide)
1

Default Replication Factor
default.replication.factor
Kafka (Service-Wide)
1

Minimum Number of Replicas in ISR
min.insync.replicas
Kafka (Service-Wide)
1

Offset Commit Topic Number of Partitions
offsets.topic.num.partitions
Kafka (Service-Wide)
50

Offset Commit Topic Replication Factor
offsets.topic.replication.factor
Kafka (Service-Wide)
3

Enable Delete Topic
delete.topic.enable
Kafka (Service-Wide)

Feedback

Save Changes

Enable Controlled Shutdown
controlled.shutdown.enable
☑ Kafka (Service-Wide)

Controlled Shutdown Maximum Attempts
controlled.shutdown.max.retries
Kafka (Service-Wide)
3

Enable Unclean Leader Election
unclean.leader.election.enable
☐ Kafka (Service-Wide)

Enable Automatic Leader Rebalancing
auto.leader.rebalance.enable
☑ Kafka (Service-Wide)

Leader Imbalance Allowed Per Broker
leader.imbalance.per.broker.percentage
Kafka (Service-Wide)
10

Leader Imbalance Check Interval
leader.imbalance.check.interval.seconds
Kafka (Service-Wide)
5 minute(s

ZooKeeper Session Timeout
zookeeper.session.timeout.ms
Kafka (Service-Wide)
6 second(s

Maximum Message Size
message.max.bytes
Kafka (Service-Wide)
1000000 B ≈976.56 KiB

Replica Maximum Fetch Size
replica.fetch.max.bytes
Kafka (Service-Wide)
1 MiB

Number of Replica Fetchers
num.replica.fetchers
Kafka (Service-Wide)
1

Allowed Replica Message Lag
replica.lag.max.messages
Kafka (Service-Wide)
4000

Allowed Replica Time Lag
replica.lag.time.max.ms
Kafka (Service-Wide)
10 second(s

Log Flush Message Interval
log.flush.interval.messages
Kafka (Service-Wide)

Log Flush Time Interval
log.flush.interval.ms
Kafka (Service-Wide)
0 day(s)

Feedback

Save Changes

Log Flush Scheduler Interval
log.flush.scheduler.interval.ms
Kafka (Service-Wide)
0 day(s)

Enable Log Compaction
log.cleaner.enable
☑ Kafka (Service-Wide)

Number of Log Cleaner Threads
log.cleaner.threads
Kafka (Service-Wide)
1

Log Cleaner Deduplication Buffer Size
log.cleaner.dedupe.buffer.size
Kafka (Service-Wide)
128 MiB

Log Cleaner Clean Ratio
log.cleaner.min.cleanable.ratio
Kafka (Service-Wide)
0.5

Log Compaction Delete Record Retention Time
log.cleaner.delete.retention.ms
Kafka (Service-Wide)
30 day(s)

Default Consumer Quota
quota.consumer.default
Kafka (Service-Wide)
0 GiB

Default Producer Quota
quota.producer.default
Kafka (Service-Wide)
0 GiB

Enable Kafka Monitoring (Note: Requires Kafka-1.3.0 parcel or higher)
monitoring.enabled
☑ Kafka (Service-Wide)

List of Metric Reporters
kafka.metrics.reporters
Kafka (Service-Wide)
nl.techop.kafka.KafkaHttpMetricsReporter

Enable Sentry Privileges Caching
sentry.kafka.caching.enable
☑ Kafka (Service-Wide)

Sentry Privileges Cache Refresh Interval
sentry.kafka.caching.ttl.ms
Kafka (Service-Wide)
30 second(s

Sentry Privileges Cache Maximum Update Failures
sentry.kafka.caching.update.failures.count
Kafka (Service-Wide)
3

Feedback

Save Changes

Alternatives Priority
Gateway Default Group
50

Broker ID
broker.id
Kafka Broker Default Group

Kafka Broker (bi-clouderavm6-poc) ×
127
Kafka Broker (bi-clouderavm7-poc) ×
126
Kafka Broker (bi-clouderavm8-poc) ×
125

Advertised Host
advertised.host.name
Kafka Broker Default Group

SSL Client Authentication
ssl.client.auth
Kafka Broker Default Group
- (•) none
- ( ) required
- ( ) requested

Inter Broker Protocol
security.inter.broker.protocol
Kafka Broker Default Group
- (•) INFERRED
- ( ) PLAINTEXT
- ( ) SSL
- ( ) SASL_PLAINTEXT
- ( ) SASL_SSL

Authenticate Zookeeper Connection
authenticate.zookeeper.connection
[x] Kafka Broker Default Group

Super users
super.users
Kafka Broker Default Group
kafka

Data Directories
log.dirs
Kafka Broker Default Group
/var/local/kafka/data

Segment File Size
log.segment.bytes
Kafka Broker Default Group
1 GiB

Data Retention Hours
log.retention.hours
Kafka Broker Default Group
7 day(s)

Data Retention Time
log.retention.ms
Kafka Broker Default Group
0 day(s)

Feedback

Save Changes

Data Retention Size
log.retention.bytes

Kafka Broker Default Group
-1 B

Data Retention Check Interval
log.retention.check.interval.ms

Kafka Broker Default Group
5 minute(s

Data Log Roll Hours
log.roll.hours

Kafka Broker Default Group
7 day(s)

Data Log Roll Time
log.roll.ms

Kafka Broker Default Group
0 day(s)

Number of I/O Threads
num.io.threads

Kafka Broker Default Group
8

Maximum Connections per IP Address
max.connections.per.ip

Kafka Broker Default Group

HTTP Metric Report Host
kafka.http.metrics.host

Kafka Broker Default Group
0.0.0.0

Java Heap Size of Broker
broker_max_heap_size

Kafka Broker Default Group
1 GiB

Additional Broker Java Options
broker_java_opts

Kafka Broker Default Group
-server -XX:+UseParNewGC -XX:+UseConcMarkSweepGC -XX:+CMSCla

Graceful Shutdown Timeout

Kafka Broker Default Group
30 second(s

Consumer Group ID
group.id

Kafka MirrorMaker Default Group
cloudera_mirrormaker

Destination Broker List
bootstrap.servers

Kafka MirrorMaker Default Group

Source Broker List
source.bootstrap.servers

Kafka MirrorMaker Default Group

Avoid Data Loss
no.data.loss

☑ Kafka MirrorMaker Default Group

Topic Whitelist
whitelist

Kafka MirrorMaker Default Group

Feedback

Save Changes

Topic Blacklist
blacklist
Kafka MirrorMaker Default Group

Number of Producers
num.producers
Kafka MirrorMaker Default Group
1

Number of Consumer Threads
num.streams
Kafka MirrorMaker Default Group
1

Message Queue Size
queue.size
Kafka MirrorMaker Default Group
10000

Queue Size
queue.byte.size
Kafka MirrorMaker Default Group
100000000 B ≈95.37 MiB

Abort on Send Failure
abort.on.send.failure
☑ Kafka MirrorMaker Default Group

Offset Commit Interval
offset.commit.interval.ms
Kafka MirrorMaker Default Group
60000

Producer Linger Time
linger.ms
Kafka MirrorMaker Default Group
0 day(s)

Producer Batch Size
batch.size
Kafka MirrorMaker Default Group
16 KiB

Producer Buffer Memory
buffer.memory
Kafka MirrorMaker Default Group
32 MiB

Producer Compression Type
compression.type
Kafka MirrorMaker Default Group
- none
- snappy
- gzip

Producer Request Timeout
producer.request.timeout.ms
Kafka MirrorMaker Default Group
30 second(s

Consumer Request Timeout
consumer.request.timeout.ms
Kafka MirrorMaker Default Group
40 second(s

Consumer Session Timeout
session.timeout.ms
Kafka MirrorMaker Default Group
30 second(s

Feedback

Save Changes

Consumer Minimum Fetch Size
fetch.min.bytes

Kafka MirrorMaker Default Group
1 B

MirrorMaker Consumer Rebalance Listener
consumer.rebalance.listener

Kafka MirrorMaker Default Group

MirrorMaker Consumer Rebalance Listener Arguments
consumer.rebalance.listener.args

Kafka MirrorMaker Default Group

MirrorMaker Message Handler
message.handler

Kafka MirrorMaker Default Group

MirrorMaker Message Handler Arguments
message.handler.args

Kafka MirrorMaker Default Group

Source Kafka Cluster's Security Protocol
source.security.protocol

Kafka MirrorMaker Default Group
- (•) PLAINTEXT
- ( ) SSL
- ( ) SASL_PLAINTEXT
- ( ) SASL_SSL

Destination Kafka Cluster's Security Protocol
destination.security.protocol

Kafka MirrorMaker Default Group
- (•) PLAINTEXT
- ( ) SSL
- ( ) SASL_PLAINTEXT
- ( ) SASL_SSL

Source Kafka Cluster's Client Auth
source.ssl.client.auth

[ ] Kafka MirrorMaker Default Group

Destination Kafka Cluster's Client Auth
destination.ssl.client.auth

[ ] Kafka MirrorMaker Default Group

Java Heap Size of MirrorMaker
mirror_maker_max_heap_size

Kafka MirrorMaker Default Group
1 GiB

Additional MirrorMaker Java Options
mirror_maker_java_opts

Kafka MirrorMaker Default Group
-server -XX:+UseParNewGC -XX:+UseConcMarkSweepGC -XX:+CMSCla

System User

Kafka (Service-Wide)
kafka

System Group

Kafka (Service-Wide)
kafka

Save Changes

Feedback

Kafka Service Environment Advanced Configuration Snippet (Safety Valve)

Kafka (Service-Wide)

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Gateway Default Group

Deploy Directory

Gateway Default Group

/etc/kafka

Kafka Client Advanced Configuration Snippet (Safety Valve) for kafka-conf/kafka-client.conf

Gateway Default Group

Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka.properties

Kafka Broker Default Group

Kafka Broker Advanced Configuration Snippet (Safety Valve) for ssl.properties

Kafka Broker Default Group

Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties

Kafka Broker Default Group

Automatically Restart Process
Edit Individual Values

☐ Kafka Broker Default Group ...and 1 other

Enable Metric Collection
Edit Individual Values

☑ Kafka Broker Default Group ...and 1 other

Dump Heap When Out of Memory
Edit Individual Values

☑ Kafka Broker Default Group ...and 1 other

Feedback

Save Changes

Heap Dump Directory
oom_heap_dump_dir
Edit Individual Values

Kafka Broker Default Group ...and 1 other

/tmp

Kill When Out of Memory
Edit Individual Values

☑ Kafka Broker Default Group ...and 1 other

Kafka Broker Environment Advanced Configuration Snippet (Safety Valve)

Kafka Broker Default Group

Kafka Broker Logging Advanced Configuration Snippet (Safety Valve)

Kafka Broker Default Group

Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_producers.properties

Kafka MirrorMaker Default Group

Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_consumers.properties

Kafka MirrorMaker Default Group

Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_server.properties

Kafka MirrorMaker Default Group

Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_client.properties

Kafka MirrorMaker Default Group

Kafka MirrorMaker Environment Advanced Configuration Snippet (Safety Valve)

Kafka MirrorMaker Default Group

Feedback

Save Changes

Kafka MirrorMaker Logging Advanced Configuration Snippet (Safety Valve)

Kafka MirrorMaker Default Group

Gateway Logging Threshold

Gateway Default Group

INFO

Kafka Broker Log Directory
kafka.log4j.dir

Kafka Broker Default Group

/var/log/kafka

Kafka Broker Logging Threshold

Kafka Broker Default Group

INFO

Kafka Broker Max Log Size

Kafka Broker Default Group

200 MiB

Kafka Broker Maximum Log File Backups

Kafka Broker Default Group

10

Kafka MirrorMaker Log Directory
kafka_mirrormaker.log4j.dir

Kafka MirrorMaker Default Group

/var/log/kafka

Kafka MirrorMaker Logging Threshold

Kafka MirrorMaker Default Group

INFO

Kafka MirrorMaker Max Log Size

Kafka MirrorMaker Default Group

200 MiB

Kafka MirrorMaker Maximum Log File Backups

Kafka MirrorMaker Default Group

10

Enable Configuration Change Alerts
Edit Individual Values

☐ Kafka (Service-Wide) ...and 3 others

Enable Service Level Health Alerts

☑ Kafka (Service-Wide)

Service Triggers

Kafka (Service-Wide)

[]

Save Changes

Feedback

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Kafka (Service-Wide)

View as XML

Enable Health Alerts for this Role
Edit Individual Values

☑ Kafka Broker Default Group ...and 1 other

File Descriptor Monitoring Thresholds

Kafka Broker Default Group

Warning Specify ▾ 50.0

Critical Specify ▾ 70.0

Kafka Broker Process Health Test

☑ Kafka Broker Default Group

Kafka Broker Host Health Test

☑ Kafka Broker Default Group

Log Directory Free Space Monitoring Absolute Thresholds
Edit Individual Values

Kafka Broker Default Group ...and 1 other

Warning Specify ▾ 10 GiB ▾

Critical Specify ▾ 5 GiB ▾

Log Directory Free Space Monitoring Percentage Thresholds
Edit Individual Values

Kafka Broker Default Group ...and 1 other

Warning Never ▾

Critical Never ▾

Unexpected Exits Thresholds
Edit Individual Values

Kafka Broker Default Group ...and 1 other

Warning Never ▾

Critical Any ▾

Unexpected Exits Monitoring Period
Edit Individual Values

Kafka Broker Default Group ...and 1 other

5 minute(s ▾

Role Triggers
Edit Individual Values

Kafka Broker Default Group ...and 1 other

[]

Process Swap Memory Thresholds
Edit Individual Values

Kafka Broker Default Group ...and 1 other

Warning Any ▾

Critical Never ▾

File Descriptor Monitoring Thresholds

Kafka MirrorMaker Default Group

Warning Specify ▾ 50.0

Critical Specify ▾ 70.0

Feedback

Save Changes

Kafka MirrorMaker Process Health Test
☑ Kafka MirrorMaker Default Group

Kafka MirrorMaker Host Health Test
☑ Kafka MirrorMaker Default Group

Maximum Process File Descriptors
Edit Individual Values
Kafka Broker Default Group ...and 1 other

Advertised Port
advertised.port
Kafka Broker Default Group

TCP Port
port
Kafka Broker Default Group
9092

JMX Port
jmx_port
Kafka Broker Default Group
9393

Kafka MirrorMaker Default Group
9394

TLS/SSL Port
ssl_port
Kafka Broker Default Group
9093

HTTP Metric Report Port
kafka.http.metrics.port
Kafka Broker Default Group
24042

Cgroup CPU Shares
cpu.shares
Edit Individual Values
Kafka Broker Default Group ...and 1 other
1024

Cgroup I/O Weight
blkio.weight
Edit Individual Values
Kafka Broker Default Group ...and 1 other
500

Cgroup Memory Soft Limit
memory.soft_limit_in_bytes
Edit Individual Values
Kafka Broker Default Group ...and 1 other
-1 MiB

Cgroup Memory Hard Limit
memory.limit_in_bytes
Edit Individual Values
Kafka Broker Default Group ...and 1 other
-1 MiB

Enable TLS/SSL for Kafka Broker
ssl_enabled
☐ Kafka Broker Default Group

Kafka Broker TLS/SSL Server JKS Keystore File Location
ssl.keystore.location
Kafka Broker Default Group

Feedback

Save Changes

Kafka Broker TLS/SSL Server JKS Keystore File Password
ssl.keystore.password.generator
Kafka Broker Default Group

Kafka Broker TLS/SSL Server JKS Keystore Key Password
ssl.key.password.generator
Kafka Broker Default Group

Kafka Broker TLS/SSL Certificate Trust Store File
ssl.truststore.location
Kafka Broker Default Group

Kafka Broker TLS/SSL Certificate Trust Store Password
ssl.truststore.password.generator
Kafka Broker Default Group

Enable TLS/SSL for Kafka MirrorMaker
ssl_enabled
☐ Kafka MirrorMaker Default Group

Kafka MirrorMaker TLS/SSL Server JKS Keystore File Location
ssl.keystore.location
Kafka MirrorMaker Default Group

Kafka MirrorMaker TLS/SSL Server JKS Keystore File Password
ssl.keystore.password.generator
Kafka MirrorMaker Default Group

Kafka MirrorMaker TLS/SSL Server JKS Keystore Key Password
ssl.key.password.generator
Kafka MirrorMaker Default Group

Kafka MirrorMaker TLS/SSL Certificate Trust Store File
ssl.truststore.location
Kafka MirrorMaker Default Group

Kafka MirrorMaker TLS/SSL Certificate Trust Store Password
ssl.truststore.password.generator
Kafka MirrorMaker Default Group

Stacks Collection Enabled
stacks_collection_enabled
Edit Individual Values
☐ Kafka Broker Default Group ...and 1 other

Stacks Collection Directory
stacks_collection_directory
Edit Individual Values
Kafka Broker Default Group ...and 1 other

Feedback

Save Changes

Stacks Collection Frequency
stacks_collection_frequency
Edit Individual Values

Kafka Broker Default Group ...and 1 other

5 second(s ▾

Stacks Collection Data Retention
stacks_collection_data_retention
Edit Individual Values

Kafka Broker Default Group ...and 1 other

100 MiB ▾

Stacks Collection Method
stacks_collection_method
Edit Individual Values

Kafka Broker Default Group ...and 1 other

◉ jstack

Display All ▾ **Per Page**

Feedback

Save Changes