



FLIP THROUGH BEFORE YOU DOWNLOAD

Vibe Coding - The Seating Chart That Remembers

Three real pages, straight off the shipping files,
plus everything the full download includes.



Ten minutes, start to finish

Each step ends with something you can see. If you do not see it, stop and check that step.

1 Unzip, then double-click `seating-chart.html`

You should see: a chart of 24 first names in a 4-by-6 grid, and under it a list of who has sat next to whom. The class is invented sample data. Press **Shuffle, avoiding repeats** once to watch it work, then **Undo**.

2 Press **Set up this class**

You should see: the setup screen — class name, rows and columns, a clickable room, a box for names, and a button to start a new term. No code anywhere.

3 Name the class and set the room

Type a name such as “Period 3”. Set rows and columns. **Click any cell that is not a seat** — your desk, a door, a cabinet. **You should see:** striped cells that will never receive a name.

4 Put your first names in, one per line, and press **Update the class list**

Paste from a spreadsheet column or type them. **You should see:** a count of names, and a list of every line it skipped and why — a blank line, a repeat, a “Surname, First” line. First names or initials only. It says why.

5 Press **Back to the chart**, then **Shuffle**

You should see: every name seated, none in the trash. Click a name, then click a seat, then click a name, then click a seat. Drag a name onto another seat and the two swap. Or click a name, then click a seat.

6 Press **Record** in the history, then **Save to file**

You should see: the history count go up, and a file download holding your class list, seating and history. Open that file next time, not the original.

SNEAK PEEK · 8 pages + the tool

OPTIONAL — HAVE AI DRAFT SAMPLE NAMES TO TRY IT OUT

I teach a class of 24 students. Give me a list of 24 plausible first names for a class roster, one per line, nothing else on each line. No surnames. No numbering. No commentary.

The setup screen has a copy button and a box for the number. **Read the names before you use them: AI gets things wrong, and a drafted list is sample data, not your class.** Replace it with your real first names, typed or pasted from your own spreadsheet. Never paste your real list into a chatbot.

Shuffle, avoiding repeats

It reads the history, then seats your whole class so that, as far as the room allows, nobody sits beside or directly behind someone they have already sat beside this term.

How the history is made

You press **Record this chart in the history** when a chart goes live. That stores the pairs side by side or front-to-back. Nothing records automatically, so a shuffle you did not like never counts.

When it works

The message reads *"Seated with no repeats: nobody is next to anyone they have already sat next to this term."* **Undo** brings back the old chart.

When it cannot – and this is not a bug

In a small class every pairing eventually exists. Then the tool does not pretend it does not hang. It seats everyone, then says:

Could not avoid 2 repeats. The history leave no way around it, so these 2 pairs sit each other again:
 B & A – sat together already
 B & D – sat together 1 time already
 C & D – sat together 1 time already

What to do: start a new term (**Reset the history**), accept the repeats it named, or add seats. That message is the most important line in the file, because software that says "I could not" is software you can trust when it says "I did."

Two shuffles, two jobs

Button	What it does
Shuffle	Fills only empty seats. Nobody already seated moves.
Shuffle, avoiding repeats	Reseats everyone, using the history. For a plain random chart, Clear seats then Shuffle .

Task: make it refuse

Make a class of four names in a 2-by-2 room. Shuffle, avoiding repeats, record, and repeat. **You should see** the refusal above, with names, within a few presses.

Four prompts that change the tool itself

Each one changes one real thing, and each ends with a thirty-second test. **Work on the original file with the invented sample class — never on a file you have saved.** A saved file holds your class list, and your class list does not go into a chatbot. Page 7 explains.

PROMPT 1 – A SECOND ROW AT THE BACK

Below is a single-file HTML app, a classroom seating chart. Add a way to add one more row of desks at the back without losing anyone's seat, and make the new size persist. Return the complete file, changed in as few places as possible, and tell me which lines you changed. [paste the file]

Test: a new row of empty seats appears; reload; it is still there.

PROMPT 2 – COLOR SEATS BY HOW LONG SINCE THE STUDENT MOVED

Below is a single-file HTML app, a classroom seating chart that stores a list of recorded charts in its history. Color each seat by how many recorded charts that student has stayed in the same seat for: a cool color for one or two, a warm color for five or more. Add a one-line key. Return the complete file. [paste the file]

Test: the sample class shows a mix of colors.

PROMPT 3 – A KEEP-APART LIST

Below is a single-file HTML app, a classroom seating chart. Add a "Keep apart" list on the setup screen where I can enter pairs of first names. Make "Shuffle, avoiding repeats" honor it, and when it cannot, say so in plain words and name the pair instead of pretending. Return the complete file. [paste the file]

Test: add two names as a pair, shuffle many times; they never touch. Then make it impossible and read the message.

PROMPT 4 – THE DATE ON THE PRINT

Below is a single-file HTML app, a classroom seating chart. Put today's date under the class name on the printed page only, so a chart in a sub folder says when it was true. Return the complete file. [paste the file]

Test: Print preview shows today's date; the screen does not.

Prompt 3 is the one to run in front of colleagues. The honest answer — "it could not" — is the whole lesson about software. Save each result under a new name and keep the original. AI results differ every run; if a change breaks something, paste back the symptom and ask it to fix only that.

SNEAK PEEK · 8 pages + the tool



WHAT YOU DO WITH IT

Vibe Coding – The Seating Chart That Remembers

- ✓ **Open the file and it works** - a class of 24 already seated, nothing to install
- ✓ **Shuffle, avoiding repeats** - uses the whole term's history
- ✓ When it cannot, it **names the pairs it had to repeat**
- ✓ Blocked cells for doors, desks and pods; print one clean page
- ✓ Four prompts that change the tool itself, each with a test
- ✓ Where the data lives: your device, sent nowhere

Running it with your whole staff? Additional teacher licenses are just \$6, and we accept purchase orders through TpT for Schools.

