



FLIP THROUGH BEFORE YOU DOWNLOAD

Vibe Coding Class Roster

Three real pages, straight off the shipping files,
plus everything the full download includes.



Three layers, and none of them trusts the others

Most software protects student data by being careful. Careful software has a bad day eventually. This one is built so the bad day is boring.

1 The browser shortens the name

You paste Anthony Spinozzi. Before anything is sent anywhere, the page turns it into Anthony S. The surname never leaves the computer you typed it on.

2 The database refuses the long form

One line of the table definition says what a name is allowed to look like. Send Anthony Spinozzi anyway — by accident, by a bug, by pasting into the wrong box — and the database rejects it. Not a warning. A refusal.

3 There is nowhere to put one

No column in the whole database is for a last name. Even if somebody wanted to store one, there is no shelf to put it on.

Each layer is independent, and that is the entire point.

Layer 1 is code you wrote, so it can have a bug. Layer 2 is a rule the database enforces whatever your code does. Layer 3 is the shape of the thing itself. For a surname to end up stored, all three have to fail at once — and they fail in different ways for different reasons.

Why this is doing properly once

You can reuse this pattern in everything you build afterwards. Decide what the tool must never know, then make it structurally unable to know it. That habit is worth more than any single tool in this series.

SNEAK PEEK · 29 pages + 2 working files

The line that makes the wrong thing impossible

Everything else in this build is plumbing. This is the product.

PROMPT 2 · THE CONSTRAINT

Add a CHECK constraint to the students table called **display_name_is_shortened**. It must accept a single first name like **Jo** or **O'Neal**, or a first name followed by a single capital letter and a period like **Anthony S.**, optionally followed by a number like **Anthony S. 2**. It must reject anything containing a full surname, including **Anthony Spinozzi**, **Spinozzi**, **Anthony** and **Anthony S. Spinozzi**. Also cap the length at 24 characters. Give me the ALTER TABLE statement and explain the pattern in plain English, one clause at a time.

What it looks like when it is right

```
constraint display_name_is_shortened check (
  display_name ~ '^[A-Za-z][A-Za-z'\.-]*( [A-Z]\.( [0-9]+)?)?$'
  and length(display_name) <= 24
)
```

The doubled quote inside the pattern is how SQL writes a single quote, and it is what lets O'Neal through. If yours has one quote there, the statement will not run.

Now try it in the SQL editor, before you build anything else

```
insert into students (class_id, display_name)
values ('00000000-0000-0000-0000-000000000000', 'Anthony Spinozzi');
```

You want the error. **new row for relation "students" violates check constraint "display_name_is_shortened"**. If it stores instead, the constraint did not apply — check you ran the ALTER on the right table.

That error message is the thing you are building. Everything from here is a nicer way to avoid ever seeing it.

Task 4 ends when

You have made the database say no to you, on purpose.

SNEAK PEEK · 29 pages + 2 working files

The key in your file, and who can read your roster

This page exists because every other tutorial about this leaves it out.

The honest sentence

Anyone who has both your project URL and your anon key can read and change this roster. The policy you added in prompt 4 is what lets your page work, and it does not know the difference between your page and somebody else's.

So three things follow, and they are not optional

One. The file lives on your computer. Never on a website, never in a public folder, never pasted into a forum when you are asking for help — strip the key first.

Two. Nothing sensitive goes in this database. Look at what is actually in there: first names, last initials, and the order they sit in.

Three. If you ever think the key has got out, Supabase can issue a new one in a few seconds. Then paste the new one into your file.

Now read those two sentences again. Because this is the whole argument of the pack.

A leak is possible. What could expose is a list that says "Anthony S." and "Maria C." **You did not make that possible. You made it boring.** That is a far more reliable form of safety than being careful, because it keeps working on the day you are not.

What this is not

Not a system of record, not a gradebook, and not a replacement for whatever your district runs. It is a roster you own, for your own classroom, made out of information you already carry around in your head.

SNEAK PEEK · 29 pages + 2 working files



WHAT IS INSIDE

Vibe Coding Class Roster

- ✓ **Twelve tasks**, each ending in something that works
- ✓ **Three layers** - browser, database, schema - none trusting the others
- ✓ **Both working files included**, the roster and its database
- ✓ Every prompt written out in full, including what to forbid
- ✓ An honest page on the key in your file and who can read your data
- ✓ The six failures you will hit, and the sentence that fixes each

Running it with your whole staff? Additional teacher licenses are just \$19, and we accept purchase orders through TpT for Schools.

