

1. Text styles, fonts, colours and sizes

Standard 14 fonts . RGB / CMYK / Gray colour spaces . rendering modes

Helvetica - The quick brown fox jumps over the lazy dog 0123456789

Helvetica-Bold - The quick brown fox jumps over the lazy dog 0123456789

Helvetica-Oblique - The quick brown fox jumps over the lazy dog 0123456789

Helvetica-BoldOblique - The quick brown fox jumps over the lazy dog 0123456789

Times-Roman - The quick brown fox jumps over the lazy dog 0123456789

Times-Bold - The quick brown fox jumps over the lazy dog 0123456789

Times-Italic - The quick brown fox jumps over the lazy dog 0123456789

Times-BoldItalic - The quick brown fox jumps over the lazy dog 0123456789

Courier - The quick brown fox jumps over the lazy dog 0123456789

Courier-Bold - The quick brown fox jumps over the lazy dog 0123456789

Courier-Oblique - The quick brown fox jumps over the lazy dog 0123456789

Courier-BoldOblique - The quick brown fox jumps over the lazy dog 0123456789

Sizes:

8pt 10pt 12pt 14pt 18pt 24pt 32pt

Colours:

RGB red	RGB green	RGB blue	CMYK magenta
Gray 25%	Gray 60%	HTML #FF6F00	HTML #1976D2

Decorations:

Underlined text ~~Strike-out text~~

Multi-segment: **bold** **red** *italic* *blue* monospace green

RM 0 fill RM 1 stroke **RM 2 fill+stroke**

Normal spacing W i d e s p a c i n g Wide word spacing

Horizontal scaling:

70% width 100% width 150% width

Text rise (subscript / superscript):

H₂O X²

Non-ASCII (WinAnsi):

em-dash — bullet • middle-dot · copyright © trademark ™ registered ®

2. Annotations - every supported type



Text (sticky note)




FreeText

Line (arrows)



Square



Circle

Polygon



Highlight



Underline



Polyline

StrikeOut



Squiggly

Caret



Ink (freehand)

Stamp

FileAttachment

Link

Popup

Redaction

3. Images - PNG, JPEG, BMP, GIF


All assets are generated in memory and transcoded to JPEG for embedding.



PNG (RGBA, lossless)



JPEG (RGB, lossy)



BMP (uncompressed RGB)



GIF (indexed colour)

4. Paragraphs and tables

This page demonstrates flowing paragraphs and a table built with the high-level layout API — margins, borders, alignment, colSpan/rowSpan and per-cell styling · all configured via the public Java surface.

Paragraph one. Set in Times-Roman 11pt, this is regular body text.

Paragraph two. Set in Times-Italic 11pt with a slightly muted colour.

Paragraph three. **Courier-Bold**, used for inline code-style emphasis.

Quarterly results (sample)

#	Region	Q1	Q2	Q3
1	North America	\$1,240k	\$1,310k	\$1,455k
2	EMEA	\$ 890k	\$ 920k	\$ 975k
3	Latin America	\$ 410k	\$ 450k	\$ 470k
4	Asia Pacific	\$ 720k	\$ 765k	\$ 820k
5	Middle East	\$ 205k	\$ 220k	\$ 240k
Total		\$3,465k	\$3,665k	\$3,960k

Table styling features

Cell features			
Top	Middle	Bottom	Filled
Row-span 2	colSpan = 3		
Dashed border	normal	normal	

Note: figures are illustrative and generated by the demo.

5. Form fields

Text box, checkbox, radio group, combo box, list box, push button, signature.

Full name	Jane Doe		
Comments	Line one Line two		
Password			
Subscribe to newsletter	☒		
Plan	Free	☒ Pro	Enterprise
Country	Germany		
Interests	PDF generation PDF parsing PDF/A compliance Form processing		
Action	Submit		
Signature			

6. Watermarks, stamps and artifacts


Layered background, watermark, logo and rotated text stamp.

Each layer below is a distinct PDF construct.

The pale tint behind this page is a Background artifact. The diagonal

"CONFIDENTIAL" text is a Watermark artifact. The image to the right is

a logo (Image XObject), and "DEMO" in the corner is a rotated TextStamp.



(logo image, XObject)

CONFIDENTIAL

DEMO

7. Bookmarks overview

Each entry below is also accessible from the viewer's bookmarks panel.

- * 1. Text styles, fonts and colours *page 1*
- * 2. Annotations - every supported type *page 2*
- * 3. Images - PNG, JPEG, BMP, GIF *page 3*
- * 4. Paragraphs and tables *page 4*
- * 5. Form fields *page 5*
- * 6. Watermarks, stamps and artifacts *page 6*
- * 7. Bookmarks overview (this page) *page 7*
- * 8. Hyperlinks and PDF actions *page 8*
- * 9. Layers (OCG) *page 9*
- * 10. Embedded files & attachments *page 10*
- * 11. Metadata & viewer preferences *page 11*

8. Hyperlinks and PDF actions

Web, mailto, local, named, JavaScript and Launch links - all wired via LinkAnnotation + PdfAction subclasses.

Web URL [Visit the ISO 32000-1 standard page](#)

Email (mailto:) [Email the project](#)

Local link (page 1) [Jump to page 1 \(text styles\)](#)

Local link (page 5) [Jump to the form page](#)

Named action [Go to first page](#)

JavaScript [Show 'Hello' dialog \(Adobe\)](#)

Launch (external) [Open ./README.md](#)

TextFragment-level hyperlinks (via setHyperlink):

[A TextFragment can carry its own link - this line opens Wikipedia.](#)

9. Layers (Optional Content Groups)

Optional Content Groups (PDF 1.5+, ISO 32000-1 §8.11).

Optional Content Groups let a viewer toggle the visibility of content sections ("layers") without re-saving the file. In Adobe Acrobat they appear in the Layers panel (stacked-sheets icon).

The reading side of this API is implemented: a document opened from disk exposes its layers via `Document.getLayers()` and `Page.getLayers()`.

The generation side is not yet complete: the writer does not emit a new Layer's content operators inside an `/OC ... BDC ... EMC` marked-content sequence, nor build the catalog `/OCProperties` configuration. Until that lands, this demo cannot show togglable layers without a COS-level workaround - which this demo deliberately avoids.

Tracked as a follow-up: "Writer: emit Optional Content Group content for newly-generated documents."

Attached files

File	Description
README.txt	Plain-text project readme
sales.csv	Sample regional sales data
config.json	Sample configuration block

11. Metadata & viewer preferences

What Adobe shows in 'Document Properties' and how the API sets it.

Title	OpenPDF FOSS - Generation Feature Tour
Author	OpenPDF FOSS
Subject	End-to-end demo of the public generation API
Keywords	PDF, generation, demo, OpenPDF, AcroForm, hyperlinks, attachments
Creator	OpenPDF FOSS generation demo
Producer	(unset)

Viewer preferences:

DisplayDocTitle	true
CenterWindow	true
FitWindow	false
HideToolbar	false

Named destinations: