

BrandBased - Operations Runbook

Print this file to PDF: open in VS Code / browser -> Print -> Save as PDF.

1. Architecture (production)

Layer Host Folder / service

Frontend

Flow: Browser -> Laravel API -> DB (pending) -> Python worker -> Laravel (verified / under_review).

2. Frontend config (one file)

File: brandbased_frontend/assets/js/app-config.js`

```
const PRODUCTION_API = "https://api.brandbased.ai/api";
const PRODUCTION_SMART_SIZE = "https://api.brandbased.ai/smart";
```

- Localhost -> `http://127.0.0.1:8000/api` and `:8001` automatically.

- After

S3 upload (AWS CLI):

```
cd H:\workspace\BrandBased\brandbased_frontend
aws s3 sync . s3://YOUR-BUCKET-NAME --exclude "premium-and-freemium-bb-modals-standalone/*"
```

3. Python worker - `.env` on EC2

File: /var/www/brandbased/python-worker/.env`

```
OPENAI_API_KEY=sk-...
LARAVEL_API_BASE=https://api.brandbased.ai/api
INTERNAL_API_TOKEN=
PROCESSOR_NAME=brandbased-processor-1
```

Local dev `.env`:

```
LARAVEL_API_BASE=http://127.0.0.1:8000/api
```

4. Local development (3 terminals)

```
# Terminal 1 ? Laravel
cd brandbased-api
php artisan serve

# Terminal 2 ? Frontend
cd brandbased_frontend
python -m http.server 5500
# Open http://127.0.0.1:5500/index.html

# Terminal 3 ? Python worker
cd brandbased_py_processor
.\env\Scripts\python.exe worker.py
```

```
# Optional ? Smart-size (crop UI)
cd brandbased_frontend\premium-and-freemium-bb-modals-standalone
uvicorn bb_smart_sizing_server:app --port 8001
```

5. EC2 - deploy / update Python worker

****Upload via WinSCP to**** `/var/www/brandbased/python-worker/`:

- `worker.py`, `config.py`, `requirements.txt`

- `serv

****After upload:****

```
cd /var/www/brandbased/python-worker
source venv/bin/activate
pip install -r requirements.txt

sudo systemctl restart brandbased-worker
sudo systemctl status brandbased-worker
```

6. EC2 - systemd worker service

****File:**** `/etc/systemd/system/brandbased-worker.service`

```
[Unit]
Description=BrandBased identity worker
After=network.target

[Service]
Type=simple
WorkingDirectory=/var/www/brandbased/python-worker
EnvironmentFile=/var/www/brandbased/python-worker/.env
Environment=PLAYWRIGHT_BROWSERS_PATH=/var/www/brandbased/python-worker/.playwright-browsers
ExecStart=/var/www/brandbased/python-worker/venv/bin/python worker.py
Restart=always
RestartSec=10
User=www-data
Group=www-data

[Install]
WantedBy=multi-user.target
```

****Commands:****

```
sudo systemctl daemon-reload
sudo systemctl enable brandbased-worker
sudo systemctl start brandbased-worker
sudo systemctl restart brandbased-worker
sudo systemctl status brandbased-worker
sudo journalctl -u brandbased-worker -f
```

7. Playwright on EC2 (first-time / after rebuild)

```
sudo mkdir -p /var/www/brandbased/python-worker/.playwright-browsers
sudo chown -R www-data:www-data /var/www/brandbased/python-worker/.playwright-browsers
```

```

sudo -u www-data bash -lc '
  cd /var/www/brandbased/python-worker &&
  source venv/bin/activate &&
  export PLAYWRIGHT_BROWSERS_PATH=/var/www/brandbased/python-worker/.playwright-browsers &&
  playwright install chromium
'

# System libraries (use venv path ? sudo does not see "playwright" alone)
cd /var/www/brandbased/python-worker
sudo ./venv/bin/playwright install-deps chromium

# OR apt fallback:
sudo apt-get update
sudo apt-get install -y libatk1.0-0 libatk-bridge2.0-0 libcups2 libdrm2 libgbm1 \
  libnss3 libxcomposite1 libxdamage1 libxfixes3 libxkbcommon0 libxrandr2 libasound2 \
  libpango-1.0-0 libcairo2 libatspi2.0-0 libgtk-3-0 fonts-liberation

```

****Test Chromium as www-data:****

```

sudo -u www-data bash -lc '
  cd /var/www/brandbased/python-worker &&
  source venv/bin/activate &&
  export PLAYWRIGHT_BROWSERS_PATH=/var/www/brandbased/python-worker/.playwright-browsers &&
  python -c "from playwright.sync_api import sync_playwright
with sync_playwright() as p:
    b = p.chromium.launch()
    b.close()
print(\"OK\")"
'

```

8. EC2 - Laravel (quick commands)

```

cd /var/www/brandbased/brandbased-backend-to-push-ec2 # adjust path if different

composer install --no-dev --optimize-autoloader
php artisan migrate --force
php artisan db:seed --class=BrandAiPromptSeeder
php artisan config:cache
php artisan route:cache

sudo systemctl restart php8.3-fpm # your PHP version
sudo systemctl restart nginx

```

****`.env` reminders:****

```

APP_URL=https://api.brandbased.ai
SANCTUM_STATEFUL_DOMAINS=app.brandbased.ai,brandbased.ai
AWS_BUCKET=...

```

9. curl - test API & trigger worker

****Health:****

```
curl -sS https://api.brandbased.ai/up
```

****Worker queue (internal):****

```
curl -sS https://api.brandbased.ai/api/internal/brand-verification/pending
```

****Login -> token:****

```

curl -sS -X POST https://api.brandbased.ai/api/auth/login \
-H "Content-Type: application/json" \

```

```
-d '{"email":"YOUR_EMAIL","password":"YOUR_PASSWORD"}'
```

```
export TOKEN="paste-token"
```

****Create verification job:****

```
curl -sS -X POST https://api.brandbased.ai/api/brand-verification-requests \
-H "Content-Type: application/json" \
-H "Authorization: Bearer $TOKEN" \
-d '{
  "brand_name": "Test Brand",
  "website_url": "https://example.com",
  "light_logo_svg": "<svg xmlns=\"http://www.w3.org/2000/svg\" viewBox=\"0 0 100 100\"><circle cx=\"50\"
cy=\"50\" r=\"40\" fill=\"#1030f5\"/></svg>",
  "dark_logo_svg": "<svg xmlns=\"http://www.w3.org/2000/svg\" viewBox=\"0 0 100 100\"><circle cx=\"50\"
cy=\"50\" r=\"40\" fill=\"#fff\"/></svg>"
}'
```

****Poll status:****

```
curl -sS "https://api.brandbased.ai/api/brand-verification-requests/REQUEST_ID/status" \
-H "Authorization: Bearer $TOKEN"
```

Watch worker: `sudo journalctl -u brandbased-worker -f`

10. Smart-size / crop (optional)

****Upload to EC2:**** `premium-and-freemium-bb-modals-standalone` -> `/var/www/brandbased\_smart\_sizing/`

- `bb\_smart\_sizing\_server.py`, `bb\_trim\_svg\_viewbox.py`, `requirements.txt`

```
cd /var/www/brandbased_smart_sizing
python3 -m venv venv && source venv/bin/activate
pip install -r requirements.txt
# .env with OPENAI_API_KEY=
uvicorn bb_smart_sizing_server:app --host 127.0.0.1 --port 8001
```

****nginx**** (inside `api.brandbased.ai` server block) - see `deploy/nginx-smart-size.conf`

****Test:****

```
curl -sS https://api.brandbased.ai/smart/api/bb/ping
```

11. WinSCP upload tips

- Upload to `/home/ubuntu/upload/` first if Permission denied on `/var/www/`

- Then

12. Troubleshooting

Symptom Fix

Stuck at

13. File map (repo)

brandbased_frontend/	? S3 (static)
brandbased-api/	? EC2 Laravel
brandbased_py_processor/	? EC2 python-worker
premium-and-freemium-.../	? EC2 smart-size only (not S3)
deploy/	? nginx + systemd snippets

Last updated from production setup: api.brandbased.ai + S3 frontend + python-worker on EC2.