

Computer Assisted Proofs

Andrés Sicard-Ramírez

15th September 2026

Universidad EAFIT

Introduction

A big spectrum

pencil and paper proofs

⋮

formally verified proofs

own computer programs

⋮

automatic theorems provers

⋮

interactive theorems provers

Some families in the spectrum

- Automatic theorems provers for first-order logic
- Satisfiability modulo theories solvers
- Inductive theorem provers
- Interactive proof assistants
- Tools for the verification of programs

Automatic Theorems Provers for First-Order Logic

Automatic Theorems Provers for First-Order Logic (ATPs)

Some features

- The TPTP World

“A well know and established infrastructure that supports research, development, and deployment of automated theorem proving systems for classical logics.” (Sutcliffe 2010, p. 1.)

See <http://www.tptp.org/>.

Automatic Theorems Provers for First-Order Logic (ATPs)

Some features

- The TPTP World

“A well know and established infrastructure that supports research, development, and deployment of automated theorem proving systems for classical logics.” (Sutcliffe 2010, p. 1.)

See <http://www.tptp.org/>.

- The CADE ATP System Competition

The World Championship for Automated Theorem Proving!

Automatic Theorems Provers for First-Order Logic (ATPs)

Some features

- The TPTP World

“A well know and established infrastructure that supports research, development, and deployment of automated theorem proving systems for classical logics.” (Sutcliffe 2010, p. 1.)

See <http://www.tptp.org/>.

- The CADE ATP System Competition

The World Championship for Automated Theorem Proving!

- Some ATPs for (classic) first-order logic: E, Equinox, Metis, SPASS and Vampire.

History

- **FOF** (Full First-Order Form) (Sutcliffe 2009)
- **CNF** (Clause Normal Form) (Sutcliffe 2009)
- **TFF** (Typed First-Order Form)
 - **TF0** (monomorphic) (Sutcliffe, Schulz, Claessen and Baumgartner 2012)
 - **TF1** (rank-1 polymorphism) (Blanchette and Paskevich 2013)
- **THF** (Typed Higher-Order Form)
 - **TH0** (monomorphic) (Sutcliffe and Benz Müller 2010)
 - **TH1** (rank-1 polymorphism) (Kaliszyk, Sutcliffe and Rabe 2016)

(continued on next slide)

History (continuation)

- **TXF** (Typed Extended First-Order Form)
 - **TX0** (monomorphic) (Sutcliffe and Kotelnikov 2018)
 - **TX1** (rank-1 polymorphism) (Sutcliffe and Kotelnikov 2018)
- **DHF** (Dependently Typed higher-order Form)
(Ranalter, Kaliszyk, Rabe and Sutcliffe 2025)

Annotated Formulae

FOF annotated formulae

Every FOF annotated formula is the form

`fof(name, role, formula).`,

where:

- (i) `name` identifies the formula,
- (ii) `formula` is a FOL-formula,
- (iii) `role` $\in \{ \text{axiom}, \text{definition}, \text{hypothesis}, \text{conjecture} \}$.

Description

Each TPTP problem contains one or more annotated formulae.

Logical constant	Symbol
True	<code>\$true</code>
False	<code>\$false</code>
Conjunction	<code>&</code>
Disjunction	<code> </code>
Negation	<code>~</code>
Conditional	<code>=></code>
Biconditional	<code><=></code>
Universal quantifier	<code>![X] : p(X)</code>
Existential quantifier	<code>?[X] : p(X)</code>

Satisfiability Modulo Theories Solvers

Satisfiability Modulo Theories

- The study of automatic methods for checking the satisfiability of first-order formulae with respect to some **background** theory is called Satisfiability Modulo Theories (SMT) (Barret, Sebastiani, Seshia and Tinelli 2009).

Satisfiability Modulo Theories

- The study of automatic methods for checking the satisfiability of first-order formulae with respect to some **background** theory is called Satisfiability Modulo Theories (SMT) (Barret, Sebastiani, Seshia and Tinelli 2009).
- Examples of background theories:

Theories of real numbers, integers, arrays, lists, records, and bit-vectors.

Satisfiability Modulo Theories

- The study of automatic methods for checking the satisfiability of first-order formulae with respect to some **background** theory is called Satisfiability Modulo Theories (SMT) (Barret, Sebastiani, Seshia and Tinelli 2009).
- Examples of background theories:

Theories of real numbers, integers, arrays, lists, records, and bit-vectors.

SMT-LIB

The SMT library and standard.

Some SMT solvers

- Z3 (Microsoft), CVC4 and veriT.

Satisfiability Modulo Theories Solvers (SMT Solvers)

Some SMT solvers

- Z3 (Microsoft), CVC4 and veriT.
- See https://en.wikipedia.org/wiki/Satisfiability_Modulo_Theories.

Satisfiability Modulo Theories Solvers (SMT Solvers)

Some SMT solvers

- **Z3** (Microsoft), **CVC4** and **veriT**.
- See https://en.wikipedia.org/wiki/Satisfiability_Modulo_Theories.

Z3 demo

See **Z3** home page.

Inductive Theorem Provers

Inductive Theorem Provers (ITPs)

- There is not standard

Inductive Theorem Provers (ITPs)

- There is not standard
- ITPs (Google for “Inductive Theorem Provers”)

Interactive Proof Assistants

Description

*“Proof assistants are computer systems that allow a user to do mathematics on a computer, but not so much the computing (numerical or symbolical) aspect of mathematics but the aspects of **proving** and **defining**. So a user can **set up** a mathematical theory, define properties and do logical reasoning with them.”*
(Geuvers 2009, p. 3.)

Examples

- Based on set theory: Isabelle/ZF, Metamath and Mizar
- Based on higher-order logic: HOL4, HOL Light and Isabelle/HOL
- Based on type theories: Agda, Lean and Rocq

Some Proof Assistants

- Agda
- Isabelle
- Lean
- Rocq

- Chalmers University of Technology and University of Gothenburg (Sweden)
- Based on Martin-Löf Type Theory
- Direct manipulation of proofs-objects
- Back-ends to **Haskell** (**GHC**) and **JavaScript**
- Written in **Haskell**

- University of Cambridge (England) and Technical University of Munich (German)
- Based on higher order logic
- Tactic-based
- Extraction of programs to **Haskell**, **OCaml**, **Scala** and **SML**
- Written in **SML**
- Integration with ATPs and SMT solvers

- Microsoft Research and Carnegie Mellon University (USA)
- Based on dependent type theory
- Declarative style and tactic-based
- Written in C++
- Integration with ATPs and SMT solvers

- INRIA (France)
- Based on the Calculus of Inductive Constructions
- Tactic-based
- Extraction of programs to **Haskell**, **OCaml** and **Scheme**
- Written in **OCaml** (with a bit of **C**)

Real Applications

1977 PhD thesis from Eindhoven University of Technology ([Automath](#)).
(van Benthem Jutting [1977](#))

One of the largest repository of formalised mathematics (1990–current).

MML includes (Bancerek, Byliński, Grabowski, Kornilowicz, Matuszewski, Naumowicz and Pak 2018):

- over 12000 definitions
- over 59000 theorems
- over 1290 articles
- over 253 authors

Proof of the Four Colour Theorem

- 1976** Every planar graph is four colorable. Announce in the Bulletin of AMS.
(K. Appel and Haken 1976)
- 1977** Description of the proof in Scientific American.
(K. Appel and Haken 1977)
- 1977** Simpler proof (still using a computer).
(Robertson, Sanders, Seymour and Thomas 1997)
- 2005** Formalised proof. Microsoft report (Rocq).
(Gonthier 2005)
- 2008** Description of the formalised proof in Notices of AMS.
(Gonthier 2008)

2006 Journal (and proceedings) publication: POPL 2006 ([Rocq](#)).
(Leroy [2006](#))

2009 Journal publication.
(Leroy [2009a](#))

2009 Description in CACM.
(Leroy [2009b](#))

2009 Proceedings of SOSP 2009 (*Isabelle/HOL*).

2010 Description in CACM.

(Klein, Andronick, Elphinstone, Heiser, Cock, Derrin, Elkaduwe, Engelhardt, Kolanski, Norrish, T. Sewell, Tuch and Winwood *2010*).

Proof of the Odd-Order Theorem

1963 Solvability of groups of odd-order (Feit and Thompson 1963).

2012 Announce of the formalised proof (Rocq).
(Gonthier and Théry 2012)

2013 Formalised proof. Journal publication.
(Gonthier, Asperti, Avigad, Bertot, Cohen, Garillot, Le Roux, Mahboubi, O'Connor, Biha, Pasca, Rideau, Solovyev, Tassi and Théry 2013)

Proof of Kepler Conjecture

1998 Hales announced proof of Kepler Conjecture.

2005 Journal publication “uncertified” in Annals of Mathematics.
(Hales 2005)

2014 Announce of the formalised proof (*Isabelle* and *Isabelle/HOL*, *HOL Light*, *OCaml*, *CamLP5* and *GLPK*).
(Hales 2014)

2017 Formalised proof. Journal publication.
(Hales, Adams, Bauer, Dang, Harrison, Hoang, Kaliszyk, Magron, McLaughlin, T. T. Nguyen, Q. T. Nguyen, Nipkow, Steven, Pleso, Rute, Solovyev, Ta, Tran, Trieu, Urban, Vu and Zumkeller 2017)

2014 Journal publication (**Frama-C**).
(Marché **2014**)

2014 Journal publication ([HOL4](#)).
(Kumar, Myreen, Norrish and Owens [2014](#))

2015 Journal publication (**Rocq**).
(A. W. Appel **2015**)

Certifying a File System using Crash Hoare Logic

2015 Proceedings of SOSP 2015 ([Rocq](#)).

2017 Description in CACM.

(Chajed, Chen, Chlipala, Kaashoek, Zeldovich and Ziegler [2017](#))

Rigorous Test-Oracle Specification and Validation for TCP/IP and the Sockets API

2001 Technical report ([HOL4](#)).

2015 Proceedings publication (2008, 2006, 2005, 2002, 2001).

2017 Journal publication.

(Bishop, Fairbairn, Mehnert, Norrish, Ridge, P. Sewell, Smith and Wansbrough [2018](#))

2019 Proceedings of PLDI 2019 (**HOL4**).

(Löow, Kumar, Tan, Myreen, Norrish, Abrahamsson and Fox **2019**)

2019 Journal publication ([HOL Light](#) and [Rocq](#)).
(Beeson, Narboux and Wiedijk [2019](#))

2022 Description in The American Mathematical Monthly.
(Beeson [2022](#))

Resolution of Keller's Conjecture

2020 Proceedings of IJCAR 2020 (SMT solver).

2021 Description in CACM.

(Monroe [2021](#))

2020 Proceedings of IJCAR 2020 ([Isabelle/HOL](#)).

2022 Journal publication.

(Eßmann, Nipkow, Robillard and Sulejmani [2022](#))

2026 Proceedings of CPP 2026 ([HOL4](#)).
(Lasnier, Yallop and Myreen [2026](#))

Tools for the Verification of Programs

Dedicate Tools and Systems for the Verification of Functional Programs

- Hip: The Haskell Inductive Prover

Dedicate Tools and Systems for the Verification of Functional Programs

- **Hip**: The Haskell Inductive Prover
- **Sparkle**: An interactive proof assistant for Clean


Dedicate Tools and Systems for the Verification of Functional Programs

- **Hip**: The Haskell Inductive Prover
- **Sparkle**: An interactive proof assistant for Clean
- **Zeno**: An automated proof system for Haskell program properties

An Application: Reasoning about Functional Programs

Combining Agda with ATPs*

Agda file + ATP-pragmas + [logical schemata options]



References

References

-  Andrew W. Appel (2015). **Verification of a Cryptographic Primitive: SHA-256.** ACM Transactions on Programming Languages and Systems 37.2, 7:1–31. DOI: [10.1145/2701415](https://doi.org/10.1145/2701415) (cit. on p. 42).
-  K. Appel and W. Haken (1976). **Every Planar Graph is Four Colorable.** Bulletin of the American Mathematical Society 8.5, pp. 711–712. DOI: [10.1090/bull/1556](https://doi.org/10.1090/bull/1556) (cit. on p. 35).
-  Kenneth Appel and Wolfgang Haken (Oct. 1977). **The Solution of the Four-Color-Map Problem.** Scientific American, pp. 108–121. DOI: [10.1038/scientificamerican1077-108](https://doi.org/10.1038/scientificamerican1077-108) (cit. on p. 35).
-  Grzegorz Bancerek, Czesław Byliński, Adam Grabowski, Artur Korniłowicz, Roman Matuszewski, Adam Naumowicz and Karol Pak (2018). **The Role of the Mizar Mathematical Library for Interactive Proof Development in Mizar.** Journal of Automated Reasoning 61.1–4, pp. 9–32. DOI: [10.1007/s10817-017-9440-6](https://doi.org/10.1007/s10817-017-9440-6) (cit. on p. 34).

References

-  Clark Barret, Roberto Sebastiani, Sanjit A. Seshia and Cesare Tinelli (2009). **Satisfiability Module Theories**. In: Handbook of Satisfiability. Ed. by Armin Biere, Marijn Heule, Hans van Maaren and Toby Walsh. IOS Press. Chap. 26 (cit. on pp. 15–17).
-  Michael Beeson (2022). **Euclid after Computer Proof-Checking**. The American Mathematical Monthly 129.7, pp. 623–646. DOI: [10.1080/00029890.2022.2069985](https://doi.org/10.1080/00029890.2022.2069985) (cit. on p. 46).
-  Michael Beeson, Julien Narboux and Freek Wiedijk (2019). **Proof-Checking Euclid**. Annals of Mathematics and Artificial Intelligence 85.2–4, pp. 213–257. DOI: [10.1007/s10472-018-9606-x](https://doi.org/10.1007/s10472-018-9606-x) (cit. on p. 46).
-  Steve Bishop, Matthew Fairbairn, Hannes Mehnert, Michael Norrish, Tom Ridge, Peter Sewell, Michael Smith and Keith Wansbrough (2018). **Engineering with Logic: Rigorous Test-Oracle Specification and Validation for TCP/IP and the Sockets API**. Journal of the ACM 66.1, pp. 1–77. DOI: [10.1145/3243650](https://doi.org/10.1145/3243650) (cit. on p. 44).

References

-  Jasmin Christian Blanchette and Andrei Paskevich (2013). **TFF1: The TPTP Typed First-Order Form with Rank-1 Polymorphism.** In: Automated Deduction (CADE-24). Ed. by Maria Paola Bonacina. Vol. 7898. Lecture Notes in Artificial Intelligence. Springer, pp. 414–420. DOI: [10.1007/978-3-642-38574-2_29](https://doi.org/10.1007/978-3-642-38574-2_29) (cit. on p. 9).
-  Tej Chajed, Haogang Chen, Adam Chlipala, M. Frans Kaashoek, Nickolai Zeldovich and Daniel Ziegler (2017). **Certifying a File System Using Crash Hoare Logic: Correctness in the Presence of Crashes.** Communications of the ACM 60.4, pp. 75–84. DOI: [10.1145/3051092](https://doi.org/10.1145/3051092) (cit. on p. 43).
-  Robin Eßmann, Tobias Nipkow, Simon Robillard and Ujkan Sulejmani (2022). **Verified Approximation Algorithms.** Logical Methods in Computer Science 18.1, 36:1–36:21. DOI: [10.46298/lmcs-18\(1:36\)2022](https://doi.org/10.46298/lmcs-18(1:36)2022) (cit. on p. 48).
-  Walter Feit and John G. Thompson (1963). **Solvability of Groups of Odd Order.** Pacific Journal of Mathematics 13.3 (cit. on p. 38).

References

-  H. Geuvers (2009). **Proof Assistants: History, Ideas and Future.** *Sadhana* 34.1, pp. 3–25. DOI: [10.1007/s12046-009-0001-5](https://doi.org/10.1007/s12046-009-0001-5) (cit. on p. 25).
-  Georges Gonthier (2005). **A Computer-Checked Proof of The Four Colour Theorem.** Tech. rep. Microsoft report (cit. on p. 35).
-  — (2008). **Formal Proof—The Four Colour Theorem.** *Notices of the AMS* 55.11, pp. 1382–1393 (cit. on p. 35).
-  Georges Gonthier, Andrea Asperti, Jeremy Avigad, Yves Bertot, Cyril Cohen, François Garillot, Stéphane Le Roux, Assia Mahboubi, Russell O'Connor, Sidi Ould Biha, Ioana Pasca, Laurence Rideau, Alexey Solovyev, Enrico Tassi and Laurent Théry (2013). **A Machine-Checked Proof of the Odd Order Theorem.** In: 4th International Conference on Interactive Theorem Proving (ITP 2013). Ed. by Sandrine Blazy, Christine Paulin-Mohring and David Pichardie. Vol. 7998. *Lecture Notes in Computer Science*. Springer, pp. 163–179. DOI: [10.1007/978-3-642-39634-2_14](https://doi.org/10.1007/978-3-642-39634-2_14) (cit. on p. 38).

References

-  Thomas Hales, Mark Adams, Gertrud Bauer, Tat Dat Dang, John Harrison, Le Truong Hoang, Cezary Kaliszyk, Victor Magron, Sean McLaughlin, Tat Thang Nguyen, Quang Truong Nguyen, Tobias Nipkow, Obua Steven, Joseph Pleso, Jason Rute, Alexey Solovyev, Thi Hoai An Ta, Nam Trung Tran, Thi Diep Trieu, Josef Urban, Ky Vu and Roland Zumkeller (2017). **A Formal Proof of the Kepler Conjecture**. Forum of Mathematics, Pi 5, e2. DOI: [10.1017/fmp.2017.1](https://doi.org/10.1017/fmp.2017.1) (cit. on p. 39).
-  Thomas C. Hales (2005). **A Proof of the Kepler Conjecture**. Annals of Mathematics 162.3, pp. 1065–1185. DOI: [10.4007/annals.2005.162.1065](https://doi.org/10.4007/annals.2005.162.1065) (cit. on p. 39).
-  Cezary Kaliszyk, Geoff Sutcliffe and Florian Rabe (2016). **TH1: The TPTP Typed Higher-Order Form with Rank-1 Polymorphism**. In: Proceedings of the 5th Workshop on Practical Aspects of Automated Reasoning (PAAR 2016). Ed. by Pascal Fontaine, Stephan Schulz and Josef Urban. Vol. 1635. CEUR Workshop Proceedings. CEUR-WS.org, pp. 41–55. URL: <https://ceur-ws.org/Vol-1635/paper-05.pdf> (cit. on p. 9).

References

-  Gerwin Klein, June Andronick, Kevin Elphinstone, Gernot Heiser, David Cock, Philip Derrin, Dhammika Elkaduwe, Kai Engelhardt, Rafal Kolanski, Michael Norrish, Thomas Sewell, Harvey Tuch and Simon Winwood (2010). **seL4: Formal Verification of an Operating-system Kernel**. Communications of ACM 53.6, pp. 107–115. DOI: [10.1145/1743546.1743574](https://doi.org/10.1145/1743546.1743574) (cit. on p. 37).
-  Ramana Kumar, Magnus O. Myreen, Michael Norrish and Scott Owens (2014). **CakeML: A Verified Implementation of ML**. In: Proceedings of the 41th annual ACM SIGPLAN-SIGACT Symposium on Principles of Programming Languages (POPL 2014), pp. 179–191. DOI: [10.1145/2535838.2535841](https://doi.org/10.1145/2535838.2535841) (cit. on p. 41).
-  Pascal Lasnier, Jeremy Yallop and Magnus O. Myreen (2026). **Brack: A Verified Compiler for Scheme via CakeML**. In: Proceedings of the 2026 Conference on Certified Programs and Proofs (CPP '26), TODO. DOI: [TODO](#) (cit. on p. 49).

References

-  Xavier Leroy (2006). **Formal Certification of a Compiler Back-End or: Programming a Compiler with a Proof Assistant.** In: Proceedings of the 33rd ACM SIGPLAN-SIGACT Symposium on Principles of Programming Languages (POPL 2006), pp. 42–54. DOI: [10.1145/1111037.1111042](https://doi.org/10.1145/1111037.1111042) (cit. on p. 36).
-  — (2009a). **A Formally Verified Compiler Back-end.** Journal of Automated Reasoning 43.4, pp. 363–446. DOI: [10.1007/s10817-009-9155-4](https://doi.org/10.1007/s10817-009-9155-4) (cit. on p. 36).
-  — (2009b). **Formal Verification of a Realistic Compiler.** Communications of the ACM 52.7, pp. 107–115. DOI: [10.1145/1538788.1538814](https://doi.org/10.1145/1538788.1538814) (cit. on p. 36).
-  Andreas Löw, Ramana Kumar, Yong Kiam Tan, Magnus O. Myreen, Michael Norrish, Oskar Abrahamsson and Anthony Fox (2019). **Verified Compilation on a Verified Processor.** In: Proceedings of the 40th ACM SIGPLAN Conference on Programming Language Design and Implementation (PLDI 2019). ACM, pp. 1041–1053. DOI: [10.1145/3314221.3314622](https://doi.org/10.1145/3314221.3314622) (cit. on p. 45).

References

-  Claude Marché (2014). **Verification of the functional behavior of a floating-point program: An industrial case study.** Science of Computer Programming 96, Part 3, pp. 279–296. DOI: [10.1016/j.scico.2014.04.003](https://doi.org/10.1016/j.scico.2014.04.003) (cit. on p. 40).
-  Don Monroe (2021). **A Satisfying Result.** Communications of the ACM 64.5, pp. 10–12. DOI: [10.1145/3453650](https://doi.org/10.1145/3453650) (cit. on p. 47).
-  Daniel Ranalter, Cezary Kaliszyk, Florian Rabe and Geoff Sutcliffe (2025). **The Dependently Typed Higher-Order Form for the TPTP World.** In: Frontiers of Combining Systems (FroCoS 2025). Ed. by René Thiemann and Christoph Weidenbach. Vol. 15979. Lecture Notes in Artificial Intelligence. Springer, pp. 287–305. DOI: [10.1007/978-3-032-04167-8_16](https://doi.org/10.1007/978-3-032-04167-8_16) (cit. on p. 10).
-  Neil Robertson, Daniel Sanders, Paul Seymour and Robin Thomas (1997). **The Four-Colour Theorem.** Journal of Combinatorial Theory, Series B 70.1, pp. 2–44. DOI: [10.1006/jctb.1997.1750](https://doi.org/10.1006/jctb.1997.1750) (cit. on p. 35).

References

-  Andrés Sicard-Ramírez (2015). **Reasoning about Functional Programs by Combining Interactive and Automatic Proofs.** PhD thesis. PEDECIBA Informática. Universidad de la República. Uruguay (cit. on p. 54).
-  Geoff Sutcliffe (2009). **The TPTP Problem Library and Associated Infrastructure. The FOT and CNF Parts, v3.5.0.** Journal of Automated Reasoning 43.4, pp. 337–362. DOI: [10.1007/s10817-017-9407-7](https://doi.org/10.1007/s10817-017-9407-7) (cit. on p. 9).
-  — (2010). **The TPTP World—Infrastructure for Automated Reasoning.** In: Logic for Programming, Artificial Intelligence, and Reasoning (LPAR-16). Ed. by Edmund Clarke and Andrei Voronkov. Vol. 6355. Lecture Notes in Computer Science. Springer, pp. 1–12. DOI: [10.1007/978-3-642-17511-4_1](https://doi.org/10.1007/978-3-642-17511-4_1) (cit. on pp. 6–8).
-  Geoff Sutcliffe and Christoph Benzmüller (2010). **Automated Reasoning in Higher-Order Logic using the TPTP THF Infrastructure.** Journal of Formalized Reasoning 3.1, pp. 1–27. DOI: [10.6092/issn.1972-5787/1710](https://doi.org/10.6092/issn.1972-5787/1710) (cit. on p. 9).

References

-  Geoff Sutcliffe and Evgenii Kotelnikov (2018). **TFX: The TPTP Extended Typed First-Order Form.** In: Proceedings of the 6th Workshop on Practical Aspects of Automated Reasoning (PAAR 2018). Ed. by Boris Konev, Josef Urban and Philipp Rümmer. Vol. 2162. CEUR Workshop Proceedings. CEUR-WS.org, pp. 72–87. URL: <https://ceur-ws.org/Vol-2162/paper-07.pdf> (cit. on p. 10).
-  Geoff Sutcliffe, Stephan Schulz, Koen Claessen and Peter Baumgartner (2012). **The TPTP Typed First-Order Form with Arithmetic.** In: Logic for Programming, Artificial Intelligence, and Reasoning (LPAR-18). Ed. by Nikolaj Bjørner and Andrei Voronkov. Vol. 7180. Lecture Notes in Computer Science. Springer, pp. 406–419. DOI: [10.1007/978-3-642-28717-6_32](https://doi.org/10.1007/978-3-642-28717-6_32) (cit. on p. 9).
-  L. S. van Benthem Jutting (1977). **Checking Landau’s “Grundlagen” in the Automath System.** PhD thesis. Technische Hogeschool Eindhoven. DOI: [10.6100/IR23183](https://doi.org/10.6100/IR23183) (cit. on p. 33).