


Scanned with CamScanner

```
A
B

[Program finished]
```

Scanned with CamScanner

Lab #2

Task #1


Input

```
#include <iostream>
using namespace std;
int main( ) {
    char letter;
    letter = 'A';
    cout << letter << "\n";
    letter = 'B';
    cout << letter << "\n";
    return 0;
}
```

Output

A
B

Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner

DATE

Task #2

Input

```
#include <iostream>
using namespace std;
int main ( )
{
int num1,num2;
cout <<"Enter two integers";
cin >> num1 >>num2 ;
cout<<"Addition=" <<num1+
num2 <<endl;
cout <<"subtraction=" <<num1-num2
<<endl;
cout <<"multiplication=" <<num1*num2
<<endl;
cout <<"Division=" num1/num
<<endl;
return 0;
}
```

output


~~multi~~ Addition 15
subtraction = 5
multiplication = 50 Division = 2

Scanned with CamScanner

new*

```
1  #include <stdio.h>
2  #include <iostream>
3  using namespace std;
4
5  int main()
6  {
7      int val1;
8      int val2;
9      int val3;
10
11     cout << "Please enter your 3 numbers: ";
12     cin >> val1 >> val2 >> val3;
13
14     cout << val1 << "\n" << val2 << "\n" <<
       val3 << "\n";
15
16     cout << val3 << "\n" << val2 << "\n" <<
       val1 << "\n";
17
18     system("PAUSE");
19     return 0;
20 }
```

Scanned with CamScanner



Scanned with CamScanner

DATE.


Task#3

```
#include <stdio.h>
#include <iostream>
using namespace std;
int main( )
{
    int val1;
    int val2;
    int val3;
cout << "Please enter 3 numbers:";
    cin >> val1 >> val2 >> val3;
    cout << val1 << "\n" << val2
    << "\n" << val3 << "\n";
    cout << val13 << "\n" <<
    val12 << "\n" << val1 << "\n";
    System("Pause");
    return 0;
}
```


output

10	30
20	20
30	10

Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner

DAY.

DATE

Task #4

```
#include <iostream>
#include <cmath>
using namespace std;
int main()
{
    float x1, y1, x2, y2, distance;
    cout<<"Enter x1 and y1.";
    cin>>x1>>y1;
    cout<<"Enter x2 and y2.";
    cin>>x2>>y2;
    distance = sqrt((x2-x1)*(x2-x1)
    + (y2-y1)*(y2-y1));

    cout<<"Distance="<<
    distance<<endl;
    return 0
}
```

output

x = 5

y = 5

Scanned with CamScanner