




KANSTAR FANS

HAWA AISI KI FAN HOJAOGE



DESIGNS
THAT'LL BLOW
YOU AWAY



THE ERA OF ENERGY-SAVING FANS IS HERE



Did you know that in regions like India, where tropical climates dominate, fans are essential for keeping homes cool?

However, their widespread use often results in significant energy consumption, accounting for nearly 20% of a household's electricity usage. Understanding the need for energy conservation, Galetech Industries proudly introduces its new range of energy-efficient pedestal, table, and wall fans, including innovative table-cum-pedestal models.

Our fans, crafted with precision and certified for energy efficiency, are designed not just to keep you cool but also to help you save on energy costs. With superior energy-saving technology, Galetech fans deliver unmatched performance while keeping electricity bills in check.

Stay cool with Galetech – the perfect blend of innovation and savings.

SAVINGS IN THE AIR WITH GALETECH ENERGY-EFFICIENT FANS

HOW TO CALCULATE STAR RATINGS IN FANS?

Air Delivery/Watt = Service Value

Slabs (Service Value)	Star Rating	Annual Savings (INR)
2.40 < 4.45	1 Star	850
4.45 < 5.50	2 Star	1090
5.50 < 6.00	3 Star	1300
6.00 < 6.60	4 Star	1500
6.60	5 Star	1750



Redesigned motor for less power consumption



Superior airflow with certified efficiency from approved labs



Added safety features for durability and protection

Galetech fans compared with non-star-rated models. Savings calculated at ₹6.7/unit.




GALETECH INDUSTRIES

STATE-OF-ART : FANMANUFACTURINGFACILITIES

Founded in 1997, Ankit Group of Companies has built a reputation for excellence and trust in the industry, rooted in our commitment to quality and service. Beginning with the manufacturing and sale of spare parts for table, wall and pedestal fans. Our unwavering dedication to superior craftsmanship and seamless service has earned us widespread goodwill among customers and business partners alike.

As the demand for our products grew rapidly, we took a significant step forward by establishing our own state-of-the-art fan assembly unit. This strategic expansion allowed us to have complete control over the manufacturing process, ensuring that every product meets the highest standards of quality and precision. With advanced technology and rigorous quality checks in place, we have been able to introduce a remarkable range of fans known for their exceptional durability, flawless performance, and compliance with global industry benchmarks. This move has not only strengthened our commitment to excellence but also reinforced our reputation as a trusted name in the market.





BULIDING TRUST THROUGH SUPERIOR CRAFTSMANSHIP

At Ankit Group of Companies, our mission is to create exceptional value for our customers and business partners through innovation, quality, and reliability. We are dedicated to offering superior products that seamlessly blend top-tier performance with cost-effectiveness, ensuring that excellence remains accessible to all. Our commitment to cutting-edge designs, meticulous craftsmanship, and stringent quality control allows us to deliver solutions that not only meet but exceed industry expectations. With a strong focus on customer satisfaction, we go beyond just providing products—we create experiences defined by trust, efficiency, and long-term value. By upholding these principles, we continue to solidify our position as a pioneering force in the industry, setting new benchmarks for excellence and customer-centric innovation.



Jaisa
Performance,
Waisa Price!



WHERE COMFORT MEETS ELEGANCE



The versatile range of Kanstar Table, Pedestal, and Wall Fans is designed with precision and care to cater to every comfort need. Keeping elegance and functionality at the forefront, these fans deliver a seamless blend of top-tier performance and aesthetic appeal. With an easy-to-use interface and innovative features, they promise to provide not just cool air but also an unmatched experience of convenience and style.

Signal White

MAGIC 16

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

	Sweep (mm)	Air Delivery (CMM)	RPM
High Speed	400	90	2100
Normal Speed	400	70	1350



Sky Mist Blue



RIO 16

-  Up & down tilt mechanism
-  3-speed switch control
-  Easy snap fit assembly
-  Motor protection with thermal overload protection and auto-resetting
-  80-degree oscillation
-  Aerodynamically designed blades for maximum air delivery
-  Extra protection against corrosion with powder-coated guard
-  2 Years warranty
-  Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

	Sweep (mm)	Air Delivery (CMM)	RPM
High Speed	400	90	2100
Normal Speed	400	70	1350



Ash Grey



Sapphire Blue



Emerald Green



SUPERFLOW 16

Up & down tilt mechanism

3-speed switch control

Easy snap fit assembly

Motor protection with thermal overload protection and auto- resetting

80-degree oscillation

Aerodynamically designed blades for maximum air delivery

Extra protection against corrosion with powder -coated guard

2 Years warranty

Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

	Sweep (mm)	Air Delivery (cmm)	RPM
High Speed	400	90	2100
Normal Speed	400	70	1350



SWIFT 16

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

	Sweep (mm)	Air Delivery (CMM)	RPM
High Speed	400	90	2100
Normal Speed	400	70	1350



Ash Grey



Black & White

TORNADO 18

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

Sweep (mm)	Air Delivery (CMM)	RPM
400	100	1350



HI-FLOW 18

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350



Gunmetal Black



LIFESTYLE FANS
JOY OF THE MOMENT



AIRSWING 16

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units



Signal White



Obsidian Black

	Sweep (mm)	Air Delivery (cMM)	RPM
High Speed	230	90	2100
Normal Speed	230	70	1350



Sunlit Golden

BLITZ 12

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

Sweep (mm)	Air Delivery (CMM)	RPM
300	55	2100



Sapphire Blue

HI-AIR 18

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

Sweep (mm)	Air Delivery (CMM)	RPM
400	100	1350




Signal White

TORPEDO 18

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350



Dark Blue



WHO SAYS ONLY WALLS
GET TO ENJOY THE AIR?


CREATING MOMENTS OF BLISS WITH EVERY TURN

ACE 16

- ↔ Up & down tilt mechanism
- ☰ 3-speed switch control
- ⚙ Easy snap fit assembly
- 🛡 Motor protection with thermal overload protection and auto- resetting
- 🌐 80-degree oscillation
- ▶ Aerodynamically designed blades for maximum air delivery
- 💧 Extra protection against corrosion with powder -coated guard
- ⌚ 2 Years warranty
- 📦 Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units



Ash Grey



Sapphire Blue

	Sweep (mm)	Air Delivery (cMM)	RPM
High Speed	400	90	2100
Normal Speed	400	70	1350



Black & White

ROCKET 16

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units



Sky Mist Blue

	Sweep (mm)	Air Delivery (cMM)	RPM
High Speed	400	90	2100
Normal Speed	400	70	1350



Sunlit Golden

METRO 16

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units



Ash Grey

Sweep (mm)	Air Delivery (CMM)	RPM
400	70	1350


Sky Mist Blue



GLOBE 16

Ash Grey

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto-resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder-coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units



Sky Mist Blue

	Sweep (mm)	Air Delivery (CMM)	RPM
High Speed	400	90	2100
Normal Speed	400	70	1350



SWIFT 16

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

	Sweep (mm)	Air Delivery (CMM)	RPM
High Speed	400	90	2100
Normal Speed	400	70	1350



Sky Mist Blue

SUPERFLOW 16

Sunlit Golden

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

	Sweep (mm)	Air Delivery (CMM)	RPM
High Speed	400	90	2100
Normal Speed	400	70	1350



MAGIC 16



Up & down tilt
mechanism



3-speed switch
control



Easy snap fit assembly



Motor protection with
thermal overload protection
and auto- resetting



80-degree oscillation



Aerodynamically
designed blades for
maximum air delivery



Extra protection against
corrosion with powder -coated
guard



2 Years warranty



Standard container 20ft capacity
1PC/Box with 500 units or 3PC/Box
with 166 units

	Sweep (mm)	Air Delivery (CMM)	RPM
High Speed	400	90	2100
Normal Speed	400	70	1350



Ash Grey

RIO 16

- Up & down tilt mechanism
- 3-speed switch control
- Easy snap fit assembly
- Motor protection with thermal overload protection and auto- resetting
- 80-degree oscillation
- Aerodynamically designed blades for maximum air delivery
- Extra protection against corrosion with powder -coated guard
- 2 Years warranty
- Standard container 20ft capacity 1PC/Box with 500 units or 3PC/Box with 166 units

	Sweep (mm)	Air Delivery (CMM)	RPM
High Speed	400	90	2100
Normal Speed	400	70	1350


Ethereal Blue



THE PERFECT MOMENT OF JOY

FILLING EVERY ROOM
WITH COMFORT IN EVERY SPIN





Introducing Kanstar Fans by Gale Tech Industries – a premium range of ceiling fans designed to redefine comfort and efficiency. Engineered with cutting-edge technology and a sleek, modern aesthetic, Kanstar Fans deliver a seamless blend of style and performance.

With aerodynamically optimized blades inspired by the precision of aircraft wings, these fans ensure superior airflow that reaches every corner of your space. Crafted for whisper-quiet operation, they provide an unparalleled cooling experience without unnecessary noise. Whether it's for your home or workspace, Kanstar Fans bring innovation, durability, and unmatched elegance to every room.

HECTOR



Unique floating blade design to suit modern interiors



Aerodynamic blade designed to lower air-cutting noise



Aluminium covered material




Engineered for reliability, ensuring safety in every strand.



Regular aluminium bending for maximum performance





2 Years warranty



Standard container 20ft capacity
4PC/Box with secure outer packing,
3-ply inner box, and 5-ply outer box

Sweep (mm)	Air Delivery (CMM)	RPM	FULL LOAD (WATT)
1200	215	400	53



Matt Black



Lunar Frost
Emberwood



WENDY



Unique floating
blade design to suit
modern interiors



Aerodynamic blade
designed to lower
air-cutting noise



Aluminium covered material



Engineered for reliability,
ensuring safety in every strand.



Regular aluminium bending
for maximum performance



2 Years warranty




Standard container 20ft capacity
4PC/Box with secure outer packing,
3-ply inner box, and 5-ply outer box

Sweep (mm)	Air Delivery (CMM)	RPM	FULL LOAD (WATT)
1400	215	310	59



Espresso Glow



Matt Black



Espresso Glow

AEROQUIET



Unique floating blade design to suit modern interiors



Aerodynamic blade designed to lower air-cutting noise



Aluminium covered material



Engineered for reliability, ensuring safety in every strand.



Regular aluminium bending for maximum performance



2 Years warranty




Standard container 20ft capacity 4PC/Box with secure outer packing, 3-ply inner box, and 5-ply outer box



Dark Gold



Lunar Frost



Matt Black



Dark Gold

Sweep (mm)	Air Delivery (CMM)	RPM	FULL LOAD (WATT)
1400	215	310	59

WENDY



Unique floating blade design to suit modern interiors



Aerodynamic blade designed to lower air-cutting noise



Aluminium covered material



Engineered for reliability, ensuring safety in every strand.



Regular aluminium bending for maximum performance



2 Years warranty




Standard container 20ft capacity 4PC/Box with secure outer packing, 3-ply inner box, and 5-ply outer box



Dark Gold



Lunar Frost



Matt Black



Dark Gold

Sweep (mm)	Air Delivery (CMM)	RPM	FULL LOAD (WATT)
900	215	430	44

Espresso Glow

AEROSTORM



Unique floating
blade design to suit
modern interiors



Aerodynamic blade
designed to lower
air-cutting noise



Aluminium covered material




Engineered for reliability,
ensuring safety in every strand.



Regular aluminium bending
for maximum performance



2 Years warranty



Standard container 20ft capacity
4PC/Box with secure outer packing,
3-ply inner box, and 5-ply outer box

Sweep (mm)	Air Delivery (CMM)	RPM	FULL LOAD (WATT)
1400	215	310	59



Espresso Glow



Rosé Veil



Matt Black



WARRANTY ACKNOWLEDGMENT

Thank you for choosing Galetech Industries Pvt. Ltd. We take pride in delivering high-quality, durable, and innovative fans designed to enhance your comfort and lifestyle. Each Kanstar Fan comes with a 2-year warranty, covering any manufacturing defects or performance issues under normal usage conditions. Our commitment to excellence ensures that you receive not just a product, but a promise of reliability and customer satisfaction.

Warranty Terms & Conditions:

- The warranty covers manufacturing defects and electrical malfunctions within the specified period.
- It does not cover physical damage, mishandling, or unauthorized repairs.
- Proof of purchase (invoice/bill) must be presented for any warranty claims.
- The warranty service is provided by authorized service centers only.
- For any warranty-related concerns, service requests, or inquiries, please reach out to our customer support team.


Experience the perfect blend of technology and comfort with Galetech fans—crafted for performance, built for longevity.






Disclaimer:

The intellectual property of Galetech Industries Pvt. Ltd. is safeguarded by copyright laws. Reproduction or printing of any portion of this catalogue is strictly prohibited without the explicit consent of Galetech Industries Pvt. Ltd. All trademarks, logos, and designs are legally protected. Any infringement is subject to prosecution. The brand identity, concept, and designs are exclusive to Galetech Industries Pvt. Ltd.



Terms & Conditions:

- Warranty is applicable to Galetech products according to Galetech's warranty policy.
- Specifications and product development are routine practices of Galetech Industries. Specifications in this catalogue may change without prior notice. Customers are advised to check current details before purchasing any product. Images/colours used in the catalogue are strictly for representational purposes only. Actual product/colour may vary due to production improvements, innovations, and printing limitations.



Galetech's Expansive Footprint Across India

From the snow-capped beauty of Srinagar in Jammu & Kashmir to the vibrant culture of Tamil Nadu in the South, Galetech's presence is a testament to its unwavering commitment to excellence and customer satisfaction. With a stronghold spanning across 17 states, including Gujarat's entrepreneurial hub, Maharashtra's bustling energy, and the serene backwaters of Kerala, Galetech has established itself as a trusted name nationwide.

Our outlets are strategically positioned to serve the unique needs of every region, whether it's the technological dynamism of Karnataka, the historical richness of Rajasthan, or the progressive strides of West Bengal. This extensive network symbolizes not just our growth, but our promise to deliver innovation and quality, reaching every corner of the country with reliability and trust. Galetech is proud to be woven into the fabric of India's diverse landscape, making life more efficient, comfortable, and sustainable for communities nationwide.





Table Fans



Table/Pedestal Fans



Wall Fans



Pedestal Fans

KANSTAR FANS



**Galetech
Industries**

Table Fans | Table / Pedestal Fans | Wall Fans | Pedestal Fans

Kanstar Fans, Galetech Industries (Ankit Group of Companies)

H.No 16-876, Doolapally IDA Jeedimetla, Hyderabad, Telengana - 500055.

Email: galetechindustries@gmail.com, Cell: +91 81250 60673

Licence No. CM/L- 6300125493