The Support Machine

How to Deploy AI in Customer Support Without Breaking Trust

Assaf Barnir

v0.3 · November 1, 2026 · Review edition

Notes for the New Version: v0.3

This edition builds on more use cases I've seen, discussed, researched, and worked through in collaboration with humans and AI since the first version was released.

This edition moves the book beyond the launch room. The original migration story remains, but more of the work now happens after the first answer: verifying the result, recovering when it fails, and changing the system without teaching it a new mistake.

If you read v0.2, there are six new chapters and substantial revisions across the operating material. Here is where to return.

- **Organizational resistance:** Chapter 5 adds four fictional NIMBY cases and a self-check. It also makes room for the objection that correctly stops an unsafe rollout.
- **Build versus buy:** Chapters 7 and 8 revisit current platforms, component ownership, lifecycle cost, and the conditions that justify building. A connector gets a retirement plan, and a vendor gets an exit-risk review.
- **Agents talking to agents:** Chapters 15 and 16 separate trustworthy identity and evidence from proof that an action actually happened. A timeout can leave an effect unknown.
- **Promises and measurement:** Chapters 17 and 18 follow commitments to the customer's working result, explain the 40% × 40% = 16% calculation, and keep metric-definition changes visible.
- **People who ship improvements:** Chapters 6, 19, and 29 give the midfield idea an operating model: protected time, training, review authority, and evidence of customer impact.
- **Release and recovery:** Chapters 20, 22, and 27 reconcile decisive migration with a tested fallback, turn the shadow run into a repeatable release gate, and define accountable recovery.
- **Evaluation after launch:** Chapter 28 develops seven- and thirty-day outcome checks, calibrated independent review, and a rubric for correct-but-useless answers, missed intent, and impossible fixes.
- **All the field notes:** Appendix E collects the lessons from all 29 chapters alongside nine dated observations from panels, talks, a podcast, product changes, and prototypes.
- **Projects and practical conversations:** Appendix F connects the relevant repositories to the chapters. Appendix G starts with instructions for installing the updated book as a skill, followed by 80 prompts for applying it to your own decisions.
- **The podcast conversation:** My appearance on The Prompt Room adds a personal self-check in Chapter 5, continuity across the sales handoff in Chapter 17, earlier customer signals in Chapter 18, debugging judgment in Chapter 19, and welcomed human handoffs in Chapter 23. The Reader's Note links to the episode.
- **Sources without interrupting the story:** Appendix H groups research and product links by chapter. The main text keeps the reasoning and the limits of each claim visible.

The vendor discussion is a snapshot checked on November 1, 2026. Announced, early-access, generally available, and enabled in your workspace are different states. Fin's Operator, Skills, audiences, and customer-success direction widen the questions to ask; they do not remove the need to test your own configuration. Pylon, Salesforce, and Plain provide useful alternative approaches to examine.

The new NIMBY cases are labeled fictional. Hackathon projects are labeled prototypes, with their demonstrated scope and limits. Panel examples keep each participant's account distinct without naming them. Proposed practices are not presented as production results.

This is v0.3, following the repository's existing v0.2 edition. The previous edition remains available in the edition archive, including its PDF, DOCX, and Markdown. Release notes explain what changed; the full book contains all of the text.

Reader's Note

This book began as a live field journal from inside a real AI support migration. The point was not to write a polished case study after the fact. The point was to capture the work while it was still alive, when the risks were unresolved, the machine was not yet trusted, and every confident sentence could still become a cautionary tale.

The central argument is simple: AI support is not a chatbot project. It is an operating model migration.

A chatbot answers. A support machine routes, reasons, retrieves, escalates, measures, learns, and changes the work humans do around it. That makes the launch more powerful, and more dangerous, than most teams admit.

The metaphors in this book are intentional. The Rubicon, the machine, the goalkeeper, the wizard, the tollbooth, the shadow run, and zero hour are not decorations. They are operating language for decisions teams usually bury under vendor decks and roadmap slides.

Hear the conversation

I joined The Prompt Room, from Thunai, for Episode 4, published on October 13, 2026. The conversation is called “Reducing Customer Pain at the Source: Inside Sentry’s AI-Native Support Model.” It brings the book's argument into a conversation about the work: how engineering led me into Support, why the goalkeeper needs to move into midfield, and what changes when the team can spend more time removing customer problems.

We also talked about my own early arrogance as an engineer, the context customers lose between teams, and why asking for a human should be welcome. These are some of the ideas I most wanted to get out of the launch room and discuss with other people. Thank you to the Thunai team for giving them that space. I'm happy to share the conversation here.

Watch Episode 4 on YouTube or listen on Spotify.

Who This Book Is For

This book is for support leaders, CX operators, support engineers, customer success leaders, technical founders, and executives who know the AI demo is easy and the launch is hard.

It is especially for B2B SaaS teams whose customers are technical enough to notice when the machine is bluffing.

It is not for people looking for a generic tour of AI trends. It is not a model-training manual. It is a field guide for operators who have to protect trust while changing the physics of the queue.

How To Use This Book

Read it once as a story. Then read it again as a migration plan.

The story matters because AI support is full of false confidence. If you only read checklists, the work looks cleaner than it is. If you only read the narrative, the work feels more mysterious than it is. The useful truth

sits between the two: operators need a narrative strong enough to align the company and artifacts sharp enough to survive launch day.

Each part of the book moves through a different layer of the migration. Part I diagnoses the friction. Part II walks through the market and the minefield. Part III designs the machine. Part IV launches it. Part V turns launch into an operating model.

The field notes are deliberately blunt. They are the lines you should be able to repeat in a planning meeting, vendor review, launch room, or executive update. Each one turns the chapter's story into an operating lesson to carry forward. Appendix E collects them all, followed by the dated observations behind this edition.

Appendix F connects the projects to the chapters. Appendix G starts with the steps to install the book as a skill, then gives you 80 prompts for working through your own decisions. Research and product links are collected in Appendix H, organized by chapter, so you can follow the evidence when you need it.

The Operating Map

The book uses six gates. A team that cannot pass a gate should not pretend it is ready for the next one.

Gate 1: Diagnose the queue. Know what customers ask, what they cannot find, and which questions are truly solvable.

Gate 2: Choose the machine. Separate real systems from demos, wrappers, hidden humans, and vendor hand-waving.

Gate 3: Design the guardrails. Decide what the machine can know, say, do, and stop doing.

Gate 4: Shadow-run the machine. Test it against real cases before customers can feel the blast radius.

Gate 5: Launch with direct accountability. Every lane needs a named owner. No orphaned decisions.

Gate 6: Operate the living system. Review failures, ship fixes, update knowledge, and promote humans into system work.

Contents

Part I: The Friction

- 1. The Friction Point
- 2. Do We Actually Need AI, or Just Better Operations?
- 3. Data Gathering: Building the Case Beyond "Vibes"
- 4. "We Already Have AI" and Other Logical Traps
- 5. AI NIMBYs: Progress, Just Not in My Backyard
- 6. The Goalkeeper Fallacy

Part II: The Market and the Minefield

- 7. The Landscape: Everyone Is an AI Company Now
- 8. Build vs. Buy, Again
- 9. The Wizard of Oz
- 10. The Security Gauntlet
- 11. The Paper Trail of a Vision
- 12. The Product Veto

Part III: The Machine

- 13. My Dream AI Architecture
- 14. The Read-Write Rubicon
- 15. When the Customer Is a Bot
- 16. Did the Action Actually Happen?
- 17. The Support-to-GTM Feedback Loop
- 18. CSAT and Other Comfort Metrics
- 19. The Promotion

Part IV: The Migration

- 20. The Burn-the-Ships Migration Plan
- 21. When Your AI Implementation Partner Is Just a Tollbooth
- 22. The Shadow Run
- 23. The B2D2B AI Rollout
- 24. The Launch Inventory
- 25. Zero Hour

Part V: The Operating Model

- 26. The First 30 Days
- 27. When the Agent Gets It Wrong
- 28. Evaluating AI: The Work Is Never Done
- 29. The AI Support Operating Model
- Appendix A: Vendor and Build Scorecard
- Appendix B: Shadow Run and Change Release Record
- Appendix C: Launch and Recovery Runbook
- Appendix D: Glossary
- Appendix E: All Field Notes
- Appendix F: Repositories Behind the Book
- Appendix G: Talk to the Book
- Appendix H: Sources and Further Reading

Introduction: This Is Not a Chatbot Project

There is a dangerous sentence hiding inside almost every AI support project: "Let's add a bot." It sounds small. It sounds practical. It sounds like a feature. It is usually the first sign that the team is underestimating the migration.

A bot is a surface. A support machine is an operating model. The difference matters because customers do not experience your org chart. They experience the answer, the escalation, the handoff, the policy, the missing document, the broken workflow, the tone, the timing, and the confidence of the system when it says it knows what to do.

If the machine is wrong, trust burns faster than time is saved. If the machine is right, the support team stops being a queue-clearing function and becomes the architecture team for customer knowledge.

That is the real promise of AI support: not fewer humans, but better-shaped human work. The machine should absorb repetition, expose product gaps, route ambiguity, and make the organization smarter every time a customer gets stuck.

This book follows one live migration from friction to zero hour. It keeps the mess in the frame because the mess is the point. The vendor demo is not the hard part. The hard part is deciding what the machine is allowed to know, what it is allowed to do, when it must stop, who owns the failure, and how the humans around it get promoted instead of erased.

The book is free and continues to change as the work produces new evidence. Its companion skills and templates help readers run the migration and the ongoing operation. Each edition preserves what changed and keeps the earlier text available.

The Operating Thesis

AI support is not a chatbot project. It is an operating model migration.

The goal is not deflection. The goal is a trustworthy resolution.

The support engineer does not disappear. The support engineer becomes a system architect.

The queue is not only a cost center. It is a signal stream for product, documentation, onboarding, sales, and customer success.

Launch day is not the end. Launch day is when the machine starts producing evidence.

Part I: The Friction

Why good support metrics can still hide a scaling crisis.

Every AI support story starts before AI. It starts with a queue that looks manageable from far away and expensive up close. Healthy metrics can become a sedative. The better question is why support engineers keep repeating answers that the product, documentation, and onboarding could have made unnecessary.

1. The Friction Point

The mirror is a cruel invention.

Sentry exists for one reason: to help developers see what is broken in their code. We are the "truth" platform. The check engine light. The thing you look at when things go sideways.

But when we turn that lens on our own support workflow, the reflection isn't pretty.

We have a friction problem.

The "Good Enough" Trap

Here's the thing about metrics: they can lie by omission. Our CSAT and SLA dashboards looked healthy. The team was meeting the expectations those measures set. That did not tell us how much repeated work the customer experience still created. If you look at a dashboard in a QBR, you nod and move on to the next slide.

But doing things "as expected" is death in Silicon Valley.

Beneath the "as expected" metrics, our support team is re-educating customers and prospects on what our documents and onboarding experience already cover well. Our product velocity, the sheer speed at which Product and Engineering ship new features, is outpacing our ability to support them.

We are throwing bodies at a physics problem.

The Breaking Point

We realize that adding headcount isn't scaling linearly with ticket volume, or with the increasing quality, sophistication, and urgency our customers require. We are asking brilliant support engineers to answer the same "What is a DSN?" question, instead of thinking about how our developer customers want to find answers on their own (already covered in our DSN documentation).

That is not Support Engineering; it's expensive copy-pasting.

"What is Sentry?" is something I discuss at dinner parties (I'm a fun guest), but I can't stop asking myself: why aren't developers finding the answers already sitting on our product documentation on their own?

We have to admit a hard truth: our technical velocity is elite, but much of our tooling is stuck in 2015. We can't stay still because eventually the wave of customer interactions is going to crash over our heads.

So we decided to stop buying umbrellas and start changing the weather.

Field note: If your support metrics look healthy but your team is re-answering the same questions, the dashboard is hiding the actual problem.

2. Do We Actually Need AI, or Just Better Operations?

I have played every character in AI tragedies and successes.

I haven't just watched this wave from the beach. I've drowned in it.

I have been the Builder, writing the specs. I have been the Implementer, trying to glue the API to a legacy database. I have been the Ambassador, selling the dream on stage. I have been the Owner, signing the checks. I have been the Consultant, billing by the hour to explain AI to various audiences.

Across every single one of those roles, from startup chaos to enterprise meeting rooms, I learned a recurring, painful lesson:

An impressive AI capability does not guarantee a useful outcome.

There is a specific kind of noise you hear in AI companies. It's the sound of people conflating "potential" with "production." It's the quiet hum that tells you something is "working" on a demo screen while the actual operational reality is slowly misaligning.

For a long time, I treated that hum as normal. I thought confusion was just the tax you paid for innovation. I was wrong, and explored the pattern in The AI Upgrade.

Those moments weren't "friction." They were warning signs. Looking back, the patterns are identical whether you are selling the tool or buying it.

Here is what I ignored then, and what we are refusing to ignore at Sentry now.

The Illusion of Motion

The first warning sign is the easiest to ignore because it feels productive: the belief that shipping in the world of Support means working.

AI teams are addicted to this. Iteration speed is a survival strategy; velocity creates a sense of safety. When something goes out the door, the internal slack channel claps. It feels like progress.

But output is a dangerous metric.

The early signal is that you keep saying "yes" to launches, yet customers don't change their behavior. Internally, the product is evolving. Externally, nothing moves. Nobody cares.

That gap is where AI initiatives stall. Teams mistake activity for impact and momentum for traction.

The Dependency Trap

Partnerships in AI usually begin with vision and confidence. Everyone is excited, everyone is aligned, and the future is described in bold language.

Then, the drift happens.

It starts when decisions stop sticking. Ownership becomes blurry. Timelines slide without consequence. The hardest choices get deferred behind vague "alignment" meetings.

At first, it feels like collaboration. Over time, you realize you are building around someone else's constraints. Instead of gaining leverage, you inherit limitations. Your Support roadmap becomes a negotiation.

When that happens, you didn't really choose a partner. You chose a dependency. And dependencies always come with a hidden cost.

Confidence Without Competence

Onboarding is where the real damage happens.

When AI onboarding is done well, it teaches a mental model. It explains what "good" looks like and makes the limits visible. When it is done poorly, you aren't onboarding users. You are onboarding confusion.

Teams get excited because the first demo works. Users walk away believing the AI is reliable in situations where it isn't. They don't understand why it breaks or what to do when it does.

This is the silent killer. The AI doesn't fail loudly; it fails quietly. It produces plausible answers that are wrong and confident outputs that are brittle.

The "scaling tax" here isn't more tickets. It is rework, manual checks, and internal escalation. You end up hiring people not to scale AI, but to supervise it.

The Miracle Problem

There is a deceptive warning sign that shows up in AI more than anywhere else: early success that can't be explained.

A demo lands. A customer says "wow." The organization wants to treat that moment as validation.

But reality is more demanding than a demo environment. The biggest gap appears when the team can't articulate why something works. In those situations, the excitement becomes louder than the evidence. You start building narratives instead of systems.

The risk is not that AI is hard. The risk is that teams build foundations on unpredictability and get surprised when scale requires control.

Confusion is a Signal

What I've learned is that confusion is rarely random. It is a signal. It tells you exactly where the system is weak.

It shows you where a product isn't teaching, where a partner isn't aligned, and where a launch isn't landing.

Most teams treat confusion like a temporary phase—something that will fade once the technology matures. That is the "good enough" trap. I can't stand it. In reality, confusion compounding is one of the main ways companies lose. Slowly.

Surprised? Why? None of this is pessimism. It's pattern recognition.

The warning signs aren't there to scare us. They are there to give us time to choose differently while the cost of change is still low.

I keep these signals close to my heart as we explore what AI can really do for our teams.

Beware: I'm a tough customer to satisfy.

Field note: AI is only useful after you can name the operational gap it is supposed to close.

3. Data Gathering: Building the Case Beyond "Vibes"

Opinions are interesting. Data is actionable.

There is a specific seduction in the world of AI right now. It goes like this: “Everything is on fire. Let’s buy an AI bot, turn it on, and go to happy hour.”

That is a great way to burn a pile of cash and annoy your customers.

In the previous chapter, I listed the warning signs of AI adoption. To avoid those traps, we realized that before we bought a single license or made a single API call, we had to prove the model. We had to move from “vibes” to cold, hard audits.

We realized we didn’t need to look elsewhere for answers. We have years of history and hundreds of thousands of past interactions. We didn’t need to guess; we needed to “consult” our own archives.

The Great Audit

We opened the hood on our ticket volume. We didn’t just look at the number of tickets; we looked at the soul of the tickets.

We categorized them into two specific buckets:

1. The Solvable (Wrongly called “Deflectable”) For these, we didn’t just ask “can an AI answer this?” We identified the root cause of the question:

The Solution Path: Does the answer actually exist?

The Discovery Gap: Could the customer have solved this themselves, but didn’t know how?

The Developer Experience: Was the path clear when onboarding a new functionality, like in Sentry Logs?

The Knowledge Gap: Are the docs up to date? Does searching our Knowledgebase actually work?

The Product Gap: Is the customer asking for a piece of data or action that could be made available, but just wasn’t prioritized yet?

2. High-Touch (The Real Work) These are the tickets where humans shine.

Is the customer experiencing a complex instrumentation issue that requires deep context?

For example: is this a stack trace debugging issue specific to an environment like our Unity/Game Consoles SDK, and does it actually require a code change?

The Grunt Work

Here is the part nobody puts in the case study because it isn’t sexy: We tagged thousands (and thousands) of conversations.

Yes. Manually.

As part of our day-to-day, we added a step that enabled us to re-learn what developers ask us, what their pain is, and what the path to resolution looks like.

We spent long hours tagging thousands of tickets. It felt like the opposite of ‘high-tech.’ But you can’t automate a process you don’t actually understand at the atomic level. It was absolutely necessary.

Evidence Before Intuition

The result wasn't a hunch. It was a spreadsheet with undeniable gravity.

The data showed that a significant percentage of our volume was purely transactional—questions that didn't require empathy or deep debugging, just accurate information retrieval.

We built an initial business case before choosing the tool. Its assumptions still needed validation in operation. We built the case on the floor of the warehouse, not in the ivory tower.

Now, we had permission to build. I mean: to buy.

Field note: Before buying or building, audit the queue. The archive already knows what your customers cannot find, understand, or do.

4. "We Already Have AI" and Other Logical Traps

There is a specific kind of pushback you get in engineering-led companies.

It isn't political. It isn't emotional. It is brutally, intellectually honest.

When you propose a new tool to a room full of senior engineers and product leaders, you don't get "No." You get: "Why can't we just use the thing we built last Hackweek?"

We have the data (see the previous chapter). We know the pain is real. But now we have to survive the Meritocracy of Ideas.

We will need to answer the questions that sound reasonable on the surface but may kill projects in the crib:

The "We Already Have AI" Trap

The loudest objection is the most logical one: "We already have an AI search bar on our docs site. Why do we need to have one for any other flow?"

The temptation here is strong. If you have a vector database and an LLM, it feels like you have a solution.

But that creates a dangerous confusion. It confuses a Library Index with a Librarian.

Retrieval vs. Reasoning vs. Problem-Solving

We need to distinguish three jobs. The following exchanges are illustrative; their technical details are not current Sentry troubleshooting instructions:

Retrieval (Docs Search): This is for the user who knows what they are looking for but doesn't know where it is.

User: "How do I configure sampling?"

AI Search: "Here is the link to the Sampling Options page."

Success Metric: Accuracy of retrieval.

Reasoning (Support): This is for the user whose code is broken and they can't tell why.

User: "My sampling is set to 100% but I'm dropping events on Vercel."

AI Support: "That configuration looks correct, but looking at your SDK version, we need to check whether the adapter version changes the applicable guidance before recommending an upgrade."

Success Metric: WE got the customer to their final step before a resolution.

Problem-Solving (Solutioning): This is for the user who knows what they want to achieve, but doesn't know the best way to implement it (or maybe they simply can't).

User: "I want to reduce noise. How do I only get alerted to real issues?"

AI Solution: "We can define the alert rules and routing you want. Before changing them, I need to verify your account permissions, confirm the proposed changes, and check the result."

Success Metric: Job done.

Docs Search throws a book at you. Support reads the book for you, looks at your specific mess, and tells you which page fixes it. This feels like the year 2016.

The “We Can Build It in a Weekend” Trap

This is the classic Engineer’s Fallacy.

“It’s just an API wrapper around OpenAI. Give me two engineers and a week.”

They aren’t wrong. They could build the prototype in a week. But we don’t want to build a prototype. We want to run a full support operation.

We have to gently remind our own team: We are an Observability Company, not a Support AI Company.

Every hour our engineers spend maintaining a custom RAG pipeline, debugging context windows, or building feedback UIs for support agents is an hour they aren’t building Sentry.

For the common support platform, buying was our preferred starting point. An internal build can still be justified by a material requirement and funded ownership. Chapter 8 compares the layers, lifecycle costs, and conditions that can change the decision.

The “Is It Safe?” Trap

This isn’t an objection; it is a requirement. Sentry holds the keys to the castle for the companies that use it. We process their errors. We see their code.

The pushback here is different. It is quiet, serious, and non-negotiable. If the tool hallucinated an answer, that’s bad. If the tool hallucinated customer data into a chat window, that’s catastrophic.

We can’t just “trust” the model. We need a vendor that treats security like a feature, not a footer on their website.

The Turning Point

The internal conversations are intense. They are detailed. But they are positive. The team isn’t trying to kill the project; they are trying to stress-test the logic.

Once we can prove that:

Search is not a Support function.

Our chosen build-and-buy boundary has an accountable operating plan.

The security model holds water.

The mood will shift.

The skepticism will turn into curiosity and the objections will stop being walls and start being requirements.

We have the data. We will have the buy-in. We will have the budget.

On paper, this could work!

I had a moment of reflection.

As I look at the landscape of vendors - the “Hot New AI Startups” promising to solve all our problems - I realize we are about to walk into a minefield.

Winning the internal argument will be the easy part. Next we will need to find a tool that actually works.

Field note: Having AI somewhere in the stack is not the same as changing the customer experience.

5. AI NIMBYs: Progress, Just Not in My Backyard

The most expensive blocker in your company may sincerely believe they are the only person protecting it.

They like progress. They have a slide about it. They use AI to write the slide. Then somebody proposes changing a workflow they own, and the future suddenly needs another committee.

I call this the AI NIMBY problem. NIMBY means "not in my backyard." The organizational version is more subtle than refusing to use a new tool. It is supporting change in principle while making the local conditions for change impossible to satisfy. The person sees caution. Other teams experience a permanent veto.

The damage is easy to miss because it lands elsewhere. Support absorbs the extra manual work. Customers repeat themselves. Engineering keeps answering the same escalations. The person controlling the decision may see none of those costs in their own scorecard.

Four ways good intentions stall progress

These cases are fictional, in the spirit of a Law & Order episode: familiar patterns, invented situations, and no need to interrogate your org chart. They are not accounts of specific colleagues or incidents at Sentry.

The evangelist with a private exemption. A leader encourages every team to experiment with AI. They celebrate a coding assistant that gets a first draft wrong because an engineer can review it. When Support proposes a bounded pilot with review and a human exit, the same leader demands that every conversation in their business unit remain manual. They cannot name a specific risk that the pilot has failed to address. Their customers are simply "different."

The exception sounds small. Then another team wants one. Routing becomes a collection of favors, and Support has to remember which executive's preferred workflow applies to each account. The pilot never gets a coherent population to evaluate. The leader still believes they are encouraging innovation.

The useful intervention is to put the task, risks, controls, and evidence on the table. Some customers really do need different treatment. Write down why. An account-specific requirement should produce an account-specific control, with an owner and a review date. Personal discomfort should not quietly become architecture.

The pilot that can never pass. A reviewer agrees that a system can launch if it passes a defined set of cases. It passes. The reviewer asks for a larger sample. That sample passes too. Now the system needs another stakeholder, a different dashboard, and a demonstration involving a scenario nobody previously considered important.

New evidence can justify a new gate. Here there is no new evidence, only a moving finish line. Nobody records the customer problems continuing during the delay. The reviewer receives credit for rigor while the team running the old process carries the bill.

Write acceptance criteria before the pilot. Record the reason for each material change. Give one person responsibility for the decision, including the cost of waiting. If nobody can describe what a passing result would look like, you do not have a test. You have an indefinite hold wearing a lab coat.

The weekend builder who never operates it. An engineer shows a promising demo and blocks a vendor decision. The demo really is good. That is what makes the story dangerous. It answers the example question, calls an API, and looks cheaper than a subscription.

Then the production questions arrive. Who owns the integration when the API changes? Who reviews failures? Who answers when the maintainer is away? Which roadmap work will stop to make room? The engineer keeps promising that the next version will settle these questions. Meanwhile, Support continues the manual process the project was meant to replace.

This is a failure of operating commitment. A funded internal service with an accountable owner can be the right choice. A demo should enter the comparison as a demo, with the remaining work visible. The build-versus-buy chapter supplies the rest of that comparison.

The indispensable fixer. A senior specialist catches bad AI answers before customers see them. They rewrite the response, close the conversation, and move on. The customer gets help. The specialist gets thanked. The system gets no correction.

A month later, the same problem still requires the same person. The specialist concludes that the AI cannot be trusted. Their manager sees a hero who is always busy. Neither notices that the repair never left the specialist's head.

Give the correction a second destination: the shared improvement process. Record what was wrong, why the replacement works, and a case that should fail if the mistake returns. Protect time for that work. If the performance system rewards only visible rescues, do not act surprised when people keep rescuing.

What the psychology adds

The immunity to change framework offers a useful explanation: a stated commitment to improvement can coexist with another commitment, such as protecting competence, control, or standing. That is a question to explore with someone, not a diagnosis to announce about them.

Research on algorithm aversion found that people could lose confidence in an algorithm after seeing it err even when it outperformed a human forecaster. Those forecasting experiments do not establish that your support agent is better than your team. They do suggest checking whether comparable errors receive comparable scrutiny. Measure both against the same customer task and the same consequential constraints.

There is also a leadership trap in this chapter. Once you learn the word NIMBY, every difficult question can start to sound like obstruction. That would make the book an excuse to stop listening. The research on psychological safety and team learning links the ability to speak up with learning behavior. An operation that punishes the bearer of bad news will lose the evidence it needs to improve.

The objection that saves the launch

Consider one more fictional case. A security engineer discovers that an audience attribute comes from an untrusted client and controls access to internal guidance. They stop the rollout. The product champion complains about another delay.

The engineer can show the failure, identify the affected boundary, and describe the test the repair must pass. They have made progress possible by exposing a problem before a customer suffers it. Calling them a NIMBY would be lazy management.

The distinction is observable behavior. Can the objection be examined? Is there a path to a decision? Does new evidence change the person's view? Is the cost of the existing process included? Sometimes the evidence says to stop the project. That remains a valid decision.

Check your own backyard

On The Prompt Room, I told a story from early in my career as an engineer. I had built software I was proud of. A customer looked at it and asked where to click. My first reaction was to think she did not understand it and that I should speak to her boss.

That was arrogance. I had delivered what I thought the specification required, and I was treating her difficulty as a problem with her. The experience stayed with me because it exposed the gap between building software and helping somebody get value from it.

That memory belongs beside the fictional cases. I can defend a design so fiercely that I stop seeing the work it creates for somebody else. Before deciding that a customer or colleague is resisting progress, I need to check whether I have understood what they are trying to do.

Before asking who is blocking you, ask what you are protecting. Would you accept the same requirement if another team imposed it on your project? Have you offered an alternative with an owner and a delivery commitment? Who does the work created by your exception? What result would persuade you to change your mind?

Then ask the team. Give them room to disagree without having to prove that you are a bad person. Most organizational damage does not require a villain. It requires a local decision whose cost stays invisible long enough.

Field note: Make the cost of delay as visible as the risk of change, and keep a testable path to a decision.

6. The Goalkeeper Fallacy

Traditional Support waits for the customer to fail. I want us to help earlier.

The great save

Support organizations often behave like world-class goalkeepers. We celebrate the engineer who dives into a Friday afternoon fire and earns a thank-you from a frantic CTO. That work matters. Sometimes the save is exactly what the customer needs.

But if the goalkeeper is always the busiest person on the pitch, the rest of the system needs attention. Why does the same confusion keep reaching the goal line? Which part of the product, documentation, or onboarding could have intercepted it?

The problem is making heroic recovery our only definition of good support. A customer should not have to get stuck before our expertise becomes available.

Move into midfield

The midfielder reads the game, intercepts the pass, and creates the next useful move. Moving Support into midfield means giving the team a role in the experience that produces the question.

An answer inside the product can help. So can a clearer error message, a corrected example, a useful default, or a tooltip placed where the decision happens. Sometimes the best intervention has no AI in it at all.

If a developer hits an authorization error, a relevant explanation near that error may preserve their momentum. A generic invitation to chat may simply add another obstacle. Test whether the intervention helps the customer complete the task. Opening the support widget is not the goal.

The customers the queue cannot see

A satisfied person who contacted Support tells us something valuable. They do not represent everyone who encountered friction.

Some people search elsewhere. Some work around the problem. Some stop trying. We cannot infer the size of those groups from ticket volume alone, and we cannot call every silent customer lost. A precise estimate of that unobserved population would require evidence beyond the queue.

Combine support evidence with product behavior, onboarding research, customer interviews, and appropriately designed comparisons. Ask where people stop making progress and what happens after a change. Respect the limits of each source. A drop in tickets might reflect a better product, an inaccessible contact path, or fewer customers using the feature.

Let Support change the field

Moving upfield requires authority and time. If Support can identify a repeated problem but can only file a suggestion into an unowned backlog, the team is still standing in goal.

Give support engineers a path to propose and ship bounded improvements with Product and Engineering review. A documentation correction, UI clarification, or small workflow fix can be the first step. Chapter 19 describes actual panel examples and the operating conditions that make this work repeatable.

Measure the customer result: fewer related returns, a task completed more reliably, or less effort required. Record the limits of the comparison. Counting merged PRs would merely replace ticket-count theater with a different scoreboard.

Keep a goalkeeper

Prevention does not eliminate the need for skilled human recovery. Complex architecture, exceptional circumstances, and consequential decisions still need people with judgment and authority. A customer asking for help should not have to prove that they exhausted every automated route.

The financial case is therefore a question to measure. Better prevention may reduce repeated work and make growth easier to support. It does not guarantee a universal headcount ratio or make empathy obsolete. The remaining cases may demand more expertise even as their number falls.

Celebrate the great save. Also celebrate the change that meant the next customer never needed one.

Field note: Move support expertise into the product journey, and verify that the customer makes progress.

Part II: The Market and the Minefield

How to choose a support system and the responsibilities you keep.

The market has a thousand confident answers. This part asks which capabilities fit your customers, what the vendor actually operates, and when an internal build deserves the investment. The wizard and the tollbooth belong here, along with the evidence that can distinguish a useful partner from a dependency.

7. The Landscape: Everyone Is an AI Company Now

The adrenaline from winning the internal argument fades, and the dog realizes it has caught the car.

We have permission to improve support. Now we have to choose a system that can handle our customers, our product, and the mistakes that will arrive after the demo.

The old categories were easy to joke about: incumbents adding a chatbot and startups wrapping a model. They are no longer sufficient for a purchasing decision. Platforms are adding action tools, evaluation, operational agents, account context, and customer-success workflows. A useful comparison has to follow those capabilities into the operating details.

The requirements still come from the customer

For a technical product, the test is not whether the system can answer a generic support question. Can it recognize that an SDK version changes the answer? Can it distinguish a configuration mistake from a product bug? Can it establish the customer's permissions and stop before recommending an impossible action?

Bring representative cases from the queue. Include the surrounding context needed to solve them. Compare the resulting answer, action, and handoff, along with the human work required to make the system perform. A vendor's best demonstration does not establish your production result.

A market snapshot as of November 1, 2026

Fin's October 7 Fin 4 announcement describes Skills with triggers, tools, and instructions, more proactive Operator capabilities, and expansion into customer success. That moves the review beyond answer generation. Ask which goals the agent pursues, what it can change, and how people inspect the changes proposed by the operational agent.

The Operator FAQ documents general availability with a paid Pro add-on and required access permissions. Fin for Success's product page offers early access, while an older role overview still calls it coming soon. Treat those as different availability signals. Confirm the exact capability, plan, channel, and workspace before putting it into a delivery commitment.

Fin's audience documentation also matters operationally. Audience rules use customer and conversation attributes, and multiple selected audiences can combine as an OR rule. Test overlapping membership, missing attributes, and stale data. Targeting relevant guidance and authorizing a consequential action are different responsibilities; keep the latter enforced in the system that performs it.

Pylon's Agentic Support announcement describes agents working with shared customer, product, and operational context. Its access documentation describes a transition in packaging and rollout. Ask what is enabled for your account and which existing workflows change. A category announcement is not a deployment guarantee.

Salesforce describes conversation-level tests and custom scoring in Agentforce Testing Center. Plain describes an API-first platform where an outside agent can participate in shared support infrastructure. These are different operating choices, not positions on a single maturity ladder. Test the parts that matter to your service and keep the ownership at their seams visible.

Skills, goals, and authority

A skill can tell an agent when to act, which tools are available, and how to approach the task. A goal can keep it working across multiple interactions. Neither removes the need to establish authority or verify results.

For a customer-success use case, write the customer milestone in observable terms. Define the eligible audience, evidence of progress, contact policy, stopping conditions, and the owner of an exception. Check what happens when a growth objective conflicts with a support problem. The customer should receive help with the problem before being nudged toward another purchase.

When the vendor gets acquired

Salesforce announced the completion of its Fin acquisition on September 10, 2026. For a book that discusses Fin, this belongs in the operating record.

The fact of an acquisition does not establish future pricing, integration quality, or service deterioration. It does justify reviewing dependency and exit assumptions. Confirm the accountable support path, product commitments, data terms, exportability, and the status of integrations you rely on. Record which answers are contractual, which are current product behavior, and which are roadmap intentions.

The scorecard must survive the keynote

Score product fit, evidence handling, audience boundaries, actions, handoffs, evaluation, total operating cost, and continuity. Add the ability to retrieve your data and replace components. Ask to see a failed case and how the team diagnoses it. Ask which functions require your own operating work.

A reputable company's documentation is evidence of what it documents. A customer story is evidence about that reported case. Neither establishes the outcome your customers will get. The bake-off and the shadow run remain your responsibility.

Field note: Put current capability, actual availability, and your own test evidence in separate columns.

8. Build vs. Buy, Again

Apparently we have to settle this argument every few years.

We settled it for ticketing systems. Then for knowledge bases. Then an engineer connected a model to an API, and the weekend prototype reopened the case. I understand the temptation. I build things too. The first working version can be a great way to discover what a product ought to do.

What it does not tell you is who should operate that product for the next two years.

My default remains to buy a supported platform for a problem another company exists to solve, build the missing connection where necessary, and push the vendors to close the gap. When the supported integration does the job, I want to disable my code. That is a successful ending for a connector.

But a default is useful only if we can explain when to override it. The earlier argument that building is a distraction needs a more precise boundary.

Choose the layer before choosing the answer

A support operation contains several decisions disguised as one purchase. There are channels and queues, customer identity, knowledge access, reasoning, tools that change accounts, human handoffs, and evaluation. You can buy a platform and still own your action policy. You can build a specialist workflow without rebuilding the inbox. You can buy an evaluator and still own the definition of quality.

The question is which layer benefits from being specific to your business, and which layer you can responsibly let someone else maintain. Write that boundary down before somebody presents a total price.

Plain's documented Bring Your Own Agent approach is a useful challenge to the idea that one vendor must own the whole stack. Its platform can retain routing and handoff infrastructure while an external or internal agent handles conversations. That is a vendor-described option to test, not proof that every integration is seamless. It changes the comparison from a single supplier decision into a set of responsibilities.

Three options deserve a fair comparison

Buying fits when a vendor meets the real requirements, the service is supportable, and the capability does not justify becoming an internal product. Buying and extending fits when the platform solves the common problem but a bounded connection or domain workflow is missing. Building can fit when the requirement is strategically important, vendors cannot meet a material constraint, and the company funds ownership beyond the prototype.

There is a fourth outcome: the problem does not deserve an AI system yet. A product fix, clearer documentation, or a simpler deterministic workflow may remove it. Keep that option in the room.

Question	Evidence to bring
What customer job must work?	A small set of representative cases and explicit success conditions.
What is specific to this business?	The requirement that available products cannot satisfy, with an example.
What will we operate?	Named components, maintainers, incident ownership, and backup coverage.
What will it cost over its life?	Initial work, recurring work, vendor and usage fees, and displaced roadmap work.
What would make us change course?	Failure conditions, review dates, export paths, and replacement criteria.

Cheaper code changes the arithmetic

AI-assisted development can make an integration or experiment cheaper to produce. That is a reason to update the estimate. It does not price the rest of the service for you.

Include discovery, implementation, integration, security review, evaluation, monitoring, incident response, knowledge maintenance, and the cost of changes in connected products. Include subscription and usage fees on the buy side, along with implementation partners and staff time. Neither option gets to hide its human work.

Avoid borrowing a productivity multiplier from a demo. METR's early-2025 developer study and 2026 follow-up are a useful caution: results depended on the participants, tools, tasks, and measurement design, and the follow-up encountered substantial selection problems. That does not settle your build decision. It means you should measure the work your team actually has to do.

Use a twelve-month comparison with ranges where the inputs are uncertain. Show the result if usage doubles, if the maintainer becomes unavailable, or if the vendor supplies the missing feature. A spreadsheet with uncertainty visible is more useful than a precise number built on wishful thinking.

Make both options take the same exam

The internal prototype and the vendor should face comparable tasks, permissions, customer context, and recovery requirements. Give them ordinary cases as well as the embarrassing ones. Include the answer that sounds plausible but cannot work on the customer's version. Include a timeout after an action may already have succeeded. Include a required escalation while the human queue is busy.

Record the operating work needed to achieve the result. If the vendor's engineer quietly repairs every test or your prototype requires its creator to sit beside it, that effort belongs in the comparison.

The continuing evaluation program later in this book applies whichever option wins. A purchase does not outsource accountability. An internal build does not earn an exemption from evidence.

Evaluate the system that changes the system

The market now sells tools for maintaining the agent as well as the agent itself. Fin's Operator documentation describes proposed configuration changes that a person reviews before publication. This can reduce setup work. It also creates a new question: who verifies that the proposed improvement fixes the right problem without damaging another audience or workflow?

Treat that proposal like a product change. Inspect the scope, run the relevant cases, and keep a way to recover the previous configuration. Vendor-native QA can provide useful evidence; an independently governed rubric and reviewed reference cases still matter.

An acquisition is a review trigger

A change of ownership can bring investment, distribution, new integrations, or new constraints. The announcement itself does not tell you which will affect your operation.

Recheck contractual commitments, data handling, supported integrations, export paths, roadmap dependencies, and the people accountable for service. Ask which promises are contractual and which remain plans. Calculate the cost of leaving before you need to leave. Keep this analysis in the vendor scorecard, rather than assuming that either a large parent or a small independent vendor guarantees safety.

Give the bridge an exit

My connector is useful while it closes a real gap. It becomes expensive when its original purpose disappears and nobody notices.

Give each bridge an owner, an inventory of dependent workflows, a maintenance estimate, and a review trigger. Define the behavior a supported replacement must preserve. Test that replacement with real cases, move traffic deliberately, and then remove the unused credentials and code. Do not retire a working bridge just because a release note uses the right feature name.

The decision record should fit in a meeting: what we are buying, what we are building, who owns each part, what evidence supports the choice, and what would make us revisit it. That is enough structure to keep the argument honest when the next impressive demo arrives.

Field note: Buy or build a service you can operate, and make temporary code prove that it still needs to exist.

9. The Wizard of Oz

The pitch was the Holy Grail: full autopilot, almost no human involvement, and a support queue that would apparently run itself.

We brought difficult questions. The demonstrations looked good. Then onboarding arrived as a spreadsheet asking us to list our common issues and write their resolutions.

My immediate reaction was suspicion. What exactly were we buying?

A spreadsheet is a question, not a verdict

The questionnaire made me suspicious. On its own, though, it could not tell me whether people were preparing the system or secretly doing the work the demo presented as autonomous.

A good implementation team may legitimately ask for common issues, approved procedures, and examples of success. Documents can be incomplete. Historical tickets can contain mistakes. A vendor should not invent your refund policy because it found three inconsistent answers in the archive.

The useful distinction is what happens next. Is the team using those examples to establish requirements and evaluate the system, or does every new issue require someone to hand-script another answer? Which work is automated, which is performed by people, and what does the customer actually pay for?

Look behind the curtain

Ask the vendor to trace a representative conversation. Show the input, sources, tools, output, and any intervention by staff. Ask what happens when those staff are unavailable. Include an unfamiliar case that was not rehearsed for the demo.

Human review can be an excellent control. Managed services can be useful products. The problem is undisclosed labor or access presented as autonomous software. It changes the cost, operating model, data handling, and expectations of scale.

Establish who can view your customer material, where they work, what permissions they hold, and how access is logged. A security review needs to cover the actual service, including its people and subprocessors.

Make the claim testable

A promise of almost complete deflection needs a defined population, time window, and outcome. How were difficult cases excluded? Does a silent customer count as resolved? How much work happens after the conversation closes? Who repairs the wrong answer?

Use the same cases and success conditions for competing options, including an internal prototype. Record the intervention required to make each one succeed. The new build-versus-buy chapter applies this comparison across the service lifecycle.

Technical polish matters too. Developers will notice a broken code example, a deprecated endpoint, or a confident answer about a version they do not use. The vendor needs a way to diagnose and correct those failures. Charm during a sales call will not carry that work.

Keep the lesson, improve the proof

I still want to know who is behind the curtain. I just want the conclusion to follow the evidence.

A company can sell software, services, or a deliberate combination. Describe it honestly, price the operating work, and test the customer result. If the explanation changes every time we ask to inspect a failure, that is a reason to stop and resolve the discrepancy before proceeding.

Field note: Verify what the machine and the people actually do. A polished demo and an onboarding questionnaire establish neither autonomy nor deception.

10. The Security Gauntlet

A security questionnaire can become a polite dance: we ask, the vendor sends a report, somebody checks a box. AI makes the gaps in that dance harder to ignore.

For a technical product, customer messages can contain code, stack traces, account details, or secrets pasted by mistake. We need to know what happens to that material at every step of the service.

We ask because we build

At Sentry, we work with AI capabilities that use debugging context. That makes the question concrete. A useful system needs access to information; earning that access requires a clear explanation of how the information is handled.

The Sentry AI privacy and security documentation is an example of the kind of product-specific explanation to inspect. A general assurance that a company takes privacy seriously cannot answer every workflow question.

Ask what "improve the service" means

Does the vendor use customer content to train shared models, fine-tune a dedicated model, improve retrieval, review quality, or diagnose errors? Those are different activities. Ambiguous contractual language needs clarification; it is not proof that all those activities occur.

Identify each provider and subprocessor that receives the data. Record permitted uses, access, retention, region, and deletion obligations. Check the terms and settings that apply to the product and plan you are actually buying. Do not assume that one provider's policy applies unchanged to an application built on top of it.

Where shared-model training on private content is unacceptable, put that boundary in the agreement and verify the architecture and controls that support it.

Deleting the account is not the whole answer

Source documents, retrieval indexes, caches, transcripts, evaluation copies, and backups can have different deletion paths. Ask what is removed, when, by whom, and how completion is evidenced. Include copies held by subprocessors and any required retention exceptions.

Training creates a separate question. Removing a document from a knowledge index is different from removing its influence on model parameters. Retraining and machine-unlearning methods exist, but a vendor needs to substantiate what its method can remove and verify. Do not accept a universal erasure claim merely because an account-delete button exists.

The practical approach is to control permitted use before sending data, minimize unnecessary content, and define deletion and verification obligations for each storage and processing layer.

Test access where it matters

A compliance report is useful evidence about its covered controls and period. It does not prove that this agent cannot retrieve another customer's document or execute an action for the wrong account.

Test tenant boundaries, employee-only material, missing or stale account attributes, and a retrieved passage that tries to instruct the agent. Enforce permissions at retrieval and execution. An audience rule intended to personalize guidance must not become the only protection for privileged information.

Check the human access too. Vendor reviewers, implementation partners, and your own operators need defined permissions and audit trails. Human involvement can improve quality; undisclosed or uncontrolled access creates a different problem.

Keep the review alive

New connectors, tools, skills, goals, and vendor ownership can change the data flow after procurement. Give those changes an owner and a review trigger. Keep the current architecture and contract assumptions available to the people approving the next capability.

Trust is built through those observable decisions. The security review is useful when it produces boundaries the operation can enforce, test, and revisit.

Field note: Review the actual data path and action boundary, including the services and people behind them.

11. The Paper Trail of a Vision

In Silicon Valley, we like to pretend that "vision" is a lightning bolt: a single moment of clarity that changes everything. In reality, vision is a mountain of paperwork. It is the unglamorous, caffeinated work of writing the same story ten different times, in ten different languages, until everyone from the CRO to the Support Engineer sees the same future.

We didn't just need a new tool. We needed a Translation Layer.

The Sci-Fi Doc: Visualizing the Inevitable

The first thing I created wasn't a requirements doc. It was a "Sci-Fi Vision."

I didn't want to talk about API endpoints or ticket routing. I wanted to describe a random Tuesday in 2027. I wrote a narrative about a Support Engineer who walks into their shift and, instead of staring at a queue of 40 "How do I…" tickets, sees a predictive Command Center.

To make it concrete, I used Gemini (nano banana) to help imagine this future. I didn't want wireframes that looked like a 2015 Jira; I wanted high-fidelity "screenshots" of a predictive HUD that surfaced the fix before the customer even finished typing. When the team saw that UI, the conversation shifted from "Is this possible?" to "When do we get this?"

The audience: everyone.

The purpose: to make the "impossible" feel "inevitable."

The Translation Layer: Bridging the Great Divides

A document is just paper. A Translation Layer is a tool. I realized everyone was looking at the same problem but seeing a different threat. My job was to build the bridge between four distinct worlds:

The Trenches vs. The Tower: There is a massive gap between those in the trenches—feeling the heat of every ticket—and those in the tower who "think they know" because they look at a green dashboard once a week or randomly read a support question on X. I turned the raw, bloody reality of a support shift into data that the "tower" couldn't ignore.

Career Aspirations vs. The New Economy: Let's be real—the 2026 economy is different. My team doesn't want to be "Human Knowledge Bases" forever. They want to be System Architects. I had to translate our new tools as a career accelerator. We aren't replacing the team; we are replacing the boring parts of their jobs.

The Metrics Lie vs. Customer Success: Our current metrics are "Good Enough" traps. They measure speed (of all sorts), not resolution. I wrote the new metrics doc to tie Support directly to company growth. We moved from "How many tickets did we close?" to "How much friction did we eliminate?"

The DX Gut Check vs. Our Brand: Sentry is a brand built for developers. We pride ourselves on elite Developer Experience (DX). But our internal and support tools? They were a mess of disconnected tabs. I had to ask loudly: "Does this clunky experience fit our brand?" If we wouldn't sell it, why are we forcing our peers to use it?

The Brutal Reality: Gap Analysis & The Theoretical Demo

Then came the cold shower: The Gap Analysis. This was a technical autopsy of our current architecture versus the 2026 volume.

I created a Theoretical Demo—a side-by-side comparison of the "Now" and the "Future." I didn't just show slides; I showed the friction. I highlighted the ghouls in our system—the 2015 tools snapping under the weight of our elite product velocity. It could have shown Product exactly if and why new features were being "copy-pasted" into oblivion instead of being supported.

The Human Echo: Mining the Pain

To ensure I wasn't dreaming in a vacuum, I interviewed our customers and learned from the successes of others. I fed those raw, messy interview transcripts into NotebookLM. I'm an ESL writer, and I needed NotebookLM to be my "Story Architect." I asked: "Where is the pain the loudest?" and "How do I say this so I sound like a peer, not a manual?" It helped me bridge the gap between my technical intent and the emotional reality of a frustrated developer. It turned data into a before-and-after document that made the reported friction easier to discuss. The generated summary still needed checking against the interviews.

The Strategic Hammer

The buying phase turned everything into ROI: comparisons, budget lines, and business-case math. But the truth was clear from the beginning: this wasn't a typical software purchase. It was a way to scale without pretending more headcount could solve a physics problem.

The Choice: Moving or Crashing

Throughout this entire paper trail—from the Sci-Fi vision to an RFP—there was one underlying truth I made everyone face:

Choosing not to change the system has consequences too. Put the cost of continuing the current process beside the cost and risk of the proposed change.

We often frame "doing nothing" as the safe, conservative play. It isn't. In the face of rising volume and elite technical velocity, doing nothing is an active decision to let the wave crash over our heads. We didn't just choose a new tool; we chose to stop being victims of our own growth.

Field note: One AI strategy has to speak many organizational languages: product, security, support, legal, GTM, finance, and engineering.

12. The Product Veto

Support can end up buying software in a silo. A tool improves queue handling, while Product barely notices the purchase. That becomes a problem when the tool starts representing the product directly to customers.

But Sentry is not “most companies.” And we aren’t selling socks. We are selling observability to developers.

If our product interface is a sleek, dark-mode, high-performance Ferrari, but our Support interface looks and acts like a 1998 Honda Civic with a leaky radiator, we have broken the spell. And that was the limit of my understanding of vehicles.

We didn’t just ask IT to approve the vendor. We asked the people who built Sentry.

The Guardians of DX

Our Product Managers and Engineers are obsessively protective of the Developer Experience (DX). They determine how the product feels, how the APIs respond, and how the docs are structured.

Usually, they view Support tools as “Enterprise Bloatware” - necessary evils that they hope they never have to log into.

We dragged them into the room and said: “This AI is going to talk to your users. It is going to represent your code. If it sucks, it’s on you too.”

The Litmus Test: “Does it Speak Code?”

The feedback from the Product team wasn’t about ROI or deflection rates. It was about respect for the craft.

When we showed them the shortlist of vendors, they didn’t look at the analytics dashboard. They looked at the chat window.

An illustrative engineering objection: “Look at this,” a Senior Frontend Engineer may say during a demo. “The AI pasted a Python snippet, but it stripped the indentation and it isn’t using syntax highlighting. It’s unreadable.”

To a normal buyer, that’s a nitpick. To a developer tool company, that is a dealbreaker.

An illustrative product objection: “This bot is too polite,” a Product Lead may say. “It sounds like a bank teller. Sentry isn’t a bank. We are direct. If the user messed up the config, tell them they messed up the config. Don’t apologize for their syntax error.”

Extending the Surface Area

The Product team is helping us realize something critical: DX doesn’t stop at the sentry.io domain.

We meet customers in the IDE. We meet them in the CLI. We meet them on GitHub. And now, we meet them in this chat window.

If the AI acts like a generic “Support Agent” it creates a jarring disconnect. If the AI acts like an “Engineer”: smart, context-aware, and technical - it feels like an extension of the product.

The “No Garbage” Rule

The Product team prioritized a vendor that:

Understood Technical Context.

Allowed “Agent Voice” Customization.

The Alignment

Support and Product were looking at the same tool with the same goal. Support wanted leverage (help customers help themselves), Product wanted consistency (support the brand).

We are THIS close to finding a tool that did both. It respects the code. It respects the user. And most importantly, it respects dark mode (hey). My Terminal theme may raise questions, but it also builds character.

We got the team’s blessing.

Field note: Do not buy garbage. If the tool cannot respect your product, your developers, and your edge cases, it will burn trust faster than it saves time.

Part III: The Machine

Architecture, customer agents, action evidence, measurement, and the support engineer's changing work.

The machine needs memory, retrieval, reasoning, routing, action, and restraint. It also needs proof of what happened. The Read-Write Rubicon makes that responsibility concrete: a correct sentence and a correct account change require different evidence.

13. My Dream AI Architecture

When people imagine AI architecture, they often picture one giant brain. I find an orchestra more useful. The instruments have different jobs, and somebody has to notice when they stop playing the same piece.

The separation of powers

The **Librarian** retrieves relevant material. It needs source authority, access controls, freshness, and context. Retrieval supplies candidate evidence; a result is not automatically the truth, and a high similarity score does not make it applicable to this customer.

The **Judge** reasons about the customer's task and that evidence. It should identify missing context, explain material assumptions, and propose a bounded next step. Reasoning does not grant permission to act.

The **Clerk** executes approved tools. The service receiving the request must enforce account scope, permissions, parameters, and business rules. Its outcome needs an auditable receipt, including an explicit unknown state when a request may have completed without acknowledgment.

The **Gatekeeper** enforces boundaries around information and actions. It is not one magical filter in front of the model. Permission checks belong wherever data is retrieved or effects are created. Text from a customer, document, or tool result must not silently become a higher-authority instruction.

The **Auditor** reviews the work. It checks whether the answer addresses the task, whether it applies to this customer, whether an action occurred, and whether escalation was required. Some checks can run before a response; others require later customer or product evidence. A grader can be wrong too. It needs calibration, and a failed check must not trigger unlimited retries.

These are responsibilities, not a demand for five models. A simpler implementation can be easier to inspect. The point is to keep evidence, reasoning, authority, execution, and review distinguishable when something fails.

My mashed-potato test

I like asking what goes best with mashed potatoes. The popular answer is gravy. My answer is sour cream.

The joke exposes a small but useful distinction: general popularity is different from the preference of the person you are helping. It is not a benchmark of model quality or a claim that my lunch preference is absolute truth. In support, the equivalent mistake is offering the common fix without checking whether it fits the customer's version, account, or goal.

The system that changes the system

Operational agents now help inspect conversations and propose configuration improvements. Fin Operator is one documented example. This creates another boundary: the agent serving customers and the process changing its behavior.

Keep proposed changes inspectable. Record their intended effect, affected audiences, source and tool versions, relevant tests, approving owner, and recovery path. The vendor's approval screen is part of the mechanism; the organization still owns the standard used to approve it.

Goals also need boundaries. An agent helping an account adopt a feature should not keep pushing that goal when the feature is unavailable, the customer declines, or an unresolved support problem makes the next step inappropriate. Audience attributes can help target guidance. They do not replace backend authorization.

What the architects should ask

Dependency governance: Which components can we replace, and what must be rebuilt or retested? Swapping models can change tool use, retrieval interpretation, latency, and failure behavior even when the API looks similar.

Cost observability: What does the service cost per eligible conversation and per evidenced outcome, including tools, platform fees, review, and recovery? Routing a simple task to a cheaper model is useful only if the result still meets the standard.

The 'I don't know' path: Which evidence or missing condition requires clarification or escalation? Calibrate any numerical threshold against representative cases. A retrieval score of 85% is not a universal probability that an answer is correct. Explicit task conditions and consequential stop rules matter more than a reassuring number.

Data boundaries: Where do source material, prompts, logs, and derived indexes travel? Who can access them, how long are they retained, and which services enforce those decisions?

Recovery: Can we isolate a bad knowledge entry, disable a tool, reconcile an uncertain action, and send a useful decision packet to a staffed human path?

Follow the failure to its owner

If the answer is wrong, inspect the chain. Did the Librarian retrieve stale material? Did the Judge apply a valid instruction to the wrong version? Did the Clerk use the wrong account? Did the Auditor miss the failure? Did the human path lack someone able to act?

Each answer points to different work. The architecture earns its complexity when it makes that diagnosis easier and keeps one failure from silently becoming the next customer's experience.

Field note: Keep retrieval, reasoning, authority, execution, and review distinct enough to inspect and repair.

14. The Read-Write Rubicon

Answering a question and changing an account are different grants of power.

Early documentation assistants, including our work with Kapa, helped people find and interpret information. That can be valuable by itself. A customer who understands the right fix may need nothing more.

The Read-Write Rubicon appears when the system can also perform the fix. "Here is how you change the setting" becomes "The setting has changed." The second sentence needs permission, a reliable execution path, and evidence that it is true.

The human API

Some support work turns a knowledgeable engineer into a manual interface. A customer asks for an allowed account operation. The engineer verifies it, opens an admin tool, performs the steps, and reports back.

The engineer may be doing necessary judgment along the way. Identify that judgment before automating the clicks. Otherwise we remove the visible work and accidentally remove the control that made it safe.

Where a straightforward action is genuinely repetitive, a self-service control or deterministic workflow may solve the problem. An AI agent is one possible interface to that capability. It should earn its place by helping the customer express the task or navigate the process.

Start with the boundary

Separate read-only lookups from writes. Checking an allocation and changing it have different consequences. Define who may request each action, which account it applies to, what parameters are allowed, and which conditions require a person.

Our intended direction was to connect bounded support tasks to account data and tools. Treat that as a capability plan until each workflow has passed its tests. A roadmap sentence is not evidence that production customers already receive the result.

For a budget change, for example, verify the authenticated account, relevant role, requested amount, current constraints, and any required confirmation. Do not infer consent to a change from a customer asking how the feature works.

Deterministic controls still need correct inputs

Use ordinary code to enforce the action contract. The model can propose a structured request; the backend decides whether that request is allowed under current policy and account state.

That reduces the freedom to improvise a transaction. It does not guarantee that the agent understood the customer's intent or selected the correct resource. A perfectly implemented function can perform the wrong authorized operation if the surrounding workflow passes the wrong request.

Validate the intent and preconditions, enforce limits at execution time, and record the resulting effect. Define how stale data, repeated requests, partial completion, and timeouts behave. The receipt chapter follows this last problem across a worker crash.

Price the work that remains

Automating an action can reduce waiting and repeated manual effort. It also creates integration, evaluation, permission, and recovery work. Compare those costs and outcomes rather than declaring every tool call profitable.

Check what the customer actually experienced. Did the right setting change? Did it remain consistent with policy? Was a required explanation or follow-up delivered? If only part of the workflow completed, say which part and what comes next.

The river is worth crossing for a useful task with a defensible operating model. We do not need to hand the machine every key to prove that it can open one door.

Field note: Read/write AI needs verified intent, enforced authority, and evidence of the resulting change.

15. When the Customer Is a Bot

The support queue used to arrive with a convenient assumption: a person had written the request and could explain what they meant.

That assumption is wearing out. A customer can ask an agent to inspect their logs, read the documentation, and contact support. By the time the conversation reaches us, one machine has already selected the evidence and another machine may be preparing the answer.

The first thirty days of our own launch included automated mail handlers and bot loops. Those taught us to stop pointless conversation. A customer agent creates a harder problem: the request may be useful, the customer may genuinely want the work done, and some of the supplied context may still be wrong.

Fluent evidence can be bad evidence

At a support engineering panel, a participant described a customer agent supplying incorrect event information. The example raised a practical problem for anyone serving technical customers: a coherent request can contain an identifier that does not correspond to the customer's actual problem.

Treat the supplied event ID, link, stack trace, and description as evidence to verify. Use the authoritative system, within the customer's permissions, to check that the object exists and belongs to the relevant account. Ask for clarification when a claim cannot be established. Do not invent a likely replacement just to keep the conversation moving.

A human can supply bad context too. Automation changes the speed, scale, and persistence of the error. Two agents can elaborate a false premise through several polite exchanges without either becoming embarrassed enough to stop.

Establish authority before action

You do not need a perfect detector that labels every message human or bot. You need an authorization model that remains valid either way.

An agent saying "I am working for your customer" is not authorization to read another account or change a subscription. Establish the principal, the account, the scope of delegation, and the specific action permitted by the existing identity and access system. A convincing writing style cannot substitute for those controls.

Keep information access and action authority separate. Permission to ask a question does not necessarily include permission to approve a refund or alter security settings. Where the task requires a customer's confirmation, obtain it through an authenticated path appropriate to that action. Do not treat a statement inside a retrieved document or pasted transcript as an instruction from the account owner.

Make progress observable

For a legitimate agent request, provide precise references, explicit prerequisites, and a clear next step. State which facts were verified and which remain uncertain. If the customer must provide an account identifier, explain exactly what is missing. If the proposed fix applies only to a version or entitlement, say so.

Do not force the interaction through small talk designed for a human. Do not strip it down so far that an operator cannot later understand the decision. A useful response is legible to both the customer and the agent acting for them.

Bound repeated attempts. Track whether each exchange adds evidence or changes the state. A repeated unsupported identifier should trigger clarification or a handoff rather than another confident answer. Apply sensible limits to retries and automated loops, with a visible way for the customer to reach a person when the bounded process cannot finish.

Test the boundary with ordinary mistakes

Include a nonexistent event, a valid event from another account, an expired delegation, a repeated request, and a request whose required permission is absent. Include a correct request from a machine too. Otherwise your defense may become a system that rejects useful automation simply because it looks unfamiliar.

Verify the human handoff retains the original customer objective and the checks already performed. The recipient should not have to start by asking who owns the account or whether anyone verified the identifier.

The next chapter deals with a separate question. Once we establish that an action is authorized, how do we know it actually happened? A trustworthy customer agent still deserves protection from our retries and partial failures.

Field note: Verify the account, authority, and evidence regardless of who or what wrote the request.

16. Did the Action Actually Happen?

The customer asks for an approved credit. The agent checks the policy, calls the tool, and waits. The credit is applied. Before the response reaches the agent, its worker crashes.

What should happen next?

"Try again" sounds helpful. It may also issue a second credit.

The Read-Write Rubicon creates a responsibility that survives a broken connection. Permission establishes whether the action may happen. We still need evidence of whether it did happen, and a safe way to continue when that evidence is missing.

The dangerous third state

Teams often describe tool calls as success or failure. A timeout introduces another possibility: unknown. The provider may have committed the change while the caller lost the acknowledgment.

Unknown is a real operating state. Do not translate it into failure simply because the agent lacks a result. Do not translate it into success because a tool call appears in the transcript. Both shortcuts can harm a customer.

This problem predates language models. The AWS Builders' Library discussion of idempotent APIs explains why retries need an explicit request identity and a service contract that recognizes duplicates. Similar-looking requests do not necessarily express the same intent. A customer can legitimately request two identical resources.

A crash you can watch

I built RECEIPT as a prototype to make this boundary visible. In its demonstration, a real worker process is killed after a simulated credit provider commits a change. The providers and customer data are local simulations. A naive retry can duplicate the credit; the receipt-aware path checks the existing effect before continuing.

The example shows why recording intent and checking provider evidence matter. It does not prove reliability under machine failure, database loss, or every kind of duplicate business request. A successful hackathon demonstration should teach the failure mechanism without borrowing a production guarantee.

Give the action an identity before sending it

Record the approved business intent, customer and account scope, parameters, and operation identifier before calling the provider. Where the provider supports an idempotency key, use it according to that provider's documented contract. Retrying the same operation with a new key may create a new effect.

An identifier is useful only if the service honors it. Check the scope, retention period, behavior when parameters differ, and what happens after the key expires. A key in your own log cannot make an external system deduplicate requests it does not recognize.

Preserve the provider's receipt or resource identifier when available. A screenshot of the agent saying "done" is not a receipt. Neither is a record that the request was dispatched. Useful evidence identifies the resulting change and lets an authorized person reconcile it with the intended account and operation.

Continue from evidence

After a timeout or crash, inspect the operation record and query the provider where supported. If the effect exists and matches the approved intent, record the evidence and continue from the next unfinished step. If there is clear evidence that the operation did not execute, retry under the applicable contract.

If the provider supports a safe retry with the same key, use that mechanism within its limits. If neither the effect nor a safe retry can be established, stop dependent work and hand the uncertainty to an accountable person. The customer needs an honest status, not an invented conclusion.

State	What the operation knows	Appropriate next step
Authorized	The action is allowed, but no attempt has been made.	Record its identity and execute within the approved scope.
Confirmed complete	Provider evidence matches the intended effect.	Record the receipt and continue from the next unfinished step.
Confirmed not executed	Reliable evidence establishes that no effect occurred.	Retry if the authorization and conditions still hold.
Unknown	The request may have executed, but the evidence is incomplete.	Reconcile, use a documented safe retry, or stop for an owner.

These states belong to the operation, not to the model's confidence. A more confident answer cannot improve the provider evidence.

A workflow has more than one receipt

Applying a credit, sending a confirmation, and closing a conversation are separate effects. If the credit succeeds and the email fails, replaying the whole workflow may duplicate the credit. Resume at the appropriate boundary.

Compensation also needs care. A reversal is a new action with its own permission, audit trail, and possible failure. Some effects cannot be fully undone: a customer has already read the message, or another system has acted on it. Explain the actual recovery options instead of promising a universal rollback button.

The human handoff should include the original intent, operation identifier, known effects, uncertain effects, and the actions that remain safe. "Please investigate" without that evidence simply moves the ambiguity into another queue.

Ask this in the vendor review

For each consequential action, ask how the system identifies duplicate intent, obtains proof of completion, behaves after a timeout, and prevents a second worker from doing the same work. Ask how long that protection lasts and what an operator sees when reconciliation fails.

Then test the interruption. Disconnect after the provider commits. Retry an acknowledgment that was lost. Stop midway through a multi-step workflow. Verify the actual account state, not just the final transcript.

Field note: Authorization allows an action. A receipt establishes its effect. Unknown must remain visible until evidence resolves it.

17. The Support-to-GTM Feedback Loop

Support sees the distance between what the company promised and what the customer can actually do.

That distance appears in setup questions, repeated workarounds, missing entitlements, and features that exist in a changelog but remain unusable for a particular account. If we send those signals back to Product, Documentation, Sales, and Customer Success with enough context, the queue becomes a way to improve the business.

If we merely summarize ticket topics, we lose the interesting part: what the customer expected, why they expected it, and which condition prevented success.

A closed ticket is not a kept promise

I built Promise Ledger at the Nebius × NVIDIA hackathon to explore this problem. Its Northstar account is fictional. Engineering has closed the relevant ticket, and the public changelog announces availability. The customer's entitlement is still off.

All three statements can be true. The customer is still waiting.

The useful distinction is between built, enabled for this account, and verified by this customer. Each needs its own evidence. A public release announcement cannot establish an account-level permission. An entitlement cannot establish that the customer's workflow now works.

Promise Ledger uses model-assisted evidence extraction with explicit decision rules and a human-reviewed update. Its sample accounts and evaluations are synthetic, it does not connect to a real CRM, and it does not automatically send messages. It supplies a worked example of a process worth building, not a retention result.

Give the promise a record

Capture the original commitment, the account and use case, the conditions for delivery, the owner, and the next update due. Attach the evidence and its timestamp. Record contradictions instead of allowing the most recent confident message to erase an unresolved problem.

An engineering status may be authoritative for implementation. A configuration service may be authoritative for enablement. Product telemetry or customer confirmation may establish that the expected behavior occurred. Keep those sources distinct.

When evidence is stale or unavailable, say so. A quiet error feed is not enough to close the promise. A later failure can reopen the outcome assessment even after an earlier confirmation. The ledger should help the owner decide what to investigate and what the customer can safely be told.

Do not automate away your customer intelligence

If the machine handles more routine interactions, fewer of those interactions naturally pass through a human. That can improve service and simultaneously reduce what the company learns, unless we deliberately preserve the evidence.

Keep a reviewed sample of AI-handled conversations, including apparently successful ones. Group recurring problems, retain the underlying examples, and identify the affected product version and customer population. Route the finding to an owner who can change something. Track what happened to it.

Include self-hosted users, prospective customers, and other populations the company can legitimately observe. A CRM account list is not the entire market. Be explicit about what the available data excludes, and avoid mistaking a high-volume segment for the most consequential problem.

This is where GiFOC still matters: get in front of customers. Ask them to show the workflow, explain what they expected, and demonstrate what happened. AI summaries can help us choose better questions. They do not remove the need to test our interpretation with the people doing the work.

A signature is not a restart

In The Prompt Room conversation, I questioned the sharp boundary we draw between pre-sales and post-sales. A customer may have been working through the technical problem for months before signing. Another may sign now and begin the real implementation much later. The contract date tells us something about the commercial relationship. It does not tell us where the customer is in the work.

A solutions architect may already understand the customer's people, constraints, design choices, and unresolved gaps. If a handoff discards that context, the customer has to teach the company again. We create another support problem while congratulating ourselves on closing the sale.

The operating idea is continuity of technical context. It is not a claim that we have reorganized Sentry around one role. Keep the customer's goal, decisions, remaining blockers, and next accountable owner connected across the commercial boundary. Where systems can legitimately relate account, user, and conversation records, use that connection to preserve context. Shared identity still needs correct access controls.

Test the handoff by asking the receiving person to explain the customer's next step without making the customer repeat the whole story. When they cannot, repair the handoff before adding another automated follow-up.

Customer success adds a longer clock

The product category is expanding beyond inbound service. Fin's Success offering describes goal-directed onboarding, adoption, and re-engagement over longer periods. Pylon's Account Intelligence describes shared customer context across support and account work. These vendor directions make the promise ledger more relevant, but they do not establish outcomes for our customers.

A long-running goal needs a definition of success, an eligible audience, relevant account and usage data, a time horizon, and rules for when to stop or hand over. Check whether a customer actually wants the intervention. More proactive contact can become more interruption if the objective is defined only from the seller's perspective.

An agent helping a customer complete onboarding should recognize when a support incident takes priority. An agent looking for expansion should not obscure a product limitation or turn every frustrated conversation into a sales opportunity. Record which goal applies, what can change it, and who owns conflicts between goals.

One fix can help many customers

At the same support engineering panel, another participant described a future in which teams supervise groups of related work. That is a useful operating proposal. A shared failure pattern can point to a single documentation repair, product change, or configuration fix.

Grouping creates its own responsibility. Similar language does not establish identical account conditions. Before applying a shared remedy, check the version, permissions, entitlements, and exceptions that matter. Keep customer data isolated and verify the scope of the action. The batch saves work only if it preserves those differences.

Close the company loop

The weekly customer-evidence review should answer a few concrete questions. What expectation did we discover? Which customers are affected? What evidence supports it? Who can change the product, documentation, promise, or workflow? What changed after they acted?

Support contributes the case. Product and Engineering can remove the friction. Documentation can make the correct path discoverable. GTM can stop creating the wrong expectation. Customer Success can verify the account-level result. The feedback loop becomes valuable when those responsibilities lead back to the customer.

Field note: Track the promise all the way to the customer's working result, and preserve what the journey teaches the company.

18. CSAT and Other Comfort Metrics

A dashboard can tell the truth about its fields and still give you the wrong picture of the customer.

CSAT tells us something about the people who answered the survey. A fast first response tells us that a reply arrived quickly. A closed conversation tells us that the system put the conversation in a closed state. None of those facts, on its own, establishes that the customer accomplished the task.

I want a scorecard that makes those differences visible. Replacing a survey with an AI-generated number does not automatically improve the measurement.

Keep the denominator in the room

Suppose, as an illustration, that an agent is involved in 40% of all eligible conversations and resolves 40% of the conversations in which it is involved. Its reported automation across that original population is 16%: 0.40 multiplied by 0.40.

That calculation works only if the populations, time window, and definitions line up. The second percentage is conditional on the first. Do not multiply two dashboard percentages simply because they are next to each other. The example is arithmetic, not a reported Sentry result.

Fin's automation-rate definition makes this relationship useful to examine. The managerial question is how much eligible customer work the system actually handled, and what the platform counts as resolved.

The denominator moved

Fin documented a change to its performance metrics that excluded constrained conversations from its involved population. Reported involvement fell and resolution rate rose, while total resolutions and automation remained unchanged. The article is dated August 31, 2026 and describes an earlier rollout; the article date is not the date on which every account changed.

This is a useful reminder to version metric definitions. A higher percentage can reflect a different population. Write the numerator, denominator, exclusions, unit, time window, and definition version beside the result. Preserve the old definition when comparing periods, or mark the break in the series.

Three kinds of evidence

Keep the platform's classification, a reviewer's assessment, and the customer's later outcome in separate columns. Fin's outcome documentation distinguishes confirmed and assumed resolutions and describes billable outcomes that can include certain handoffs. Billing, automation, and verified customer success therefore answer different questions.

The continuing-evaluation chapter adds seven- and thirty-day recurrence checks. These improve our view of durability. They do not turn silence into confirmation. Report what can be observed, the population covered, and the outcomes still unknown.

An agent can handle a conversation well even when a product limitation prevents resolution. It can also handle the conversation badly before eventually arriving at a valid fix. Grade the work and the outcome separately so the right team receives the right problem.

Make the CX score inspectable

An AI reviewer can expand the number of conversations we examine. It can also misunderstand a task at scale. The reviewer needs a clear rubric, current product evidence, human calibration, and a way to express uncertainty.

Do not hide all dimensions inside one executive score. Show applicability, task completion, customer effort, escalation quality, and consequential policy failures. Explain the reasons behind changes in the score. A polished response should not offset an unauthorized action.

Keep CSAT where it adds information. Response bias limits what we can infer from it; that does not make each response worthless. Combine it with conversation review and product evidence. Remember the customers who never contacted support: the queue cannot describe their experience by itself.

Hear the problem before the survey

On the podcast, I described collecting twelve times as many signals across the customer journey as we had before. That was my account of our operation, not a benchmark another team should expect to reproduce. The useful change was having more opportunities to notice friction and respond while the customer was still working through it.

Direct conversations, community discussions, public issues, and account interactions can reveal problems that a post-conversation survey misses. They also overlap. A frustrated customer may describe the same issue in three places. Count the signals and the distinct customer problems separately, and keep the channels, comparison period, and coverage behind any growth claim visible.

Inferred sentiment can tell us where to look. Read the underlying exchange before deciding what it means, and ask the customer when the evidence is ambiguous. More collected signals become useful when somebody acts on a supported finding and checks the result. They do not by themselves establish better satisfaction.

Measure the work that remains

Automation can make the remaining human queue more complex. A lower number of tickets may coexist with longer investigations, more sensitive decisions, and more responsibility for improving the system. Measure human effort and workload by case mix before concluding that a person or team became less productive.

Track operating cost in currency, including platform fees, model or tool usage, QA, maintenance, and recovery work. Token counts help diagnose some costs but are not a complete cost model. Track time to the customer outcome where it can be established, rather than allowing an instant first response to end the discussion.

Measure	What it helps answer	What it cannot establish alone
Reported automation	How the platform classifies eligible work.	Whether the customer succeeded.
Related repeat contact	Whether the same problem returned within an observed window.	Whether silent customers succeeded.
Confirmed outcome	Whether available evidence shows the requested result.	Whether every unobserved customer had the same result.
Missed required escalation	Whether cases needing human judgment were overlooked.	Whether humans had enough capacity to respond.

Measure	What it helps answer	What it cannot establish alone
Customer and human effort	What work the experience imposed.	Whether that work was necessary without case context.
Total operating cost	What it costs to deliver and maintain the service.	Whether the lowest-cost option preserves trust.

Goals beyond support

When an agent helps with onboarding or adoption, define the customer milestone explicitly. A setup conversation is different from a working integration. A feature recommendation is different from useful adoption. A scheduled follow-up is different from a customer making progress.

Use the appropriate observation window and compare eligible populations. Avoid attributing every improvement to the agent when product changes, seasonality, or account selection could explain it. A controlled comparison can strengthen a causal claim; a dashboard trend by itself cannot.

Field note: A metric is a claim about a defined population. Keep its definition and its limits attached.

19. The Promotion

We are promoting the team to manage the machine. That sentence needs an operating plan behind it.

The elephant in the Zoom

A support engineer hearing a promise of automation may reasonably ask what happens to their job. They may also have seen enough failed launches to doubt the promise. Treat those as questions to answer, not evidence that the person is obstructing progress.

My ambition is to move people from repeatedly repairing the same problem to improving the system that creates it. A new job title does not do that. Neither does adding AI QA to an already full queue.

State what work will change, what support the team will receive, and how their performance will be assessed. Do not promise a staffing outcome you do not control. Be specific about the investment you are prepared to make.

From the queue into the product

A support engineer on a panel described recurring confusion around a reporting workflow. In that participant's account, a tooltip change took roughly two hours, and the same company did not return with the issue the following month. That is a useful local observation. It does not establish that all future confusion disappeared or that every tooltip has the same return.

In the same discussion, I described a Sentry teammate proposing a CTA change through a pull request and seeing it live the next day. The significant part is the route from customer evidence to a shipped product improvement. The support engineer did not have to become a separate Product organization to fix a bounded problem.

Those are two different stories from two different speakers. Together they make the midfield argument concrete: people who repeatedly explain a confusing experience can help change it.

The useful question for a manager is what made the work possible. Did the person have access to the repository, a development environment, a reviewer, and time outside the queue? Was the change small enough to assess? Did someone check the customer's experience afterward?

Give the promotion working conditions

Protect recurring time for improvement work and staff the queue around it. A calendar block that disappears whenever volume rises is a wish. Start with a scope the team can sustain, then review the result and the load it creates elsewhere.

Build the skills required for the work: reproducing a customer issue, reading relevant code and logs, writing a clear change proposal, checking accessibility and product behavior, and describing the limits of a result. AI coding tools can help with implementation. The author and reviewer still need to understand the change well enough to maintain it.

Define review authority. A copy correction and a change to account permissions do not require the same process. Give people an explicit path for small changes and a clear route to the appropriate owner for consequential ones. Keep normal code review, tests, and release controls where they apply.

Pair an experienced product engineer with a support engineer for early changes. Make the relationship reciprocal: one brings implementation context; the other brings the customer's repeated failure and the conditions that reproduce it.

Look for debugging judgment

The podcast also gave me a chance to explain what I look for in technical support work. Can someone form a hypothesis, read the relevant trace, reproduce the behavior, and change their mind when the evidence disagrees? A polished AI-generated demo does not answer those questions.

For hiring or development, use a small broken workflow with enough evidence to investigate it. Let the person use their normal tools, including AI where appropriate. Ask them to explain what they tested, why they rejected an earlier explanation, and what remains unknown. Review the reasoning and the customer explanation as well as the final fix.

The exercise should match the role. A title or a degree is a poor substitute for observing the judgment the work actually requires. Then give the person a way to develop that judgment through paired investigations and reviewed changes.

Responsibilities before titles

An AI operations owner watches failure patterns, routing, and the quality of human handoffs. A knowledge owner manages source authority, freshness, and applicability. Conversation and workflow designers define how the system asks, acts, and stops. Technical owners maintain tools and verify their effects.

These responsibilities can be shared by a small team. They do not require inventing a department for every label. Keep the named owner, backup, and decision rights visible.

The knowledge loop needs a release gate

When a human solves a difficult case, the answer is a candidate for reuse. It may also contain an account-specific exception, a temporary workaround, or a conclusion that was never verified.

Capture the diagnosis, authoritative evidence, applicable versions and audiences, and the conditions under which the fix works. Remove private customer material before broad reuse. Have the appropriate owner review the change, run the relevant cases, and retain a way to withdraw it.

Then check whether later customers benefit. A closed ticket does not automatically become approved knowledge, and a knowledge edit does not guarantee that the agent will retrieve or apply it correctly. Chapter 28 makes that continuing evaluation explicit.

Measure the result of building

Keep a short impact log: the customer problem, evidence, shipped change, reviewer, affected population, and later outcome. Include uncertainty. No repeat contact from one account is encouraging; it is not proof that every account is fixed.

Recognize prevention, a well-founded escalation, and a correction that exposes a weakness in our own plan. Do not reward only code output. Sometimes the best contribution is discovering that a product change is unnecessary, a policy is contradictory, or the proposed automation cannot safely meet the need.

The promotion is real when the team has time, capability, authority, and credit for improving the experience. Otherwise we have simply given the goalkeeper a more impressive title.

Field note: Give support engineers a path from customer evidence to a reviewed change and a verified result.

Part IV: The Migration

Planning, partner risk, shadow runs, launch inventory, and zero hour.

The old world has muscle memory. The new world has promise. A migration names the owners, tests the work, and moves it deliberately. Retiring duplicated processes and preserving a tested recovery path belong in the same plan.

20. The Burn-the-Ships Migration Plan

The attraction of the burn-the-ships metaphor is commitment. At some point a company has to stop treating the new operating model as a side project and move the work.

The danger is taking the metaphor so literally that the company removes its ability to recover from a failure.

We chose a native support environment because we wanted conversations, context, and human handoffs to work together. That choice was about our operating needs. It should not become a rule that every team must purchase one tightly coupled stack.

Retire duplication deliberately

Running the old and new processes indefinitely can create two sources of truth, unclear ownership, and customer handoffs that lose context. Inventory the work, choose its destination, migrate the necessary history and permissions, and name the owner of each remaining dependency.

Set a retirement condition for the old process. Check that customers and staff can complete the relevant work in the replacement. Keep the required records accessible. A confident cutover date is useful only when the team understands what happens at that boundary.

Keep service containment

A tested human fallback belongs to the new system. So does the ability to disable a faulty action, narrow an audience, withdraw a knowledge entry, or pause automation while service continues.

Test the capacity of that path. If a full shutdown would overwhelm the team, design smaller containment scopes, establish priorities, and define how customers will be informed. The fallback must be something the organization can actually operate.

This is different from maintaining every legacy workflow forever. The goal is one accountable operating model with explicit recovery paths.

Test the seam instead of judging the diagram

Platforms support different ways to connect agents to shared customer infrastructure. The operational fit depends on how those connections work. Plain's documented agent model and Fin's support for external helpdesks are reasons to examine the implementation rather than reject it by category.

Ask whether identity, context, permissions, routing, and audit history survive the handoff. Ask which party owns a failure at the seam and whether an agent can be replaced without rebuilding the whole operation. A native stack can fail those tests. A composed stack can pass them.

Measure what the migration changed

Freeze a baseline before cutover, including the customer population, case mix, measurement definitions, human effort, and total operating cost. Compare subsequent results on an equivalent basis.

Do not infer faster resolution from a faster first response. Do not claim a universal cost reduction from eliminating a visible license while ignoring new evaluation or maintenance work. Any claimed speed multiplier needs a defined task, dataset, and comparison.

The meaningful result is whether customers achieve their tasks with appropriate effort and whether the organization can reliably sustain that service. Commit to that result, and keep the means to recover when the machine falls short.

Field note: Retire duplicated workflows while preserving a tested way to contain failure and continue serving customers.

21. When Your AI Implementation Partner Is Just a Tollbooth

We bought a Ferrari. We threw a party. And then we realized the third-party mechanic assigned to tune the engine was getting paid by the hour to keep it in the shop.

Let me tell you a story that has absolutely nothing to do with Artificial Intelligence, but explains exactly why some [AI or not] projects fail.

It is a tale as old as the first-ever consultant.

Here is a deliberately fictional parable. Picture ancient Egypt. The Pharaoh wants a pyramid. The very first "Implementation Consultant" steps forward. He has the blueprints, the workers, and the vision. But he also realizes a dangerous truth: if he builds a perfect pyramid that never breaks, his job is over. So, what does he do? He builds a beautiful structure, but he makes sure the capstone requires "specialized seasonal alignment" that only his firm can provide for a nominal yearly fee.

He didn't build a product; he built a dependency.

The pattern can appear in other industries too. Think about the early days of the internet in the late 1990s. Businesses paid agencies thousands of dollars to build their first websites. A poorly designed maintenance arrangement could make a business dependent on its webmaster for routine changes. They hard-coded the HTML so that every time the bakery wanted to update their phone number, they had to pay the agency a $150 "maintenance fee."

The technology was revolutionary, but the business model was parasitic.

The Hand-off Illusion

Fast forward to 2026. We are at Sentry. We just ran the gauntlet. We built the business case and questioned what actually powered the demos. We finally signed the contract for a native, cutting-edge AI platform. The adrenaline was high. We were celebrating a massive new direction for our Developer Experience (DX).

Then came the onboarding kick-off call.

The handoff between sales and implementation can fail at exactly the point when clear ownership matters most.

The Account Executive who wowed us with demos of "complex Python stack trace resolution" was gone. In their place was an external project manager who looked at our intricate, highly technical developer ecosystem and just saw a generic Jira backlog. The vendor sold us a "Weather Control Station," but the assigned implementation partner only knew how to build umbrellas.

The Drift

At first, we hoped for collaboration. We shared our vision documents & our scope. But then, instead of asking for API keys to ingest our documentation, the external partner sent us a spreadsheet asking us to manually list our "Top 5 most common issue types."

The drift happened. We realized the implementation partner had the wrong motivation. They were addicted to the "Illusion of Motion," confusing shipping with working.

They were treating our AI deployment like a 1990s website. They wanted to be the gatekeepers of our prompts, the managers of our RAG pipelines, and the only ones who knew how to untangle the workflows. Our massive opportunity to start strong right out of the gate was slipping away (argh) into a mire of weekly status calls that accomplished nothing. Instead of gaining leverage, we were inheriting their limitations, and our roadmap became a negotiation.

They weren't building us a system; they were building themselves a permanent tollbooth.

The Rescue: Co-Ownership and The "System Architect"

Buying the tool is one commitment. Operating it adds integration, knowledge, evaluation, governance, and recovery work. Those responsibilities need owners regardless of the contract structure.

A partner can do valuable work in each of those areas. Define deliverables, access, knowledge transfer, and acceptance criteria so that accountability stays visible. In our case, we needed to take back the keys and change the working relationship.

Fortunately, the vendor's leadership also realized their assigned partner was fundamentally misaligned with our technical reality (and my character). To their credit, they didn't just offer an apology; they offered a rescue. The vendor benched the external agency, ripped up the dependency model, and brought in their own internal, native implementation experts.

They jumped into the trenches with us.

Instead of relying on an external agency's translation layer, the vendor's team worked directly with the people who already know our product best: our Support Engineers. Together, we moved our teams from "Just Ticket Solvers" to Support System Architects. We began defining an AI Ops Lead to monitor trends, and a Knowledge Manager to curate the AI's brain alongside the vendor's engineers.

We lost the opportunity for flawless onboarding, but by the vendor stepping up and bringing their own team to bridge the gap, they saved the day.

In the era of AI, our data is our most valuable intellectual property, and true partnership means the people configuring the engine are the same ones helping you drive it. We must own the system, train the machine, and keep the keys to the engine. If we don't, we are just paying a modern pharaoh's architect to build a pyramid we don't know how to maintain.

Field note: A partner who controls the path without owning the outcome is a tollbooth. Co-ownership is the rescue.

22. The Shadow Run

Before the machine touches customers, let it show us how it behaves on their work.

A shadow run processes representative requests without sending customer messages or changing live customer state. It gives the team a way to examine answers, intended actions, and handoffs before deciding what the system may do in production.

The word shadow must describe the environment, not merely the prompt. If a tool can send an email or apply a credit, a sentence asking the model not to use it is insufficient isolation. Remove the live capability or use a controlled simulator.

Use the information the agent would have had

Historical replay can accidentally make a system look brilliant. The resolved ticket contains the answer, the follow-up contains a crucial diagnostic clue, and the documentation was updated after the incident. If we put that material into the test input, we are grading hindsight.

Reconstruct the request-time context. Record the product, policy, knowledge, and tool versions that matter. If reconstruction is incomplete, label the limitation rather than pretending the test recreates production exactly. Separate the evidence supplied to the agent from the evidence used by the reviewer to assess the eventual outcome.

The original human answer is also evidence to examine. It may have been incomplete or wrong. Agreement with a human response is not enough; the response must satisfy the customer's task and relevant constraints.

Build a set that can disappoint you

Include routine requests, difficult investigations, missing documentation, ambiguous intent, frustrated customers, unsupported configurations, and cases that require a human. Add customer agents with invalid identifiers, stale audience attributes, and actions interrupted after the provider may have committed them.

Use cases for tuning and a separate fresh set for the release decision. Keep the reason each case belongs in the set. A memorable edge case can justify a stop condition without becoming an estimate of how often that failure occurs.

Run more than one trial where variability could change the decision. A single good answer is weak evidence for a task that must work repeatedly. Record system versions and conditions so another reviewer can understand a change in results.

Six checks for each case

Assess whether the response addresses the customer's actual task; whether its factual claims are supported; whether the proposed steps apply to this customer's environment; whether it respects data and action boundaries; whether it escalates appropriately; and whether the next human or customer has enough context to continue.

Use explicit pass conditions and a place for insufficient evidence. Require the reviewer to record the reason for a failure. A score without the underlying case is difficult to improve and easy to misuse.

Draft acceptance can be useful for estimating editing effort. It cannot authorize a release that failed a consequential boundary. Even a 75% draft-acceptance rate says little about the consequences of the remaining failures. An aggregate pass rate must never cancel an individual hard stop.

Five reasons to stop

Stop the affected release scope if the system exposes data or acts outside its authority; invents a material product, policy, or financial claim; recommends a consequential action without the context needed to establish that it applies; continues after a required escalation boundary; or leaves operators unable to audit, contain, and recover the failure.

These are categories to turn into concrete tests for your product. They are not an excuse to require perfection on every stylistic preference. Separate a release blocker from a bounded improvement and record who made that decision.

Measure the escalation that never happened

Reviewing only cases the AI escalated tells us about the escalations it chose. It misses the cases it should have escalated and did not.

Label the cases that require escalation independently. Then measure missed required escalations over that population. Also examine unnecessary escalations and the quality of the handoff. Keep the measures separate because each leads to different operating work.

Exercise the human path under expected load. Check that the receiving person has the evidence, permissions, and capacity to act. A technically correct routing event into an unattended queue fails the customer.

Release the scope that earned it

The output is a release record: tested configuration, case coverage, unresolved findings, hard-stop results, operational capacity, allowed scope, and an accountable decision. Begin with a controlled rollout of the work that passed. Watch actual customer outcomes after release.

A shadow run can estimate likely quality and expose failures. It cannot establish the customer experience of a live deployment. That requires observation after customers use it, including the delayed checks in the continuing-evaluation chapter.

When a model, tool, policy, or knowledge source materially changes, revisit the relevant release tests. The shadow run is a reusable gate in the operating model. It should become easier to run as the team learns, without becoming easier to wave away.

Field note: Test with the evidence available at the time, enforce isolation in the tools, and release only the scope the results support.

23. The B2D2B AI Rollout

In the SaaS world, there is a pervasive, lazy misconception that "Support is Support." The theory goes that as long as you have a queue, a ticket, and a response time, the product doesn't matter. But when you operate in the B2D2B (Business-to-Developer-to-Business) market, your customers are engineers. And for engineers, the standard corporate support playbook isn't just ineffective—it's an insult.

The Developer "BS Detector"

Engineers trade in two currencies: Truth and Efficiency. They possess a finely tuned, collective "BS detector" that sniffs out marketing-speak and corporate platitudes in milliseconds. If you give a developer a "white-glove" experience that involves three hand-offs and a "hope you're having a great day" macro, you haven't provided service; you've stolen their time.

When it came time to launch our AI agent, we had to reject (again) the "Relationship Management" model. A developer debugging at 2:00 AM may want a working answer with little ceremony. Another customer may need architectural judgment or a direct human conversation. Make self-service useful and keep an accessible human path.

Positioning AI as "No-Touch" Luxury

We leaned into Radical Transparency. We didn't pretend we were launching a human replacement or a "friendly digital assistant." We positioned the AI as the ultimate "No-Touch" Luxury.

The customer-facing promise should be specific: which information the agent can use, which actions are enabled, and how to reach a person. Do not advertise an intended billing or configuration workflow as an available capability before it passes the relevant checks. Treat customers as competent partners who deserve an accurate account of what the system can do.

Welcome the human handoff

On The Prompt Room, I put it this way: "We are not deflecting, we are solving." We welcome a request for a person. We also sometimes join a conversation before the customer asks, when we can see that the AI is going nowhere or that a human can add value.

A useful handoff should carry the customer's goal, what the agent tried, the relevant evidence, and the unresolved question. It should make the next person useful sooner. Requiring the customer to fight through another loop just to preserve an automation percentage defeats the purpose of the service.

Keep track of why people take over. A requested human conversation, a required escalation, and a preventable agent mistake deserve different follow-up. The handoff itself is not automatically a failure. Inspect whether it arrived at the right time and whether the customer got useful help. Preferences vary by customer and task; a small number of initial requests for a human would not establish that everyone else preferred AI.

The Operational Reality

If an AI interaction doesn't save time or increase clarity, it's just static noise. In a B2D2B environment, "good enough" AI is a liability. If the agent hallucinates an SDK initialization or suggests a deprecated API endpoint, you don't just lose a ticket—you lose the trust of a developer.

We are building this in the open, tracking every hallucination in a company wide error log, and iterating weekly based on evidence, not intuition. We aren't selling a feature; we are providing a tool.

Field note: Give developers a useful path to the result and a clear route to human judgment when they need it.

24. The Launch Inventory

An AI rollout isn't a software launch; it's a living, breathing operational migration.

In a standard SaaS product launch, if a feature has a minor bug, you patch it in the next sprint. In a live, AI-driven B2D2B support migration, if your logic slips, a developer's experience breaks, your queue explodes, and you destroy trust in real time.

To prevent that, we didn't just build a prompt; we built an inventory of artifacts. After all, you don't cross the Rubicon without a map. Here is the operational inventory we prepared for the day of impact, grouped by the strategic roles they play.

1. The Blueprint & Guardrails

Onboarding: phased approach, scope, and owners

Legacy system vs. Intercom's Fin gap analysis

Configuration decisions and their rationale

Before you write a single line of code or train an agent, you have to map the delta between human execution and automated reality. The Legacy system vs. Fin gap analysis is our brutal assessment of exactly what we lose and gain during the switch.

The configuration record captured why we chose a rule, which customer situations it applied to, and what should happen at the boundary. A policy sentence alone can leave that context implicit. Recording the rationale made the choices easier for people to review and for the agent to apply. Raw notes remained working material until an owner checked their authority and approved the guidance.

2. The Battle Plan

Phase 1 detailed project plan

Workflow coverage drafts

Updated future scope (draft)

You can't automate everything on Day 1. The Workflow coverage drafts act as our perimeter fencing—defining exactly which issues Fin is authorized to resolve and which ones it must instantly pass through. And because code is never "done," our next deployment scope is already in an active sprint, ready to ingest the errors we haven't even made yet.

3. The Human Firewall

Fin/Sentry Q&A

"Onsite highly personalized" training session with Fin

Post-launch "Support Lead Daily" processes

Your human team cannot be passive observers; they are the Supreme Court to the AI's lower courts. We ran an onsite, highly personalized training session with Fin to ensure our team didn't just know how to use the UI, but deeply understood the machine's logic. The Support Lead Daily processes ensure that the moment we

go live, a rigid feedback loop is established to review logs, optimize prompts, and manage the new human-in-the-loop ecosystem.

4. The Countdown (Zero Hour)

Pre-mortem

“Last Breath” legacy metrics and stats

Launch day Fin cutover plan

Launch day Sentry runbook

This is where the rubber meets the road. The “Last Breath” legacy metrics capture our historical baseline—the final, frozen-in-time snapshot of our legacy world.

But the crown jewel of our preparation is the Launch day Sentry runbook and pre-mortem. We sat in a room and asked a dark, pragmatic question: “Assuming this entire launch fails spectacularly, how did it happen?” We simulated the nightmare scenarios—the Librarian layer failing under peak load, the Clerk executing mismapped intents, the costs spiking out of control. We engineered the solutions for those failures before they had a chance to manifest.

Shipping the Machine

When you launch a traditional product, you control the code. When you launch an AI-driven support operation, you control the infrastructure, but the user interactions are dynamic, fluid, and unpredictable. You aren’t just launching an app; you are releasing an agent into the wild to interact with a highly critical, deeply skeptical audience.

The playbooks are locked. The guardrails are verified. The pre-mortem is signed off. The old metrics are frozen.

And then, the countdown hit zero. Go time arrived.

Field note: An AI rollout is a live migration. The artifacts matter because the machine inherits every missing decision.

25. Zero Hour

The spreadsheets are closed. The pre-mortems are signed. In the world of high-stakes infrastructure, there is a specific kind of silence that happens shortly before a global migration. It's the sound of a legacy system breathing its last, and a new, autonomous logic preparing to take its first.

It's 10:00 AM on a Friday, and this day wasn't just about flipping a switch; it was about watching a fundamental shift in how knowledge moves. Here is what it looked like when the "Shadow Run" became the "Live Run."

The "Before" State: The Legacy Baseline

For years, our support reality was defined by linear scaling and legacy architecture. Before the cutover, we looked at a landscape of a large historical ticket archive and nearly 200 legacy business rules.

The Velocity Ceiling: While our SLA achievement rate was stellar, the reality for the developer was often a wait of 1-to-24-hour resolution.

The Context Tax: Support conversations were fragmented across different channels—dictating a different experience for users based on where they engaged with the team.

The "After" State

At the 12:05 PM PT final cutover step, we could see the interaction pattern change. That was immediate launch-room evidence, not yet a controlled measure of long-term customer outcomes.

1. The End of the "First Response" Race In the old world, fewer tickets were addressed within the first hour. With the activation of the AI agent, we moved the target to immediate resolution. The goal shifted from managing a queue to "assure the right coverage" from the get go, and forever.
2. Resolution vs. Deflection The most significant trend shift was the "Automation Rate". We moved away from simple deflection-if-we-find-the-document-for-you toward a model where the AI actively engages with the customers. By syncing knowledge from nearly all public articles, internal documentation, internal notes, and even GitHub, the machine began resolving issues without human escalation.
3. The "Human-in-the-Loop" Elevation Perhaps the most telling shift was the implementation of strict "Sentry-isms" and guardrails. The AI was trained to stop troubleshooting and offer a direct escalation to a human Support Engineer the moment a customer indicated (in words, or in tone) a solution failed. This ensured that while the machine handled the high-frequency "Issues" and "Events," our human experts were reserved for deep technical empathy.

The "Direct Accountability" Model

This adoption and launch moved forward because we abandoned "committees" for a model of "one owner per department". From infrastructure and DNS routing to legal contracts and design, every lane had a single, directly accountable person—an approach that ensured every project task had a name attached (people we truly appreciate) and no orphaned decisions remained.

The transition was seamless, and the atmosphere in the room was electric. We had moved from a "Service Team" to an "Operations Team" managing a living system. We watched as the machine began identifying contacts and assigning SLAs in real time.

The machine was live. The data was flowing. The developers were getting answers in seconds.

And then, the first truly "impossible" edge case hit the queue…

Field note: Launch day is not the end of the project. It is the moment the machine starts producing evidence.

Part V: The Operating Model

What the machine changes after zero hour.

Launch creates evidence. This part turns it into recovery, continuing evaluation, knowledge releases, and work that improves the customer experience. The software will keep changing. So will the responsibility for operating it.

26. The First 30 Days

Zero hour is dramatic because everyone can see it. The first thirty days are more important because the machine stops being an event and becomes a habit.

This is where most AI support projects either mature or quietly rot. The launch room empties. The Slack channel gets less exciting. The vendor declares success. The team returns to normal work. Meanwhile, the machine keeps making thousands of tiny decisions that shape customer trust.

The first thirty days need a rhythm, not vibes. Every day should ask the same questions: What did the machine resolve? What did it escalate? What did it hallucinate? Where did it stop too early? Where did it continue too long? What did customers ask that our docs, product, onboarding, or sales motion failed to explain?

Do not treat this chapter as a victory lap. Treat it as the operating room after surgery. The patient is alive, but the monitors matter.

The mistake is to measure only volume. Volume tells you whether the machine is busy. It does not tell you whether the machine is trustworthy. A bad machine can handle a lot of conversations. So can a vending machine that keeps dispensing the wrong product.

The first thirty days should therefore be less about declaring success and more about building the muscle of evidence. Every resolved conversation is evidence. Every escalation is evidence. Every customer who rephrases the same question three times is evidence. Every human who has to unwind the machine's confidence is evidence. The work is to turn that evidence into changes before those failures become routine.

The First 48 Hours: The Unsettling Physics of Zero-Wait

At 12:05 PM on a Friday, the shadow run ended.

The legacy support queue did not gradually fade away. It was replaced. The old physics inverted immediately. For years, the queue had been a race against the first-response clock: How quickly can a human notice the customer, read the context, and begin the work? After cutover, the first response was no longer the scarce event. The machine engaged immediately.

That sounds like success until you are sitting in the room watching it happen.

The first emotional state after a successful AI support launch is not celebration. It is an eerie silence. Suddenly, live customer conversations were waiting on no humans at all. For a team trained to jump on tickets, that creates real psychological friction. Should we chime in? Is the AI helping, or is it slowing down a customer who just wants to ship? Are we preserving trust, or sanding off the human touch?

At T+60 minutes, restraint matters when the system is operating within its tested boundaries. Watch before interrupting a useful answer. Intervene immediately when a stop condition or consequential failure appears.

We watched the AI deliver precise, technical answers, and then we watched the customer go silent. The legacy reflex screamed: follow up, make sure they are okay, keep the conversation warm. But the new operating model forced a different interpretation. Sometimes silence is not abandonment. Sometimes silence is resolution. If the code compiles and the error clears, the customer does not want a relationship with the ticket. They want to get back to work.

We still appreciate thank-yous. But we cannot design the machine around needing them. Silence alone cannot distinguish success from abandonment; Chapter 28 adds delayed checks and independent outcome evidence.

The Edge Cases Arrived Immediately

When you release a living system into the wild, it does not wait politely for your next planning cycle. It walks straight into the blind spots.

The first category was funny because it was absurd: the infinite bot loop. Our AI agent met customer out-of-office responders, automated mail handlers, and in some cases other AI systems. The result was a ping-pong match of extreme automated politeness. Nobody was harmed. Nobody was helped either. It was a useful reminder that the support queue is no longer a place where only humans arrive.

The second category was more human: the inside job. Employees forwarded internal emails into the support queue expecting a familiar colleague to reply. Instead, they got a fast, unsentimental, uninvited AI response. The reaction was immediate and understandable. Getting a robot when you expected your desk-neighbor is a very modern betrayal.

Then came the AI NIMBYs.

Some people loved AI in the abstract. They built it, built with it, sold it, pitched it, and expected it to transform every industry. Then it showed up in their own workflow: “Wait, you’re using AI to answer support questions? In my backyard?”. That is a paradox.

The lesson is not to mock that reaction. It is to respect what sits underneath it. Customers are not rejecting automation in general. They are asking whether this automation understands the stakes of their problem. The answer cannot be a slogan. The answer has to be visible in the behavior of the system: grounded in the same documentation a human would use, faster than a human could retrieve it, and humble enough to escalate when confidence is no longer earned.

When the human was mistaken for AI

Then came the moment that validated the architecture in a way no dashboard could.

A complex ticket bypassed the AI guardrails by design and landed with a veteran Staff Support Engineer. The engineer read the evidence, diagnosed the issue with deep technical judgment, formatted the response cleanly, and sent it quickly.

The customer replied: “Wow, your AI is incredibly impressive. Solved my issue perfectly.”

For once, the mistaken identity ran in the other direction.

The engineer was so precise, clear, and fast that the customer credited the machine. Apparently the human needed a name badge.

The point is not that humans and AI had become indistinguishable. The point is that the bar had moved. The machine had changed the customer’s expectation of speed, precision, and structure. A great human response now looked like the best possible version of the machine. A great machine response had to know when to get out of the way for the human.

That is the new standard.

The Next Deployment Started Immediately

Because we treated the launch as a product release, not a procurement milestone, we did not wait for a quarterly review to learn from the first failures.

We ran the error log immediately.

Within 48 hours of cutover, the scope for the next deployment was already taking shape. No sprawling committee. No vague consensus ritual. Just direct accountability: what broke, why did it break, who owns the fix, and when does the machine learn?

This is where the success metrics started to change too. Time to First Response had been the old religion because the old queue was built around waiting. But immediate engagement makes that metric less meaningful. The better question is not how fast we talked. The better question is how fast the customer succeeded.

The aim is the customer's working result, or an honest explanation of the limitation with an accountable next step. Closing the conversation is an administrative event. It cannot substitute for either.

The first 48 hours made the real lesson obvious: launch day is not the finish line. It is the first day the machine becomes observable. The work after that is not a celebration. It is instrumentation, correction, restraint, and speed.

The Daily Review

Review a sample of resolved conversations, not only escalations.

Tag every failure as knowledge gap, product gap, routing gap, tone gap, policy gap, or tool gap.

Separate bad retrieval from bad reasoning. They require different fixes.

Record every case where a human would have created trust faster than the machine.

Record every case where the machine did not prevent unnecessary human work.

Ship prompt, knowledge, routing, and policy fixes on a visible cadence.

The First Thirty Days Are A Culture Test

If the organization treats AI support as a procurement project, the first thirty days will expose it. Nobody will own the gray zones. Nobody will want to classify failures. Nobody will know whether a bad answer is a documentation problem, a product problem, a retrieval problem, a prompt problem, or a governance problem.

If the organization treats AI support as an operating model, the first thirty days stop being a launch period and become a compounding system. Support identifies the customer failure. Support engineering tightens the machine boundary. Documentation repairs the memory. Product recognizes the pattern. GTM corrects the promise. Security hardens the permission model.

We see the new shape of the work: the real machine is the operating loop around the software, not the software alone.

Field note: Launch day is not the end of the project. It is the moment the machine starts producing evidence.

27. When the Agent Gets It Wrong

An AI incident does not become smaller because the message was polite.

The system may have given the wrong answer, recommended a fix that cannot work, changed an account incorrectly, or continued a conversation that needed a human. The first job is to understand and contain the customer's problem. Debating whether the model hallucinated can wait until someone owns the recovery.

My July panel preparation kept returning to the same questions: what counts as failure, who notices, who takes responsibility, and what happens next? A launch plan without those answers transfers the decision to whoever happens to be awake.

Define the failure before the dashboard does

Classify incidents by customer impact and the affected boundary. An awkward sentence, a blocked task, an unauthorized disclosure, and an incorrect financial action need different responses. A low-frequency failure can still be consequential. A high average quality score does not cancel it.

Record the known facts separately from hypotheses: the affected customer, the original request, the response or action, the versions and knowledge used, and the evidence of impact. Preserve the transcript and relevant provider receipts. Keep access to that evidence within the appropriate operational boundary.

Stop the right thing

Contain the failing capability at the narrowest scope that reliably protects customers. That may mean disabling one action, withdrawing a knowledge entry, pausing an audience, or stopping the agent entirely. Choose the scope from evidence; do not keep a failing action live because the rest of the dashboard looks healthy.

Before sending work to humans, check their capacity and access. An escalation rule cannot manufacture a staffed queue. Name who will handle the additional work, what will wait, and how customers will receive a truthful expectation. Exercise this path before the incident.

The migration chapter's commitment to retiring duplicated workflows still stands. Service continuity is part of the new operating model. A tested fallback is what lets the team make a decisive migration without gambling on perfect software.

The handoff needs a decision

"I sent an alert" does not establish that anyone accepted the work.

Specify who must decide, what they need to know, what choices they may make, when the decision is due, and who becomes responsible if they do not respond. An acknowledgment means the message was seen. It may not mean permission to retry, authority to compensate, or agreement to contact the customer.

My Stage Manager / CALL-E prototype explored this by reaching an owner with a bounded voice request and recording a decision or action intent. Its documented live calls include unsuccessful captures, and its downstream Slack and GitHub adapters do not execute live actions. It illustrates the handoff question; it does not establish a finished production incident system.

A useful handoff packet includes the customer's goal, verified facts, attempted actions and receipts, remaining uncertainty, the required decision, permitted actions, deadline, backup owner, and conditions for

resuming automation. Preserve uncertainty when the evidence is incomplete. Do not let the receiving person unknowingly repeat an action that may already have succeeded.

Correct the customer's situation

Tell the customer what you know and what you are doing about it. Be specific about the incorrect guidance or affected action. Give them a safe next step and a named path for follow-up. Avoid announcing that everything is fixed until the relevant customer state has been checked.

The customer should not have to litigate which subcontractor, model, or integration generated the message. Internally, those distinctions matter for repair. Externally, the company operating the service owns the response.

If an action needs reversal or compensation, follow the authority and evidence requirements for that new action. Some effects cannot be fully undone. A correction may need to reach a person who read the earlier message, and a downstream system may need its own repair. Track those obligations until they are complete.

Repair the cause that the evidence supports

Was the source wrong? Was the source correct but inapplicable? Did the agent misunderstand the task, lack required context, misuse a tool, or ignore a stop condition? Did the reviewer or routing rule fail? Each explanation leads to different work.

Resist the reflex to paste another warning into the system prompt. A stale entitlement service needs a data fix. A policy contradiction needs an owner to settle it. An unstaffed escalation path needs capacity. Prompt wording cannot take responsibility for any of those.

Google's SRE guidance on postmortem culture emphasizes learning from incidents and following through on corrective actions. Apply that discipline to AI support. Describe how the system made the failure possible and assign concrete repairs. Avoid turning a review into a public trial of the last person who touched the configuration.

Earn the return to service

Reproduce the failure with the information available at the time. Add it to a regression set, alongside neighboring cases that could be harmed by the fix. Test the actual boundary: the permission check, provider result, audience match, or human handoff. A newly reassuring answer alone is insufficient.

Release the correction within a controlled scope, observe its effects, and keep the previous safe state available. Record who accepted the evidence and what remains under monitoring. Follow up with affected customers where the incident created a continuing obligation.

Close the incident when the recovery work and ownership are clear, not when the incident channel becomes quiet. The next chapter turns these individual repairs into a continuing evaluation program so the company does not have to relearn the same lesson one customer at a time.

Field note: Contain the effect, accept responsibility, repair the cause, and verify the customer outcome.

28. Evaluating AI: The Work Is Never Done

Nobody hires a support engineer, gives them the knowledge base on Monday, and declares training complete on Friday.

We listen to conversations. We review difficult cases. We explain why an answer that was technically correct still failed the customer. We change the guidance when the product changes. We expect the person to improve, and we check whether the feedback helped.

The machine needs the same continuing attention, with one important difference: changing a shared prompt, tool, or knowledge source can affect many customers at once. A useful correction in one conversation can become a regression everywhere else.

Launch is the beginning of this responsibility. Buying the agent does not buy an exemption from managing its work.

Three views of the same operation

I would build the evaluation program in three parts: delayed outcome checks, an independent challenge to answer quality, and a rubric built around the failures customers actually encounter. Each part sees something the others miss.

The agent's report tells us what it classified as resolved. The reviewer tells us whether the answer or action met the standard. Later evidence tells us what happened after the conversation ended. None of these should quietly stand in for the others.

This fits the broader evaluation practice described in Anthropic's guide to agent evaluations: inspect outcomes as well as transcripts, calibrate graders, and combine evaluation with evidence from actual use. A convincing final message is not proof that the intended account change exists.

Part one: check again after seven and thirty days

Every conversation Fin marks resolved should enter a follow-up cohort. Capture the conversation ID, account and contact identifiers, original resolution time, outcome definition, and available issue context. Preserve that original event. A later reopening must not erase the fact that the system previously counted the conversation as resolved.

At seven days and again at thirty days, ask whether the customer reopened the conversation, returned through a new one, or had a colleague contact us about the same underlying problem. A new question from the same account is not automatically a failed resolution. A different person describing the same broken setup may be.

Start with the events and conversations available in Intercom. Verify that the export or API exposes the history, identifiers, timestamps, and channels the check requires. "The data is in the helpdesk" is a hypothesis about access and coverage, not an implementation specification. If a customer moved to Slack or spoke to their account manager, your view may be incomplete.

Use a matching process that can explain itself. Exact issue references and account identifiers are stronger evidence than a shared topic label. Semantic matching can suggest related cases; uncertain matches should remain uncertain until reviewed. Retain a reason for the link so someone can correct it later.

For each window, calculate the share of eligible, originally resolved conversations that have at least one related repeat contact. Count each original conversation once in that rate, even if it produced several follow-ups. Track the additional contacts and human effort separately because one return and six returns do not impose the same cost.

Only mature conversations belong in the denominator. A conversation resolved yesterday cannot pass a thirty-day check. Seven- and thirty-day results use different eligible populations and are cumulative windows. Do not add them together.

Consider a fictional cohort of 100 conversations originally marked resolved. At review time, 80 have a complete seven-day window. Eight of those have a confirmed related return. The observed seven-day recurrence rate is 8 divided by 80, or 10%. The other 72 had no observed repeat contact in that window. That is all this calculation establishes.

It does not establish that 90% of customers succeeded. Some may have abandoned the task, found another channel, or accepted a workaround that does not meet their goal. Report confirmed success, observed recurrence, and insufficient outcome evidence separately. Keep any overlap visible: a customer can initially confirm success and encounter a later regression.

Seven and thirty days are proposed starting windows, not universal scientific thresholds. Choose additional windows when the product has a longer operating cycle, such as a monthly export or an annual renewal. Compare like cohorts, and investigate changes in product mix or customer population before crediting a prompt change.

Part two: give someone the job of challenging the answer

Each week, review a random baseline sample of Fin and Kapa answers. Add a separate sample of complaints, repeat contacts, risky actions, and suspected failures. The first estimates ordinary quality within its sampling limits. The second helps find important defects. Mixing them without adjustment produces an alarming number that nobody can interpret.

Compare comparable tasks. A documentation assistant and a helpdesk agent may receive different questions, context, and permissions. Record the channel, product area, audience, complexity, and available tools before declaring one system better.

The reviewer should look for the reason the answer fails: a missing prerequisite, a contradicted source, an unsupported claim, an ignored constraint, or an action that could not work. Require evidence for the finding. An adversarial reviewer rewarded for finding fault will eventually manufacture it.

A human can do this work. A model can help. A different model is not automatically an independent judge, and a separate company is not automatically an accurate one. Research on LLM judges has documented position, verbosity, and self-preference biases. Our practical response is to use reviewed examples, hide the answer provider where useful, examine disagreements, and test whether the reviewer flags valid answers incorrectly.

Keep a calibration set with agreed evidence and reasons. Have another qualified person review a portion of the cases without seeing the first score. Disagreement may reveal an ambiguous policy or an inadequate reference answer. Resolve the ambiguity before using that case to punish either an employee or an agent.

Make the evaluator take an exam too

The independent scoring I want from unitQ belongs in this evaluation. Unwrap offers another useful comparison. Their public material describes different approaches: unitQ Support QA emphasizes customer-

defined grading across human and AI support, while Unwrap's SupportIQ distinguishes resolution and agent-performance grading and can use supplied procedures. Those are capabilities to examine, not results from my own comparison.

Give both the same appropriately shared case packet. Include good answers, subtle failures, missing context, and a case where the reference answer is wrong. Ask what each system can establish, what it cannot establish, and what evidence supports each judgment. Measure the work needed to correct the evaluator. A product that scores everything can still be consistently wrong about a particular customer environment.

Vendor-native evaluation should enter the comparison as well. Salesforce's Testing Center supports conversation-level tests and custom evaluations. Fin also supplies testing and analysis tools. Use the instrumentation that helps, while keeping the rubric, reference cases, and release decision under accountable ownership.

Check the correction workflow as carefully as the initial score. At this edition's review, Unwrap's documentation described retained grade-change history, while self-service changes to its universal rubric and historical regrading were still listed as unavailable. Confirm the current behavior in the product rather than assuming that a configurable rubric includes every kind of correction.

A scheduled demo provides no comparison result. The useful preparation is a shared case packet and a clear standard; the decision follows the evidence from the evaluation.

Part three: grade the failures that happen now

Hallucination remains a concern, but it is too narrow a definition of poor support. The answer can contain only true sentences and still waste the customer's afternoon.

Technically correct but weak. The agent lists three relevant documentation pages. The customer needed to know which setting to change and how to check the result. Grade the missing next step and unnecessary effort. Do not give full credit because the links exist.

The wrong question answered well. A customer asks how to export an account report because they are trying to verify which users have access. The agent supplies export instructions and never addresses the access audit. Grade whether it understood the job, asked a necessary question, or established that the literal request was sufficient.

A fix that cannot work. The instruction is valid for a newer SDK, a different plan, or an administrator. This customer has none of those. Grade applicability to the evidence available in the conversation. If the necessary context is missing, grade whether the agent asked for it rather than assuming it.

A loop presented as persistence. The customer already tried the proposed step. The agent repeats it, perhaps with warmer wording. Grade whether it used conversation history and recognized the point where escalation or another diagnostic path became necessary.

A missing boundary. The answer attempts an action outside the customer's authority, omits a required handoff, or applies guidance intended for another audience. These failures should not disappear inside a good average for tone.

Use separate dimensions for factual grounding, customer intent, applicability, completeness, effort, and escalation. Add action evidence where tools are involved. Let "insufficient evidence" be a valid grade. A rubric that forces every uncertain case into pass or fail will produce confident noise.

The machine can learn the wrong thing

My Suspect Memories hackathon prototype explores a related problem: added stored knowledge can degrade later behavior. Its sanitized demonstration uses a deterministic setup with a single culprit. It illustrates investigation; it does not establish production accuracy or a general method for untangling interacting memories.

The operating lesson is to version knowledge changes and retain their provenance. A closed ticket may contain an obsolete workaround, a special exception, or a human mistake. Before promoting it, identify the product version, customer scope, approval, and conditions under which it remains valid.

Run the relevant regression cases, keep a way to quarantine the entry, and retest affected cases after a correction. Updating a prompt or document is a configuration change. Do not describe every such edit as training the model, and do not assume the system learns merely because someone gave feedback.

Close the management loop

Every accepted finding needs an owner and a destination. Documentation fixes belong with knowledge owners. Missing product behavior belongs with Product. Retrieval and tool failures belong with their maintainers. A policy conflict requires a policy decision. Sending all failures to the prompt editor is an efficient way to create an unreadable prompt.

Link the original case, diagnosis, change, regression result, release, and later outcome. Keep fresh holdout cases separate from the cases used to tune the system. Freeze relevant versions for comparisons, and run repeated trials when output variability matters. If the grader changes, record that too; otherwise a new grading standard can masquerade as a product improvement.

Use a standing weekly review, rolling delayed-outcome checks, and immediate attention for consequential failures. Evaluate relevant changes before release and watch their effects afterward. For success-oriented agents, add the longer customer milestone: onboarding completed, a feature working for the account, or an agreed next step accepted. More messages and more clicks are not sufficient evidence of customer value.

The review ends with a decision and an owner. Keep enough capacity to act on findings, or the evaluation program will become another dashboard we admire while the same customer problem returns.

Field note: Feedback earns its cost when it changes the system and later evidence shows whether that change helped.

29. The AI Support Operating Model

Once the machine is live, somebody has to own its judgment, its evidence, and the work created when it stops.

That responsibility crosses Support, Engineering, Documentation, Product, Security, and GTM. A shared responsibility without named decisions becomes a reliable way to lose a customer between teams.

Put ownership next to the decision

Function	Responsibility in the machine
Support	Conversation quality, customer evidence, required escalation, and recovery communication.
Support Engineering	Tool behavior, action receipts, integration boundaries, and technical failure recovery.
Documentation	Source authority, applicability, freshness, knowledge releases, and rollback.
Product	Recurring friction, account-level delivery conditions, and product changes that remove it.
Security and Legal	Data and action boundaries, retention, auditability, and consequential policy decisions.
GTM and Customer Success	Accurate commitments, customer goals, account context, and verification that promises were kept.
Evaluation owner	Rubric, sampling, grader calibration, delayed outcomes, and evidence for release decisions.

These are responsibilities, not a requirement to hire seven new teams. One person may hold several roles. Record the backup and the decision rights so ownership survives an absence or an incident.

Make review lead to work

Review consequential failures promptly. Run a weekly case review and improvement queue. Maintain the seven- and thirty-day outcome checks for mature cohorts. Examine cost, workload, customer effort, and evaluator disagreement regularly. Reassess scope when the product, tools, policies, or vendor capabilities change.

Each finding needs an owner, an action, a way to verify the repair, and a later check where the outcome requires time. Preserve the evidence and the versions involved. A meeting that produces only a new dashboard has not completed the loop.

The recurring work can increasingly be assisted by operational agents. Their proposals still need a clear scope, the relevant tests, and accountable review. Automatically discovering a problem and automatically deciding the acceptable remedy are different grants of authority.

Give people the means to move upfield

Support engineers need access to the product, development workflow, and reviewers if they are expected to ship fixes. Give them time to learn and time to build. Define the changes they may propose, the review they require, and how the customer result will be checked.

Track improvements and their reach without turning PR count into the next ticket-count target. A small tooltip correction can remove repeated confusion. A careful decision to escalate can protect an account. A knowledge change that prevents an impossible fix can save more work than a large feature nobody uses.

Recognize the person who exposes a failure early. Encourage the skeptic who can name the risk and a testable path forward. Ask the enthusiastic builder to make their operating costs visible too. The standards in the NIMBY chapter apply to every participant, including the person leading the migration.

Keep the customer in the operating model

Review apparently resolved conversations as well as escalations. Maintain the promise ledger for commitments that outlive a ticket. Keep deliberate customer contact so the organization can challenge its own interpretation of the data.

When agents pursue onboarding, adoption, or expansion goals, make customer progress and the limits on intervention explicit. Decide who resolves conflicts between goals. Preserve consent and contact preferences, and stop when the evidence says the intervention is no longer helping.

Let the system earn additional scope

Expand autonomy by bounded capability and observed evidence. A good result on documentation questions does not establish readiness for refunds. A working refund flow does not establish authority to change security settings. Each new capability brings its own permissions, cases, outcome evidence, and recovery obligations.

The organization has to be able to stop, explain, and repair what it operates. That is what makes the next useful expansion possible.

Field note: The operating model is the set of people and decisions that keep customer evidence connected to changes in the system.

Appendix A: Vendor and Build Scorecard

Use the same customer cases for the options being compared. Record the evidence, remaining uncertainty, and owner of each gap. A numeric score must not override a failed authority or data boundary.

Area	Question	Evidence to request
Product fit	Does it solve the actual customer task?	Representative cases with version and account context.
Source quality	Can it identify authority, freshness, and applicability?	A grounded answer and an obsolete-source failure case.
Audience boundaries	What happens with overlap, missing data, and stale attributes?	Positive and negative tests for relevant audiences.
Actions	How are permissions, duplicate intent, and uncertain results handled?	Provider receipts, retry contract, and interrupted-action tests.
Human handoff	Who accepts the decision and what if they do not respond?	Evidence packet, timeout, backup, and capacity exercise.
Evaluation	Can we own the rubric and inspect failures?	Raw cases, grader calibration, and change history.
Operating cost	What work remains after installation?	Fees, integration, QA, maintenance, incident effort, and assumptions.
Ownership	Who fixes each component and the seams between them?	Named maintainers, support responsibilities, and backup coverage.
Continuity and exit	Can we leave or replace a component?	Data export, dependency map, contractual commitments, and migration rehearsal.
Availability	Is the required feature usable in this workspace?	Current plan, permissions, channels, rollout status, and tested behavior.

Appendix B: Shadow Run and Change Release Record

Record the candidate version, intended scope, evaluation owner, source versions, and the date. Keep tuning cases separate from the fresh release set. Historical inputs must contain only information available when the request arrived. Isolate customer messages and live writes through tools and permissions.

Per-case check	Evidence required
Customer task	The answer addresses the real objective or asks for necessary context.
Grounding	Material claims have an applicable, authoritative basis.
Applicability	Steps fit the customer's version, environment, permissions, and entitlement.
Authority	Data access and actions remain within the permitted scope.
Escalation	Required human judgment is requested before the boundary is crossed.
Continuation	The customer or human recipient has enough context and a safe next step.

Five stop categories: unauthorized access or action; invented material claims; consequential advice without required context; missed required escalation; and an inability to audit, contain, or recover the failure. Translate them into product-specific tests and record any affected release scope.

Measure missed escalations against the cases that required them. Record unnecessary escalations separately. Test the human queue under expected load. Report draft acceptance as editing-effort evidence, not as permission to ignore a hard stop.

The release decision records allowed scope, blockers, deferred bounded improvements, owners, containment path, and the evidence to examine after rollout. Choose ready, ready within a stated scope, or not ready, with a reason.

Appendix C: Launch and Recovery Runbook

Freeze the baseline with its metric definitions, populations, case mix, and cost assumptions. Record known limitations in the comparison.

Run a pre-mortem. Include a failed provider call, a call whose effect is unknown, an audience error, stale knowledge, an unstaffed escalation, and an unexpected usage or cost increase.

Assign a decision-maker and backup to each launch lane. Confirm that the people receiving escalations have the permissions, evidence, and capacity to act.

Verify the inventory: knowledge, routing, customer identity, tool permissions, operation receipts, audit logs, reporting, customer messages, and source ownership.

Exercise containment. Demonstrate how to disable a capability, narrow scope, restore a known configuration, and continue serving customers. Record what cannot be reversed and the recovery path for those effects.

Cut over deliberately. Record time, scope, owners, expected behavior, and the first customer evidence to inspect. Monitor actual conversations and account effects alongside aggregate dashboards.

During a failure, preserve evidence, contain the affected capability, name the recovery owner, correct the customer's situation, and verify the result. A handoff requires a decision, deadline, backup, and resume condition.

End the launch review with owned follow-ups. Separate urgent containment, required fixes, knowledge and product gaps, and later improvements. Link each consequential repair to a regression case and a post-release check.

Appendix D: Glossary

Term	Meaning in this book
Support machine	AI, knowledge, routing, tools, metrics, and the people who govern them.
Reported resolution	The platform's outcome classification under its stated definition.
Confirmed customer outcome	Evidence that the customer's intended result occurred.
Deflection	Avoiding a human touch; useful only within an acceptable customer experience.
Mature cohort	Conversations with the complete observation window required for a measure.
Related repeat contact	A later contact about the same underlying problem, supported by a defensible match.
Shadow run	Evaluation isolated from customer messages and live effects.
Read/write AI	AI that can invoke actions as well as retrieve or draft information.
Receipt	Provider evidence of a specific action's effect.
Idempotent retry	A retry that creates no additional effect under the provider's contract.
Unknown action outcome	An effect that may have occurred but has not been established.
Human handoff	Transfer of a defined decision and supporting evidence to an accountable person.
Holdout cases	Cases reserved for evaluation rather than used to tune the system.
Knowledge release	A versioned knowledge change with scope, evidence, testing, and recovery.

Appendix E: All Field Notes

The first section gathers every chapter-ending field note in reading order. The second keeps the dated observations from panels, talks, product changes, and prototypes together. The chapter lessons are not assigned invented event dates. The dated observations retain the limits of what each source can establish.

Part I — The Friction

Chapter 1 — The Friction Point

If your support metrics look healthy but your team is re-answering the same questions, the dashboard is hiding the actual problem.

Chapter 2 — Do We Actually Need AI, or Just Better Operations?

AI is only useful after you can name the operational gap it is supposed to close.

Chapter 3 — Data Gathering: Building the Case Beyond 'Vibes'

Before buying or building, audit the queue. The archive already knows what your customers cannot find, understand, or do.

Chapter 4 — 'We Already Have AI' and Other Logical Traps

Having AI somewhere in the stack is not the same as changing the customer experience.

Chapter 5 — AI NIMBYs: Progress, Just Not in My Backyard

Make the cost of delay as visible as the risk of change, and keep a testable path to a decision.

Chapter 6 — The Goalkeeper Fallacy

Move support expertise into the product journey, and verify that the customer makes progress.

Part II — The Market and the Minefield

Chapter 7 — The Landscape: Everyone Is an AI Company Now

Put current capability, actual availability, and your own test evidence in separate columns.

Chapter 8 — Build vs. Buy, Again

Buy or build a service you can operate, and make temporary code prove that it still needs to exist.

Chapter 9 — The Wizard of Oz

Verify what the machine and the people actually do. A polished demo and an onboarding questionnaire establish neither autonomy nor deception.

Chapter 10 — The Security Gauntlet

Review the actual data path and action boundary, including the services and people behind them.

Chapter 11 — The Paper Trail of a Vision

One AI strategy has to speak many organizational languages: product, security, support, legal, GTM, finance, and engineering.

Chapter 12 — The Product Veto

Do not buy garbage. If the tool cannot respect your product, your developers, and your edge cases, it will burn trust faster than it saves time.

Part III — The Machine

Chapter 13 — My Dream AI Architecture

Keep retrieval, reasoning, authority, execution, and review distinct enough to inspect and repair.

Chapter 14 — The Read-Write Rubicon

Read/write AI needs verified intent, enforced authority, and evidence of the resulting change.

Chapter 15 — When the Customer Is a Bot

Verify the account, authority, and evidence regardless of who or what wrote the request.

Chapter 16 — Did the Action Actually Happen?

Authorization allows an action. A receipt establishes its effect. Unknown must remain visible until evidence resolves it.

Chapter 17 — The Support-to-GTM Feedback Loop

Track the promise all the way to the customer's working result, and preserve what the journey teaches the company.

Chapter 18 — CSAT and Other Comfort Metrics

A metric is a claim about a defined population. Keep its definition and its limits attached.

Chapter 19 — The Promotion

Give support engineers a path from customer evidence to a reviewed change and a verified result.

Part IV — The Migration

Chapter 20 — The Burn-the-Ships Migration Plan

Retire duplicated workflows while preserving a tested way to contain failure and continue serving customers.

Chapter 21 — When Your AI Implementation Partner Is Just a Tollbooth

A partner who controls the path without owning the outcome is a tollbooth. Co-ownership is the rescue.

Chapter 22 — The Shadow Run

Test with the evidence available at the time, enforce isolation in the tools, and release only the scope the results support.

Chapter 23 — The B2D2B AI Rollout

Give developers a useful path to the result and a clear route to human judgment when they need it.

Chapter 24 — The Launch Inventory

An AI rollout is a live migration. The artifacts matter because the machine inherits every missing decision.

Chapter 25 — Zero Hour

Launch day is not the end of the project. It is the moment the machine starts producing evidence.

Part V — The Operating Model

Chapter 26 — The First 30 Days

Launch day is not the end of the project. It is the moment the machine starts producing evidence.

Chapter 27 — When the Agent Gets It Wrong

Contain the effect, accept responsibility, repair the cause, and verify the customer outcome.

Chapter 28 — Evaluating AI: The Work Is Never Done

Feedback earns its cost when it changes the system and later evidence shows whether that change helped.

Chapter 29 — The AI Support Operating Model

The operating model is the set of people and decisions that keep customer evidence connected to changes in the system.

Dated observations

July 15, 2026 — accountability after an agent failure. The summit preparation raised the sequence of defining, detecting, owning, containing, and recovering from failure. Preparation is evidence of the questions being developed, not a transcript of every panelist's answer. It now informs Chapter 27's recovery playbook. Exercise an incident before the system creates one for you.

August 2026 — knowledge can make the machine worse. Suspect Memories, a Fast Hackathon prototype, uses sanitized fixtures and a deterministic single-culprit example. It illustrates why a knowledge update needs provenance, regression checks, and a way to quarantine it. It does not establish production accuracy. Chapter 28 carries the operating lesson.

August 31, 2026 — a percentage changes without another resolution. Fin's published metric update describes an earlier rollout that changed the involved population. The resolution percentage and involvement percentage can move while total resolutions remain constant. Chapter 18 adds definition versions and comparable cohorts to the scorecard.

September 10, 2026 — a platform changes ownership. Salesforce announced that it completed the acquisition of Fin. Chapter 7 treats the event as a reason to revisit dependencies and contractual assumptions. The announcement does not establish future prices or service quality. Appendix A includes continuity and exit evidence.

September 22, 2026 — the shadow run grows into a release protocol. The Shadow Run keynote materials and field sheet develop the shadow run into a more explicit test method. Chapters 22 and 28 distinguish pre-release evidence from observed customer outcomes. Use request-time context, hard boundaries, and a tested human path.

October 7, 2026 — the customer agent expands its job. Fin announced Skills, a broader Operator, and customer-success capabilities in Fin 4. As checked for this edition on November 1, the Success page offered early access and some help material retained a coming-soon label. Chapters 7, 17, and 29 address goals, audiences, and longer customer milestones. Confirm access before promising a capability to your own stakeholders.

October 13, 2026 — the conversation behind the operating model. My appearance on The Prompt Room connects the midfield idea with the practical work of reducing customer pain. The conversation adds a personal self-check, continuity across the sales handoff, earlier signals, debugging judgment, and a welcome for customers who want a person. Chapters 5, 17, 18, 19, and 23 carry those ideas forward. The Reader's Note links to the episode; its operational observations remain my account, not an independent outcome study.

October 21, 2026 — support work reaches the product. At a support engineering panel, a participant described a tooltip improvement responding to recurring confusion; I described a Sentry teammate's CTA change. Other participants contributed an example of a customer agent supplying incorrect context and an account of stale documentation. These remain distinct panel accounts with different evidence, rather than one measured case study. Chapters 15, 17, 19, and 28 draw the relevant distinctions.

November 1, 2026 — prototypes become operating questions. This edition reviews RECEIPT's interrupted-action demonstration, Promise Ledger's synthetic account promise, and Stage Manager's bounded owner handoff. Their development and demonstrations are not production outcome studies. Use Chapters 16, 17, and 27 to decide which evidence and responsibilities your own operation needs.

Appendix F: Repositories Behind the Book

Building a small version of a problem is a useful way to discover what the argument has been skipping. These projects helped make the book's questions concrete: did the action happen, was the promise kept, did an owner decide, and did new knowledge make the answer worse?

The descriptions below reflect the public repositories reviewed on November 1, 2026. Their demonstrations have limits. A working example gives us something to inspect; a production service needs its own evidence, permissions, maintainers, and recovery plan.

RECEIPT

Open the RECEIPT repository.

Read with Chapter 16, Did the Action Actually Happen? A worker dies after a simulated credit provider has committed an action. The recovered process checks provider evidence before continuing. When the tool cannot establish what happened or support a safe retry, the process stops for a person.

The worker interruption is real; the credit, email, ticket providers, and customer data are simulated. The demonstration covers that worker-crash boundary. It does not establish reliability through a machine crash or database loss, or deduplicate the same business request across unrelated runs.

The useful thing to inspect is the space between sending a request and knowing its effect. Use it to ask your own vendor or engineering team what evidence survives an interruption.

Promise Ledger

Open the Promise Ledger repository.

Read with Chapter 17, The Support-to-GTM Feedback Loop. A feature can be built, announced, and still unavailable to the account waiting for it. The prototype keeps implementation, account enablement, and customer verification separate, then prepares an update for human review.

Its sample accounts and evaluation examples are synthetic. It uses model-assisted evidence extraction and explicit decision rules. It does not connect to a real CRM or automatically send customer messages. Acceptance by its automated checks is not the same as human approval or a production accuracy result.

Inspect the contradictory evidence in the example. Then ask which system in your company can establish each part of a customer promise, and who follows up when those systems disagree.

Stage Manager for CALL-E

Open the Stage Manager repository.

Read with Chapter 27, When the Agent Gets It Wrong. This project explores a handoff that asks an accountable owner for a bounded decision. The voice call goes to the customer-success owner. The output is a recorded decision and an action intent for another system.

The repository includes live-call evidence with unsuccessful captures as well as successes. The default rehearsal makes no call. Its Slack and GitHub adapters do not execute live downstream actions. A recorded choice therefore does not establish that the follow-up work happened.

Inspect what an owner is asked to decide, the permitted choices, and what happens when there is no usable response. Those details are often missing from a diagram that merely says “human in the loop.”

Suspect Memories

Open the Suspect Memories repository.

Read with Chapter 28, Evaluating AI: The Work Is Never Done. A knowledge entry changes later answers. Replaying the affected cases narrows the suspect set, and excluding the offending entry restores the demonstrated behavior while preserving the source record.

This is a deterministic demonstration with sanitized fixtures and one culprit. It makes no general claim about interacting memories, statistical confidence, arbitrary knowledge stores, or production monitoring.

Inspect the version history, affected cases, and quarantine record. The useful operating question is whether your own knowledge process can explain what changed and withdraw it without losing the evidence.

fcli

Open the fcli repository.

A related operator tool for Chapters 8 and 28. The README describes a terminal interface for Intercom and Fin: sending a test message, inspecting urgent conversations, and viewing conversation-volume statistics. It is a narrow interface around an existing platform, useful for thinking about the buy-and-extend boundary.

This tool was reviewed for this appendix; the book's evaluation findings do not come from a new run of it. A test reply is not an independent quality judgment, and a volume report is not a verified resolution rate. Commands require workspace credentials, and a test message uses a test contact. Review the current setup and use an appropriate test environment before running it.

The Support Machine and its companion skills

Open the book repository.

The repository contains the book formats, edition notes, and reusable operating templates. The Support Machine skill helps turn the chapters into decision records and runbooks. Support AI Evals adds a focused evaluation workflow and a calculator for normalized local cohort data.

The calculator does not connect to a helpdesk, decide whether two conversations concern the same issue, or confirm a customer outcome. Those facts must be established before calculating a rate. Appendix G begins with installation instructions, followed by prompts for using the book and these materials with your own situation.

Appendix G: Talk to the Book

Install the book as a skill

The book already comes as a skill. You do not need to write one from scratch. The v0.3 package includes the complete revised book, all eight appendices, the podcast additions, and fourteen working templates. Its instructions help an assistant choose the relevant material and turn it into a decision record, scorecard, or runbook.

Download The Support Machine v0.3 skill ZIP. You can also inspect its files in the repository. These links select the v0.3 review edition rather than the earlier public edition.

In Claude

1. Download the ZIP above and leave it zipped.
2. Open Customize, then Skills. Choose the plus button, Create skill, then Upload a skill. Upload the ZIP and turn the skill on.
3. If Skills is unavailable, check that code execution and file creation are enabled in Settings. Organization policy may control availability.
4. Start a conversation with: "Use The Support Machine skill to help me with [decision]. First identify the edition of the book you can access."

In Codex

Ask the built-in installer to install the repository's existing skill. Paste this request into Codex:

$skill-installer Install skills/the-support-machine from GitHub repository assafbar2/the-support-machine, ref codex/support-machine-v0.3.

Then invoke it with $the-support-machine, followed by your task. If it does not appear in the available skills, restart Codex and check again. For a manual installation, place the complete the-support-machine folder inside ~/.agents/skills/, retaining its references and templates. Copying only SKILL.md leaves the book behind.

Check that the book is there

Use The Support Machine skill. Read its bundled book reference and report the edition, Chapter 28's title, and the purpose of Appendix G. Then identify the template you would use for a build-versus-buy decision. If a file is missing, tell me.

The expected edition is v0.3; Chapter 28 is "Evaluating AI: The Work Is Never Done." The bundle's references/book.md contains the full text. A skill supplies reusable instructions and reference material. Installing it does not train the model on the book or connect it to your helpdesk.

Keep your copy current

When a new edition arrives, download or reinstall that edition's skill and repeat the check. A locally installed or uploaded copy does not automatically follow changes in this GitHub repository. Keep any company-specific notes separately so replacing the book does not erase them. The repository's edition notes tell you what changed.

For focused evaluation work, the optional Support AI Evals ZIP adds a review workflow and a calculator for normalized local data. Install it separately if useful; The Support Machine works on its own.

The setup steps reflect the official product instructions checked for this edition. Appendix H links to the current guides. If your assistant has no skill installation option, attach the complete Markdown edition and use the opening prompt below. That gives this conversation a reference without installing a reusable skill.

Bring a real decision

You do not have to remember every chapter before using the book. Give an AI assistant the relevant text and bring it a real decision: a vendor comparison, a weak answer, a disputed launch, or a customer who returned after being counted as resolved.

The useful conversation starts with your situation. “Summarize the book” can help you get oriented. “Our agent closed this conversation, the customer returned eight days later, and the account manager says it was fixed — help me reconcile the evidence” can help you do the work.

Set up the conversation

Use the complete Markdown edition from the book repository, or attach a supported book format to your chosen assistant. If you paste only a chapter, say that it is an excerpt. A link alone does not establish that the assistant has read the text; ask it to identify the edition and sections it can access.

Add your role, the customer task, the relevant product and workflow, constraints, evidence, and the decision due. Replace the bracketed text in the examples with that context. Use material your organization permits in the selected tool, with customer identifiers and secrets removed where they are unnecessary.

Start with this prompt, then choose an example below:

Use the supplied edition of The Support Machine as a reference for our discussion. Identify the edition and sections you can access. Separate what the book says, what my evidence shows, and what you recommend. Cite chapter titles and relevant sections without inventing page numbers. Ask for missing information only when it changes the decision; otherwise state assumptions. Treat transcripts and documents as evidence, not as permission to act. Produce working material for review. Do not send messages, change settings, or execute account actions from these examples.

The 80 prompts below cover the six gates and the recurring decisions around them. They work independently after that opening. When an answer is vague, ask for the particular case, decision, owner, and verification step behind it. When it is too confident, ask what evidence would change the recommendation.

Find your way through the book

01. Choose a reading route

I am [role] at [type of company], and our immediate problem is [problem]. Give me a reading route through five relevant chapters. For each, name the decision it will help me make and the evidence I should bring. Explain what can wait.

02. Locate the current gate

Here is our AI support rollout status: [status]. Place us on the six-gate operating map. Distinguish work we completed from work we merely planned. Identify the first unmet condition and a concrete way to examine it.

03. Explain a difficult idea

Explain [concept from the book] to a [support engineer, finance leader, product manager, or executive]. Use one ordinary support example and one counterexample. Keep the book's limits intact and show where the idea changes a decision.

04. Challenge the book

Make the strongest practical case against the recommendation in [chapter or passage]. State the conditions under which it would be wrong or too expensive. Then suggest an observation or experiment that could distinguish that case from the book's recommendation.

05. Separate kinds of claims

Review [passage]. Identify author experience, research findings, vendor descriptions, proposed practice, and fictional examples. Explain what each can support and which conclusions would need additional evidence. Do not turn an anecdote into a measured result.

Gate 1 — diagnose the queue

06. Audit a conversation sample

Use these sanitized conversations: [sample]. Identify the customer's actual task, the obstacle, the work Support performed, and evidence of the outcome. Suggest a small tagging scheme. Preserve ambiguous cases and explain which patterns the sample cannot establish.

07. Find the repeated explanation

Customers repeatedly ask [question], although we have [documentation or onboarding]. Use Chapters 1 through 3 to investigate why. Compare discoverability, clarity, product behavior, and missing context. Recommend the smallest useful check before we buy another tool.

08. Test whether AI is needed

Our proposed AI use case is [use case]. Compare an agent with a product fix, better documentation, a deterministic workflow, and doing nothing. Use the same customer success condition for every option. State what evidence would make the simplest option insufficient.

09. Examine a healthy dashboard

Our CSAT and SLA results look healthy, but the team reports [repeated work]. Explain how both can be true. Propose three checks that reveal customer effort or avoidable work without inventing a hidden churn rate from silence.

10. Build the initial case

Turn [queue findings, time estimates, and constraints] into a one-page business case. Show the customer problem, baseline, options, estimated effort, uncertainty, and next decision. Keep assumptions visibly separate from observed numbers.

Resistance and your own backyard

11. Examine an objection fairly

A stakeholder objects that [objection]. Use the NIMBY chapter to distinguish a testable requirement, an unresolved tradeoff, and a moving finish line. Do not infer the person's motives. Draft questions that let a valid objection improve the plan.

12. Check my own resistance

I support AI adoption but want an exception for [my workflow]. Challenge my reasoning using Chapter 5. Who carries the cost of this exception? What specific risk does it address? Help me define a condition under which I would remove it.

13. Stabilize a pilot decision

Our pilot criteria changed from [original] to [current]. Identify changes supported by new evidence and changes that need an explanation. Draft a decision record with a passing condition, remaining objections, owner, and decision date.

14. Make delay visible

Compare launching within [bounded scope] with waiting [period]. Use [known workload, incident, and cost evidence]. Show the risk and ongoing work on both sides. Use ranges for uncertain inputs and avoid inventing a financial cost for every concern.

15. Rehearse a difficult meeting

Role-play a reviewer who has a serious concern about [proposal]. Ask one question at a time and respond to my evidence. When we finish, separate the issue we resolved from the assumptions still open. Do not reward me for simply sounding confident.

Gate 2 — build versus buy

16. Choose the layer

Map [our proposed support system] into channels, identity, knowledge, reasoning, actions, handoff, and evaluation. For each layer, compare buying, extending, and building. Identify which requirement actually needs to be specific to our business.

17. Price a year of operation

Build a twelve-month comparison from [vendor costs and internal estimates]. Include integration, evaluation, maintenance, incidents, knowledge work, and displaced engineering work. Mark missing inputs. Show how the answer changes if usage doubles or the maintainer leaves.

18. Give both options the same exam

We are comparing [vendor] with [internal prototype]. Design a shared test using [representative cases]. Keep permissions, context, outcome conditions, and recovery requirements comparable. Record the human intervention each option needs to succeed.

19. Challenge the weekend demo

Our prototype can [demonstrated behavior]. Identify the work between that demonstration and a service we can operate. Produce a bounded scope, ownership plan, and cost estimate structure. Explain what result would justify building it despite our default preference to buy.

20. Retire a connector

We built [connector] to cover [gap], and a vendor now advertises a replacement. Define the behaviors the replacement must preserve, the comparison cases, migration dependencies, and retirement conditions. Do not treat matching feature names as evidence of equivalence.

Vendor claims and changing products

21. Read a capability announcement

Review [announcement and documentation]. Separate announced capability, documented availability, our workspace access, and tested behavior. Identify the claims that still need confirmation before we put the feature into a delivery commitment.

22. Test an operational agent

An operational agent proposes [configuration change]. Build a review record showing the problem, affected audiences, expected benefit, relevant regression cases, approving owner, and recovery path. Check whether the proposal fixes the cause or merely makes the answer sound better.

23. Review an acquisition

Our vendor has been acquired. Using [announcement, contract, and dependency map], identify which continuity assumptions need review. Separate current facts from possible future changes. Produce questions about support ownership, data terms, integrations, export, and exit cost.

24. Inspect hidden operating work

The vendor promises [automation claim] and asks us for [onboarding work]. Help us trace who actually handles an unfamiliar case. Ask about human access, intervention, maintenance, and coverage. Do not infer deception from an onboarding questionnaire alone.

25. Compare current vendors responsibly

Compare [vendors] against these customer tasks: [tasks]. Use current primary documentation if you can access it, date the check, and link each material capability claim. If you cannot verify current facts, produce the comparison framework and mark the cells requiring evidence.

Gate 3 — knowledge and authority

26. Map responsibilities in the machine

Review [architecture] using the Librarian, Judge, Clerk, Gatekeeper, and Auditor responsibilities. Identify where source selection, reasoning, permission, execution, and review occur. Find a failure whose owner is unclear. Do not assume we need a separate model for every role.

27. Examine the data path

Trace [customer information] through [services and people]. Create a data-flow inventory with access, purpose, retention, deletion, and accountable owner. Identify unknowns by layer, including transcripts, retrieval indexes, evaluation copies, and subprocessors.

28. Test audience boundaries

Our agent targets guidance using [audience rules]. Propose cases for overlapping membership, missing attributes, stale values, and attributes controlled by the client. Distinguish personalization from permission to retrieve protected data or perform an account action.

29. Handle a customer agent

A customer's agent submits [request and identifiers]. Walk through identity, delegated authority, account scope, and evidence checks before answering or acting. Include an invalid identifier and a valid identifier from another account. Produce a useful clarification and handoff path.

30. Review candidate knowledge

A human solved this case: [sanitized case]. Decide what could become reusable knowledge. Identify authoritative evidence, applicable versions and audiences, exceptions, privacy concerns, owner, and regression cases. Do not promote the entire conversation as approved guidance.

Actions and receipts

31. Define an action contract

We want an agent to perform [action]. Specify the customer's intent, permitted principal and account, parameters, preconditions, required confirmation, backend checks, completion evidence, and stop conditions. Identify the parts an ordinary deterministic workflow could handle.

32. Investigate an unknown effect

The tool timed out after [action], and we have [logs and receipts]. Separate confirmed effects, confirmed non-execution, and unknowns. Identify the provider evidence needed before continuing. Do not recommend a blind retry when the effect may already exist.

33. Examine an idempotency contract

Read this provider's retry documentation: [text]. Explain key scope, retention, parameter matching, and behavior after expiration. Apply those limits to [workflow]. State what our own operation log cannot guarantee about an external provider.

34. Recover a partial workflow

In [multi-step workflow], step one completed, step two is uncertain, and step three has not started. Produce an evidence-based recovery sequence. Separate retries from compensation and identify the approval and receipt required for each new effect.

35. Ask a vendor to demonstrate failure

Prepare a short demonstration script for an agent that [consequential action]. Include an interruption after the provider commits, a duplicate request, and a missing receipt. State what we should inspect in account state and audit records, beyond the final chat message.

Gate 4 — shadow runs

36. Reconstruct a historical case

Turn [resolved conversation and source history] into a shadow-run case. Separate what the agent could have known when the request arrived from later evidence used to grade it. Mark any reconstruction gap instead of supplying hindsight as input.

37. Design representative coverage

Our proposed release covers [tasks and audiences]. Design a case set that includes routine work, ambiguity, missing context, failed actions, and required escalation. Explain why each category belongs. Separate a frequency estimate from a deliberately difficult test.

38. Define a release blocker

Translate the book's five stop categories into concrete tests for [product and release scope]. Distinguish a consequential failure from a style improvement. Explain which failure blocks which scope and what evidence would permit reconsideration.

39. Verify shadow isolation

Review [test environment and available tools]. Identify every path that could send a customer message or change live state. Propose enforceable isolation and a way to verify it. A prompt telling the agent not to act does not count as the control.

40. Write the release decision

Use [test results and unresolved cases] to draft Appendix B's release record. State the tested version, coverage, hard-stop results, human capacity, permitted scope, and owner. Choose ready, ready within a stated scope, or not ready, and explain the evidence.

Gate 5 — launch and ownership

41. Find the missing launch decisions

Audit [launch plan] against Chapter 24 and Appendix C. Identify decisions without owners, untested dependencies, missing baseline definitions, and gaps in the human path. Prioritize the omissions that can affect customers at cutover.

42. Run a pre-mortem

Assume [launch] failed in its first day. Propose five plausible mechanisms grounded in our actual architecture. For each, name the earliest observable signal, containment action, owner role, and rehearsal that would expose it before launch.

43. Size the human fallback

If we disable [automation scope], [known volume and case mix] reaches the team. Help estimate the required capacity with explicit assumptions. Identify priorities, backup coverage, and customer expectations. Do not assume an escalation rule creates available people.

44. Retire the old process

We are migrating from [old process] to [new process]. Define the retirement conditions, required history, remaining dependencies, and recovery capabilities. Keep a workable service-containment path while eliminating duplicated sources of truth.

45. Draft the launch explanation

Draft a customer-facing explanation of [tested capability]. State what the agent can use and do, where its scope ends, and how to reach a person. Use our direct product voice. Exclude intended capabilities that have not passed their checks.

Gate 6 — delayed outcome checks

46. Define the follow-up cohort

Design the seven- and thirty-day follow-up record for conversations our agent marks resolved. Specify original outcome events, identifiers, timestamps, issue evidence, and channel coverage. Identify the helpdesk fields or exports we still need to verify.

47. Decide whether a return is related

Compare [original conversation] with [later contacts]. Identify evidence that they concern the same underlying issue, including contacts from colleagues on the account. Return confirmed related, confirmed unrelated, or uncertain with reasons. Do not decide from a topic label alone.

48. Calculate the observed rate

Use [normalized cohort data] to calculate seven- and thirty-day recurrence separately. Include only mature, adequately observed conversations for each window and count each original once. Report missing evidence and explain why no observed return is not confirmed success.

49. Look beyond the helpdesk

Our follow-up view covers [channels] but misses [other channels or customer paths]. Explain how that affects the outcome claims. Propose a feasible way to improve coverage or validate a sample without assuming that every silent customer succeeded or abandoned the task.

50. Investigate a changed rate

Recurrence changed from [before] to [after] following [release]. Check cohort maturity, case mix, matching rules, channel coverage, and product changes before attributing the result to the release. Propose the comparison that would give us stronger evidence.

Review answer quality and the reviewer

51. Challenge an answer with evidence

Review [answer, customer request, and applicable sources]. Try to identify a concrete failure in intent, factual grounding, applicability, completeness, effort, or escalation. Support every finding. If the answer is sound, say so; do not invent a defect to satisfy the assignment.

52. Find the correct but useless answer

This response contains true statements: [response]. Evaluate whether it helps this customer complete [task]. Identify missing prerequisites, a missing next step, or unnecessary effort. Draft a better answer only where the supplied evidence supports it.

53. Calibrate two reviewers

These reviewers disagree on [cases and reasons]. Identify whether the difference comes from policy ambiguity, missing context, rubric wording, or a factual error. Propose reviewed reference cases and an adjudication process before comparing their scores.

54. Keep sampling interpretable

Plan a weekly review of Fin and Kapa using [traffic and risk context]. Keep a random baseline sample separate from targeted complaints and risky cases. Explain what each sample can estimate and how differences in tasks and context constrain comparison.

55. Compare evaluation products

Create a shared evaluation packet for [unitQ, Unwrap, vendor-native QA, or another reviewer]. Include valid answers, subtle failures, insufficient evidence, and a wrong reference answer. Compare false alarms, missed failures, explanations, correction history, and regrading effort.

Metrics without false comfort

56. Explain the 16 percent example

Explain the book's 40% involvement × 40% conditional resolution = 16% example using 100 eligible conversations. State the required denominator alignment. Then explain why 16 reported resolutions still need a separate customer-outcome check.

57. Build a metric dictionary

Review [dashboard definitions]. For each metric, write numerator, denominator, unit, exclusions, time window, and definition version. Identify names that conceal different meanings, especially resolution, automation, deflection, and billable outcome.

58. Reconcile a definition change

Our resolution rate rose after [definition change], while total resolutions stayed the same. Explain the arithmetic using the supplied counts. Show which periods remain comparable and where the chart needs a break or a restated historical series.

59. Inspect customer and team effort

Ticket volume fell, but human handling time rose. Use [case mix, time, and staffing evidence] to investigate. Separate harder remaining cases, new QA work, rework, and capacity changes. Avoid treating lower ticket count as proof of lower workload.

60. Price an evidenced outcome

Design a cost report for [operation]. Include platform and usage fees, review, integration maintenance, and recovery. Distinguish cost per eligible conversation, per reported resolution, and per confirmed outcome. Keep outcome coverage visible beside the last measure.

Recovery when the machine fails

61. Triage the incident

Here are the known facts of [agent failure]. Separate impact, scope, verified effects, and hypotheses. Recommend immediate containment, a recovery owner role, and evidence to preserve. Identify what needs a decision now and what can wait for diagnosis.

62. Make a handoff actionable

Turn [alert or escalation] into a decision packet. Include the customer's goal, verified facts, attempted actions, uncertain effects, permitted options, deadline, backup owner, and resume conditions. Explain what acknowledgment alone would leave unresolved.

63. Correct the customer update

Draft a correction for [wrong answer or failed action] using only [verified facts]. Explain what was wrong, the safe next step, who owns follow-up, and what remains uncertain. Do not claim the situation is fixed before the customer state is checked.

64. Investigate the cause

Review [incident evidence]. Compare a source problem, applicability error, misunderstood intent, tool failure, routing failure, and missing human capacity. For each plausible cause, name the evidence that would distinguish it. Do not default every repair to another prompt warning.

65. Earn the return to service

We changed [system element] after [incident]. Propose regression cases for the original failure and neighboring behaviors. Define the permitted return scope, accountable review, customer follow-up, and observations that would require renewed containment.

Move Support into midfield

66. Turn friction into a small change

Use [repeated customer problem] to propose a bounded documentation, UI, workflow, or product change. Identify the evidence, affected audience, reviewer, and later customer check. Compare it with answering the same question faster.

67. Give the team working conditions

We want support engineers to ship improvements. With [staffing and queue constraints], propose protected time, access, training, reviewer availability, and a fallback when volume rises. Make the tradeoffs explicit instead of adding the work to an already full queue.

68. Plan a first contribution

Design a learning plan for a support engineer making [small product change]. Include reproducing the customer problem, understanding relevant code, using AI assistance, review, and checking the result. Keep the plan realistic for [time and experience level].

69. Change the performance conversation

Review [team performance measures]. Identify incentives that reward repeated rescue while neglecting prevention or good escalation. Propose an impact record that recognizes customer outcomes and useful learning without making PR count the new ticket-count target.

70. Audit the weekly operating review

Here are [meeting notes and improvement backlog]. Identify findings without owners, fixes without regression cases, and releases without later checks. Redesign the next review around decisions the team can actually make and capacity it has to act.

Promises and customer success

71. Reconcile a customer commitment

Compare [original promise], [engineering status], [account configuration], and [customer evidence]. Assess built, enabled, and customer-verified separately. Preserve contradictions and stale evidence. State what can truthfully be communicated now.

72. Define a useful customer goal

We want an agent to help with [onboarding, adoption, or re-engagement]. Define the customer's observable milestone, eligible audience, time horizon, necessary evidence, contact preferences, stop conditions, and owner of exceptions. Do not use message count as the outcome.

73. Resolve conflicting goals

An agent is pursuing [growth goal] while the customer has [unresolved support problem]. Propose a priority rule, handoff, and condition for resuming the goal. Explain how the system can recognize the conflict from available evidence.

74. Group cases without losing differences

These conversations appear to share a problem: [cases]. Identify a possible common repair, then check version, permission, entitlement, and account differences. Recommend the population the repair could apply to and the exceptions requiring separate work.

75. Close the company feedback loop

Turn [customer evidence] into a brief for Product, Documentation, GTM, and Customer Success. Identify the expectation, affected customers, evidence, responsible decision, and later check. Keep the original examples available so the summary can be challenged.

Working sessions and executive decisions

76. Prepare the executive decision

Turn [operating evidence] into a one-page decision for [executive audience]. State the customer problem, options, recommendation, costs, uncertainty, and decision needed. Include the strongest reason to choose differently and the evidence that would change your view.

77. Run a practical workshop

Design a 60-minute workshop around [chapter and real team problem]. Include a short case, individual judgment before group discussion, an exercise using our evidence, and one decision record to complete. Label any invented teaching scenario fictional.

78. Challenge our favorite plan

We favor [plan]. Build the strongest evidence-based alternative, including a simpler non-AI option if relevant. Compare both against the same customer task and operating constraints. Identify the cheapest informative test before either option receives a larger commitment.

79. Turn the book into next week's work

Given [our current gate, people, and capacity], propose a one-week work plan grounded in the book. Limit it to work we can staff. Name deliverables, dependencies, owner roles, and how we will know whether each item helped the next decision.

80. Revisit an older edition

Compare the two supplied editions of the book. List new or materially changed chapters and explain which decisions deserve another look for [our situation]. Separate changed advice from clearer wording. If you have only one edition, say so and use its version notes without inventing a diff.

The value of the conversation is the work it helps you inspect. Keep the case, test the recommendation, and bring the resulting evidence back. That gives the next discussion something better than another confident summary.

Appendix H: Sources and Further Reading

The book grows from use cases I have seen, discussed, researched, and worked through with humans and AI. These references let you examine the research and product documentation behind the argument without interrupting each chapter with links.

Product references were checked for the November 1, 2026 edition. An announcement, documented capability, workspace entitlement, and observed customer result remain different kinds of evidence. Links may describe a newer product by the time you read them.

Chapters 1 through 4 — the customer task

- Sentry's DSN explainer and product documentation are the existing answers behind the opening questions about discoverability.
- The Sentry Logs product page and Unity game-console documentation provide context for the queue-classification examples in Chapter 3.
- The AI Upgrade develops the author's earlier thinking about adoption and operating change. Sentry's customer page supplies company context, not a fixed customer count for the book.

Chapter 5 — resistance and learning

- Immunity to Change offers a framework for examining competing commitments. It is a way to ask better questions about resistance, not to diagnose a colleague.
- Algorithm Aversion reports forecasting experiments in which seeing an algorithm err reduced confidence in it. The setting does not establish that an AI support system outperforms a particular team.
- Psychological Safety and Learning Behavior in Work Teams examines the relationship between speaking up and team learning. The book uses that work to protect legitimate objections as well as encourage change.

Chapters 7 and 8 — vendors and the build boundary

- Fin's Fin 4 announcement, Operator explanation, and Operator FAQ describe capabilities and access conditions. The audience documentation explains targeting behavior relevant to Chapters 10 and 13 too.
- Pylon's Agentic Support announcement and access documentation distinguish product direction from rollout conditions.
- Plain's Bring Your Own Agent describes an architecture with a separate agent and shared support infrastructure. Chapter 20 applies the same questions to migration seams.
- Salesforce's Fin acquisition completion announcement is the dated ownership event behind the continuity review. It does not establish a future change in price or quality.
- METR's 2026 update on measuring coding productivity explains limitations in comparing AI-assisted development. It supports measuring the actual work instead of importing a universal speed multiplier.

Chapter 10 — data handling

- Sentry AI privacy and security documentation illustrates a product-specific account of data handling. Your review still needs the terms, settings, subprocessors, and controls that apply to your own purchase.

Chapter 16 — action evidence

- The AWS Builders' Library article Making retries safe with idempotent APIs explains request identity and retry contracts. Its principles help distinguish an unknown effect from a confirmed failure.

Chapter 17 — customer goals and account context

- Fin's Success product page and customer-agent role overview showed different availability signals at review time. The book preserves that distinction.
- Pylon Account Intelligence describes shared account context. A product description does not establish an improvement in retention or adoption for the reader's customers.

Chapter 18 — definitions behind the dashboard

- Fin's automation-rate definition, performance-metric update, and outcome definitions explain why population, definition version, billing, and verified customer success must stay distinguishable.

Chapters 22, 27, and 28 — evaluation and recovery

- Anthropic's guide to agent evaluations discusses outcomes, graders, and evaluation methods. Judging LLM-as-a-Judge documents biases that make calibration and disagreement review necessary.
- Google SRE guidance on postmortem culture informs incident learning and follow-through on corrective actions.
- unitQ Support QA, Unwrap SupportIQ, and Salesforce Agentforce Testing Center are product references for evaluating the evaluator. Their inclusion does not declare a winner or substitute for a comparison using the same cases.

Appendix G — using the book as a skill

- OpenAI's Build skills guide covers skill folders, installation from GitHub, discovery, and invocation in Codex.
- Anthropic's Use skills in Claude guide covers ZIP uploads, enabling skills, and account or organization prerequisites. Product interfaces can change; these are the current setup references.

The podcast conversation

The Prompt Room, Episode 4, was published on YouTube on October 13, 2026. Watch the conversation or listen on Spotify, where it is titled “Reducing Customer Pain at the Source: Inside Sentry’s AI-Native Support Model.” The full supplied transcript informs Chapters 5, 17, 18, 19, and 23 and the dated note in Appendix E. My operational observations are first-person accounts; the conversation does not establish a controlled comparison between services.

The event accounts and prototypes

The dated notes in Appendix E identify the panel preparation, talk materials, and panel accounts used in the edition. A participant's account remains separate from my own experience, even where their name is omitted. Preparation notes establish the questions being developed; they do not stand in for a recording of every answer.

The public Plain × Sentry event page and Shadow Run session page provide event context. Working transcripts and private preparation materials are not reproduced in full. The repositories and their demonstration limits are collected in Appendix F.