


BLOG WITH API

JAIME ALCALDE & JOSE VALENZUELA



LESSONS LEARNED

Work with apis

Use apis to collect information,
edit it and delete it

Work with bootstrap

Use bootstrap for the design
of our blog.

Work with target

Using targets allowed us to modify
the data we received from the API
directly on the URL and data to
display on containers.

Work with dataset

Selecting data with datasets
other than with IDs.



PROBLEMS ENCOUNTERED

SELECTING POSTS

We couldn't select the whole container but the user needs to click the title.

EDITING POSTS


Using patch didn't work correctly and we ran out of time of implementing this in the local storage.

DELETING POSTS

Selecting each post by its ID and deleting the whole container.

WORK WITH B

Modifying margins or paddings can be a nightmare with bootstrap.






VISUALS

THIS IS THE FULL HOME PAGE

With twenty-one pre-loaded posts and the ability to load more by clicking the button.






VISUALS

THIS IS THE HOME PAGE

With a image slider on top and posts below.






VISUALS

THIS IS THE POST MODAL

This is the modal to show the post content, comments, edit the post and delete the post.






VISUALS

THIS IS THE SHOW COMMENTS MODAL

In this modal you can see all the comments of the post.






VISUALS

THIS IS THE EDIT MODAL

Here you can
modify the title
and body with
the patch
function.





VISUALS

THIS IS DELETE POST FUNC

Once you click on the delete button a modal appears to inform the post has been depleted.

