



Test Report

GZF20-027345-01

Date: 14 Jan 2021

Client Name: JIANGSU XIUQIANG GLASS WORK CO.,LTD
Client Address: NO.28 JIANGSHAN ROAD, SUYU, SUQIAN, JIANGSU,CHINA
Sample Name: Antibacterial glass
Manufacturer: /
Sample Batch No.: /
Production Date: /

Above information and sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

SGS Reference No.: 2020FM33702R01D/ NBF20-010553.001
Date of Sample Received: 11 Dec 2020
Testing Period: 11 Dec 2020 - 14 Jan 2021
Test Requested: Selected test(s) as requested by client.
Test Method: Please refer to next page(s).
Test Result(s): Please refer to next page(s).

This test report has been drafted in English and maybe translated into other languages, The English version shall prevail.

Unless otherwise stated the results shown in this test report refer only to the items tested, and for clients internal use only, not to the society has the proof function. This document cannot be used for improper publicity, without prior written approval of the SGS.



SGS Authorized Signature

SGS-CSTC Standards Technical Services Co.,Ltd. Guangzhou Branch
Page 1 of 3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing, Inspection and Food Laboratory

No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t 400 - 691 - 0488 f (86-20) 82075027 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t 400 - 691 - 0488 f (86-20) 82075027 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

GZF20-027345-01

Date: 14 Jan 2021

Sample Description:

Specimen No.	SGS Sample ID	Description
1	GZF20-027345.001	Block sample

Test result(s):

Antiviral activity test*

Test Method: ISO 21702:2019

Virus and host cell	No.	Infectivity titre value immediate after inoculation of the reference specimen	Infectivity titre value after 24h contacting with the reference specimen	Infectivity titre value after 24h contacting with the test specimen
Influenza A virus H1N1(A/PR/8/34) Host cell: MDCK	1	6.29	4.90	2.43
	2	6.20	5.00	2.50
	3	6.20	4.90	2.43
Average logarithm of infectivity titre value lgTCID ₅₀ /mL		6.23	4.93	2.45
Average logarithm of infectivity titre value lgTCID ₅₀ /cm ²		6.03	4.73	2.25
Average infectivity titre value TCID ₅₀ /cm ²		1.07×10 ⁶	5.39×10 ⁴	1.78×10 ²
Antiviral efficacy value		2.48		
Antiviral activity rate (%)		99.67		

Remark: *The test was carried out by external laboratory assessed as competent.

SGS-CSTC Standards Technical Services Co.,Ltd. Guangzhou Branch

Page 2 of 3



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center for Agriculture and Food Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t 400 - 691 - 0488 f (86-20) 82075027 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t 400 - 691 - 0488 f (86-20) 82075027 e sgs.china@sgs.com


Member of the SGS Group (SGS SA)

Test Report

GZF20-027345-01

Date: 14 Jan 2021

Sample photo:



GZF20-027345.001

SGS authenticate the photo on original report only

*** End ***

SGS-CSTC Standards Technical Services Co.,Ltd. Guangzhou Branch
Page 3 of 3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing, Calibration and Food Laboratory

No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t 400 - 691 - 0488 f (86-20) 82075027 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t 400 - 691 - 0488 f (86-20) 82075027 e sgs.china@sgs.com