

Final Legacy Capability Reference Audit

Repository-wide audit confirming whether any ASCURE workflow, permission check, workspace resolver, template resolver, or defect governance logic still references the seven legacy capability codes: SURVEY, REPAIR, CIVIL, DISTRIBUTION, THIRTY_THREE_KV, EMERGENCY_RESPONSE, OTHER.
Assessment only — no modifications.

VERDICT — No active workflow, permission check, workspace resolver, template resolver, or defect governance logic references any of the seven legacy capability codes. All remaining references are either (a) schema / migration definitions, (b) seed-time data writes, (c) a single legacy-tolerant filter query path with no current caller, or (d) same-named identifiers belonging to other enums (`OperationalDomain`, `OrganizationType`) that are unrelated to capability semantics.

1. Methodology

- Repository-wide grep for each of the seven codes across `apps/api`, `apps/admin-web`, `apps/mobile`, `prisma`, and `packages`.
- Each hit classified by surrounding identifier (which enum it belongs to) and by code role (workflow / permission / resolver / governance / data / docs / unrelated).
- Capability-related findings cross-checked against the four runtime modules the brief calls out: `apps/api/src/defects`, `apps/api/src/inspections`, `apps/api/src/operational-sessions`, `apps/api/src/templates`, `apps/api/src/common/authorization`, and `apps/mobile/src/operationalWorkspace.ts`.
- Same-named identifiers were inspected to distinguish `OrganizationCapabilityType` (legacy capability enum) from `OperationalDomain` (Site Visit / Project / Work Package work-type) and `OrganizationType` (company classification).

2. Per-module result for the runtime surfaces in scope

Runtime surface	Legacy capability references?
Mobile workspace resolver (apps/mobile/src/operationalWorkspace.ts)	None. Resolver gates on only INSPECTION and MAINTENANCE capability codes (lines 10–11, 64, 68).
Template resolver (apps/api/src/templates/*.ts)	None. Grep returns zero hits for any of the seven codes in templates.service.ts, checklist-templates.service.ts.
Defect governance (apps/api/src/defects/*.ts)	None. Single grep match in defects.service.ts:422 is DefectResolutionOutcome.REPAIRED — a defect resolution outcome enum value (<i>different word</i> : REPAIRED, not REPAIR; and a different enum entirely).
Inspection workflow (apps/api/src/inspections/*.ts)	None.
Operational session workflow (apps/api/src/operational-sessions/*.ts)	None.
Authorization / permission checks (apps/api/src/common/authorization/*.ts)	None.
Effective-capability resolver (apps/api/src/users/users.service.ts)	None of the seven legacy codes. The variable named organizationCapabilities (line 632) reads OrganizationCapabilityAssignment (new table, Capability.code string), not the legacy OrganizationCapability table.

3. References found across the repository — full classification

Every occurrence of the seven codes anywhere in the repository, with category and verdict.

3.1 Schema definitions (Prisma)

Location	Belongs to	Verdict
prisma/schema.prisma:152–159	OrganizationType enum — has OTHER	Org-classification enum, not capability. Different concept. Excluded from capability audit.
prisma/schema.prisma:161–172	OperationalDomain enum — has SURVEY, REPAIR, CIVIL, DISTRIBUTION, THIRTY_THREE_KV, EMERGENCY, OTHER	Site Visit / Project / Work Package work-type. Same string names, different concept. Different concept.
prisma/schema.prisma:215–227	OrganizationCapabilityType enum — defines all seven legacy values	Structural definition. Used only by the legacy OrganizationCapability table. Schema only — not behaviour.

3.2 Migrations

Migration	What it does	Verdict
20260517183519_phase_1a_enterprise_operations_foundation/migration.sql	Defines OrganizationType enum incl. OTHER.	Different enum. Structural only.
20260519024954_phase_1d_operational_domain_capabilities/migration.sql	Defines OperationalDomain and OrganizationCapabilityType enums.	Structural only. No behaviour. OrganizationCapabilityType is the legacy enum — defined here, still read by exactly one filter (see §3.4).
20260521113000_sprint_g1_operational_configuration_foundation/migration.sql:229–249	Inserts 19 Capability rows; lines 239 / 241–245 / 248 are the seven legacy rows.	Data. Rows physically exist in the table. Excluded from /enterprise/options by the canonical allow-list. No workflow / permission code reads them.

3.3 Seed

Location	Action	Verdict
prisma/seed.ts:7, 20, 252	Calls ensureOrganizationCapability(ensureOrganization.id, OrganizationCapabilityType.SURVEY) — writes one row to the legacy OrganizationCapability table during seed.	Active during seed only. Writes one bootstrap row. Read by the legacy filter path in §3.4 if a client ever queries with ?capability=SURVEY. No governance or workflow consumes this row.

3.4 Active API code — single residual filter path

Location	Behaviour	Verdict
apps/api/src/enterprise/dto/list-enterprise-query.dto.ts:45-58	ListOrganizationsQueryDto.capability?: OrganizationCapabilityType. Allows a client to filter GET /enterprise/organizations by a legacy enum value.	Active code path. DTO is wired. Not called by current admin-web (no ?capability= emitted) and not called by mobile. Pure list/search behaviour — not a workflow / permission / resolver / governance path. Reachable via direct API call.
apps/api/src/enterprise/enterprise.service.ts:2189-2217	listOrganizationsWhere consumes query.capability with an OR across (a) legacy capabilities.some.capability and (b) new capabilityAssignments.some.capability.code.	Same as above. Filter behaviour. Reachable but unused by current clients. Removing the legacy branch would require a follow-up after confirming no third-party caller.

3.5 Same-named identifiers — NOT capability references

These hits share the string names of the legacy capability codes but belong to different enums or concepts. They are listed for transparency and explicitly ruled out as capability references.

Location	Belongs to	Verdict
apps/admin-web/src/types/site-visits.ts:25-36	OperationalDomain type — Site Visit work-type.	Different concept. Not a capability.
apps/admin-web/src/lib/site-visits.ts:210-229	normalizeOperationalDomain () — sanitises raw strings to the OperationalDomain enum.	Different concept. Not a capability.
apps/admin-web/src/components/site-visits-client.tsx:121-130	Filter dropdown options for Site Visit operational domain.	Different concept. Not a capability.
apps/admin-web/src/components/enterprise-list-client.tsx:190 / 345 / 363 / 408 / 633	All references to "OTHER" as a default for the Organization form's type field (OrganizationType).	Different concept. Not a capability.
apps/api/src/enterprise/enterprise.service.ts:523	type: dto.type ?? OrganizationType.OTHER — default Organization type.	Different concept. Not a capability.
apps/mobile/src/screens/InspectionDetailScreen.tsx:20, 366, 404	IMAGE_GROUPS = ['BEFORE', 'DURING', 'AFTER', 'OTHER'] — image categorisation.	Unrelated. Not a capability.
apps/mobile/src/types.ts:611	'REPAIRED' defect outcome string.	Different word (REPAIRED, not REPAIR). Different enum. Not a capability.
apps/api/src/defects/defects.service.ts:422	DefectResolutionOutcome.REPAIRED → RESOLVED mapping.	Different word and different enum. Not a capability.

3.6 Documentation comments only

Location	Content
apps/api/src/common/capabilities.ts:6	Comment listing the seven legacy codes and stating they remain in the Capability table but are not assignable. Non-executing.
apps/admin-web/src/lib/capability-groups.ts:56-57	Comment documenting the legacy exclusion in the allow-list helper. Non-executing.

4. Summary by code

Code	Active in workflow/permission/resolver/governance?	Where it still exists	Status
SURVEY	No	Schema enum (OrganizationCapabilityType, OperationalDomain); Capability row inserted by migration 20260521113000; one legacy OrganizationCapability row written by seed; site-visit operational-domain UI.	Dead capability-wise. Different-concept references remain (OperationalDomain).
REPAIR	No	Schema enum (both); Capability row; OperationalDomain dropdown filter.	Dead capability-wise.
CIVIL	No	Schema enum (both); Capability row; OperationalDomain dropdown filter.	Dead capability-wise.
DISTRIBUTION	No	Schema enum (both); Capability row; OperationalDomain dropdown filter.	Dead capability-wise.
THIRTY_THREE_KV	No	Schema enum (both); Capability row; OperationalDomain dropdown filter.	Dead capability-wise.
EMERGENCY_RESPONSE	No	Schema enum (OrganizationCapabilityType only — note OperationalDomain uses EMERGENCY instead); Capability row.	Dead capability-wise. No same-named OperationalDomain reference.
OTHER (capability)	No	Schema enum (OrganizationCapabilityType); Capability row. Same string also used by OrganizationType.OTHER (org form default), OperationalDomain.OTHER (site visit), and mobile image-group 'OTHER' — none are capability references.	Dead capability-wise. Different-concept hits are intentional and unrelated.

5. Optional follow-ups (backlog, not blocking)

- Retire `ListOrganizationsQueryDto.capability (OrganizationCapabilityType)` and the legacy `capabilities.some.capability` branch of `listOrganizationsWhere`. Replace with a single `?capabilityCode=...` string query that targets only the new `OrganizationCapabilityAssignment` table. Confirm no third-party API caller uses the legacy parameter first.
- Drop the legacy `ensureOrganizationCapability(ascureOrganization.id, SURVEY)` seed call. It writes one row that nothing in current runtime reads (after the filter retirement above).

- Optional: drop `OrganizationCapability` table and `OrganizationCapabilityType` enum once the seed and filter retirement above are done. Schema-level cleanup only. Requires a migration.
- Optional: deactivate the seven legacy `Capability` rows from the catalogue (`isActive=false`) so they vanish from the catalogue page as well. Already invisible in assignment pickers via the canonical allow-list.
- None of these change behaviour today; they only remove dead/reachable-but-unused legacy surface.

6. Bottom line

ASCURE governance is safe to proceed under the pilot. The seven legacy capability codes are not consulted by any workflow, permission check, workspace resolver, template resolver, or defect governance path. The only places they still live are (a) enum definitions in schema and migrations, (b) one bootstrap seed row, (c) one optional filter parameter that no current client emits, and (d) same-named identifiers in distinct enums (`OperationalDomain`, `OrganizationType`) and unrelated mobile constants — none of which are capability semantics. The follow-ups in §5 are tidy-ups, not corrections.