AWW Project

Habeek Assim 2019-09-02

1 Features

- 1. Server side pagination
- 2. Server side sorting
- 3. Server side filtring
- 4. 77 Unit test
- 5. The Frontend was built with Angular 8.1
- $6.\ \,$ The Database server used is MongoDB
- 7. The code is written in Javascript ES6
- 8. The API has an Token-based Auth System

2 Routes

Method	URI	Description
Get	/admin/students	requesting students
Get	/admin/students/:id	requesting student with id : \${req.params.id}
Post	/admin/students	creating student : \${req.body}
Put	/admin/students	editing student with id : \${req.body.id}
Delete	/admin/students/:id	deleting student with id : \${req.params.id}
Get	/admin/teachers	requesting teachers
Get	/admin/teachers/:id	requesting teacher with id : \${req.params.id}
Post	/admin/teachers	creating teacher : \${req.body}
Put	/admin/teachers	editing teacher with id : \$\{\text{req.body.id}\}
Delete	/admin/teachers/:id	deleting teacher with id : \${req.params.id}
Get	/admin/admins	requesting admins
Get	/admin/admins/:id	requesting admin with id: \${req.params.id}
Post	/admin/admins	creating admin : \${req.body}

Put	/admin/admins	editing admin with id : \$\{\text{req.body.id}\}
Delete	/admin/admins/:id	deleting admin with id : \${req.params.id}
Get	/admin/courses	requesting courses
Get	/admin/courses/:id	requesting course with id : \$\{\text{req.params.id}\}
Post	/admin/courses	creating course : \${req.body}
Put	/admin/courses	editing course with id : \$\{\text{req.body.id}\}
Delete	/admin/courses/:id	deleting course with id : \$\{\text{req.params.id}\}
Get	/admin/marks	requesting marks
Get	/admin/marks/:id	requesting mark with id : \$\{\text{req.params.id}\}
Post	/admin/marks	creating mark : \${req.body}
Put	/admin/marks	editing mark with id : \$\{req.body.id}\
Delete	/admin/marks/:id	deleting mark with id : \$\{\text{req.params.id}\}
Get	/admin/deliberations	requesting deliberations
Get	/admin/deliberations/:id	requesting deliberation with id: \$\{\text{req.params.id}\}
Post	/admin/deliberations	creating deliberation : \$\{\text{req.body}\}
Put	/admin/deliberations	editing deliberation with id: \$\{\text{req.body.id}\}
Delete	/admin/deliberations/:id	deleting deliberation with id: \$\{\text{req.params.id}\}
Post	/admin/deliberations/auto	auto gen deliberations : empty body
Get	/teacher/courses	requesting courses
Get	/teacher/courses/:id	requesting course with id : \$\{\text{req.params.id}\}
Get	/teacher/students	requesting students
Get	/teacher/students/:id	requesting student with id : \${req.params.id}
Get	/teacher/marks	requesting marks
Get	/teacher/marks/:id	requesting mark with id : \$\{\text{req.params.id}\}
Post	/teacher/marks	creating mark: \${req.body}

Put	/teacher/marks	editing mark with id :
		$\{\text{req.body.id}\}$
Delete	/teacher/marks/:id	deleting mark with id :
		$\{\text{req.params.id}\}$
Post	/teacher/marks/auto	auto gen marks : \${req.body}
Get	/student/marks	requesting marks
Get	/student/marks/:id	requesting mark with id :
		$\{\text{req.params.id}\}$
Put	/student/marks/complaint	adding complain for a mark:
		\${req.body} it takes the same
		object struct of mark
Get	/student/deliberations	requesting deliberations
Get	/student/deliberations/:id	requesting deliberations with id:
		$\{\text{req.params.id}\}$
Put	/student/deliberations/complaint	adding complain for a delibera-
		tions: \${req.body} it takes the
		same object struct of delibera-
		tions