

Walking the Talk: Random Exploration of a Chatbot API

James Thomas

Association for Software Testing webinar 2022-10-14











Health. Powered by Ada.

Supporting better health outcomes and clinical excellence with
intelligent technology.

www.ada.com

@qahiccupps





Project: Extract a Basic Chatbot API


The Task

Presentation-agnostic API.

Integration with text-based clients.

Turn-based medical assessment.


Short deadline.



Risks, Questions, Test Ideas

Covering the Assessment Space

Unintended consequences.
Discover edges and corners.
Exercise the API extensively.



A Walker


The idea

Run unattended medical assessments.


Can be iterated and customised quickly.

Identify places for deeper inspection.


The Simplest Thing That Could Possibly Work




Navigate



Survey



Explore



Demonstration

Implementation

Configuration

Error checks
~1/200 turns

Another
symptom
~1/5 turns

```
"previous_step": {
  "doc": "weighting to choose the previous endpoint when available",
  "probability": 0.01
},

"abort": {
  "doc": "weighting to choose the abort endpoint when available",
  "probability": 0.0005
},

"validate": {
  "doc": "weighting to check validation on INPUT cards. Do this sparingly it slows assessments down",
  "probability": 0.0005
},

"self": {
  "doc": "weighting to choose the self endpoint when available",
  "probability": 0.01
},

"more_symptoms__no": {
  "doc": "weighting to answer 'no' when asked if there are more symptoms. Set higher for faster assessments",
  "probability": 0.8
},

"symptom_list__none_of_these": {
  "doc": "weighting to say 'none of these' when give a list of standard symptoms. Set higher to search more often",
  "probability": 0.8
},

"symptom_search_result__none_of_these": {
  "doc": "weighting to say no search results match. Set higher to search again more often",
  "probability": 0.02
},

"specific_presenting_complaint_search": {
  "doc": "presenting complaints to search for that, if the only PC, are very likely to have the given advice levels. This is a very weak
medical sanity check.",
  "probability": 0.05,
  "value": [
    { "head lice": ["selfCare","selfCarePharma"] }
  ]
},
```

Detailed, Parsable Logs

Archive
config

```
{
  "max_dialog_turn": 100,
  "locale": "en-GB",
  "standard_headers": {
    "Accept-Language": "en-GB",
    "X-Ada-UserId": "user1"
  },
  ...
  "previous_step": {
    "doc": "weighting to choose the previous endpoint when available",
    "probability": 0.01
  },
  ...
}

...

-- 3
{"cardType": "INPUT", "step": 3, "title": {"en-GB": "Patient Information"}, ...}

<-- card: 3 INPUT What is the person's name?
--> reply: DLFLﾌＱsc上8万J
--> response: next {'step': 3, 'value': 'DLFLﾌＱsc上8万J'}

-- 4
{"cardType": "CHOICE", "step": 4, "title": {"en-GB": "Patient Information"}, ... "options": [...], ...}

<-- card: 4 CHOICE What is DLFLﾌＱsc上8万J's sex? Biological sex is a risk factor for some conditions. Your answer is
necessary to give you accurate recommendations.
--> reply: 0 Female
--> response: next {'step': 4, 'optionId': 0}

...

-- 10
{"cardType": "TEXT", "step": 10, ...}

<-- card: 10 TEXT Sorry, we haven't found any matches for the symptom you typed in. Try using fewer words or use diffe
rent words to describe your symptom. Only type in one symptom at a time.
--> reply:
--> response: next {'step': 10}

...

----- state -----
{'seen_years_question': True, 'seen_months_question': True, 'state_reset_counter': 0, 'presenting_complaint': ['Floppy
baby'], 'assessment_id': '13ce7d7a-e08f-4ba6-9b2b-71fe7b891366', 'primary_secondary': 'Someone else', 'age_value': '1',
'found_pdf_report': True, 'start_time': '2022-09-10T15:21:08.878123', 'end_time': '2022-09-10T15:21:49.864989'}
```

Archive
state


Parallel


```
$ ./runner.sh demo
starting iteration 1 ...
starting iteration 2 ...
starting iteration 3 ...
starting iteration 4 ...
starting iteration 5 ...
$ ls demo
1.1          2.1          3.1          4.1          5.1          config.json
1.2          2.2          3.2          4.2          5.2
```

```
for i in $(seq 1 $NUM_ITERATIONS); do
    echo "starting iteration $i ..."
    printf "%s\\0" $(seq 1 $NUM_PARALLEL) | xargs -0 -I @ -P $NUM_PARALLEL sh -c "python3 -u $DAPIC > $i.@"
done
```

"Response Time" Over Time

e256b083-1716-44a8-9e99-0d60b05ee219






Reflection

WIPOTEC ▲ OCS





What Worked Well ... and What was Challenging

Verbose logs.

Asserting generally and on fixes.

Randomisation for unknowns.

Configuration for directed exploration.

Toolkit (replay, parallel, analysis, ...).

Question-driven development.

Code changes and dependencies.


Card identifiers.

Medical testing.

State.

No explicit model.

**GREAT SHOT KID,
THAT WAS ONE
IN A MILLION**





YEAH!
I TOOK A MILLION
SHOTS

Questions?

References

Ada screenshots: <https://www.uisources.com/explainer/ada-diagnosing-via-chat-bot>

Wipotec: <https://www.wipotec-ocs.com/en/product-inspection/>

Microscope: <https://londonlaboquip.com/product/microscope-binocular-biological-sc302>

Messy lab: <https://imgur.com/gallery/bQiK6>

Dice: <https://www.richardhughesjones.com/luck-randomness/dice-gif/>

Altwalker: <https://altom.gitlab.io/altwalker/altwalker/>

Star Wars: <https://www.starwars.com/video/one-in-a-million-shot>