Product Introduction

Intelligent commercial cleaning robot/ IIMT-CL-V

4 IN 1： sweeping/scrubbing/dust mopping/vacuuming

Intelligent cleaning, multi-mode combination, cloud monitoring, cross building work, precise and efficient

Ultimate obstacle avoidance pass rate ±50mm



集萃智造 JITRI INTELLIGENT MANUFACTURING

Parameter

	Item	Parameter
Basic information	Size	710*720*820mm
	Weight	80kg
	Cleaning width/ Working width	344mm（washing） 580mm（including brush）（sweeping） 480mm（Dust pushing） 394mm（Vacuuming）
	Noise	65-75db
Cleaning ability	Maximum theoretical cleaning efficiency	2000m²/h
	Max. Moving Speed	1.2m/s
	cleaning rate	98%
	Brush pressure	25kg
	Capacity of clean/ sewage tank	15L/14L
	Trash bin capacity	1.2L
Mobility ability	Gradeability	5°
	Max. Moving Speed	1.2m/s
	Min. Passable Width	760mm
	Min. Turn-around Width	800mm
	Max crossing height	2cm
Electrical	Battery	24V,50AH,including brush
	Charging Time	2.5h
	Running capacity	5h（sweeping） 12h（dust pushing） 2.5（washing） 2.5（Vacuuming）
	Max. vacuum degree	24kpa
	Max. suction volume	1550L/min
	Fan lifespan	22000h
Sensing system	Sensor configuration	LiDAR*1,RGBD Camera*4,Ultrasonic*6
	Perception	2D perception positioning, memory perception obstacle avoidance



Smultiple Professional Cleaning
Scrubbing
Sweeping
Dust mopping
Suction integrated

Side brush

Roller brush

Spring roller brush, easy to disassemble and clean




Clean 0 edge distance
Hygiene without blind spots






Application




Office building



Shopping mall




Company Park



School



Exhibition Hall



Municipal



Railway station



AIRPORT



Hospital

Applicable ground



Marble



Plastic flooring



Ceramic tile



Epoxy flooring



Short haired carpet

Features Highlights

Multi purpose	Combinations including edge sweeping, floor cleaning, dust mopping, and vacuuming
Rapid mapping	precise scanning and sensing, greatly improving deployment efficiency
cleanning inspection	Plan the optimal path for handling and flexibly respond to unexpected situations
Compatible with soft and hard flooring	Suitable for hard floors and short haired carpets, intelligently recognizing changes in floor
Intelligent IoT	Autonomous linkage elevator control, fully automatic cross floor operation
Simple operation	Convenient operation on PC and mobile devices, supporting remote monitoring and scheduled tasks
Digital Operations	Automatically send refined and visualized data reports
Safe and worry free	multi-sensor fusion, achieving perfect obstacle avoidance

www.assurich.com