

HTML BASIC CODE -

```
<> new_C79.html × # style.css JS main.js
Users > itrs-1223 > Documents > mahdi > C79 > <> new_C79.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>C79</title>
5      <link rel="stylesheet" type="text/css" href="style.css">
6      <script src="main.js"></script>
7  </head>
8  <body>
9  </body>
10 </html>
```

Heading CODE -

```
<center>
<h3 style="margin-top: 20px; margin-bottom: 20px; ">
|   List of the students in my class
</h3>
```

Output-

List of the students in my class

Creating the Input Box to get the Names of the Students and add a placeholder to the input box as “Name of the Student”.

```
<div>
<span>1</span>
<input type="text" placeholder="Name of the Student" id="name_of_the_student_1">
<br>

<span>2</span>
<input type="text" placeholder="Name of the Student" id="name_of_the_student_2">
<br>

<span>3</span>
<input type="text" placeholder="Name of the Student" id="name_of_the_student_3">
<br>

<span>4</span>
<input type="text" placeholder="Name of the Student" id="name_of_the_student_4">
</div>
```

Output:

List of the students in my class

1

2

3

4

Adding the submit button and sort button:

```
<button onclick="submit()" id="submit_button">
|   Submit
</button>

<div id="display_name" style="font-weight: bold;">

</div>

<button onclick="sorting()" id="sort_button">
|   Sort
</button>
```

Output:

List of the students in my class	
1	<input type="text" value="Name of the Student"/>
2	<input type="text" value="Name of the Student"/>
3	<input type="text" value="Name of the Student"/>
4	<input type="text" value="Name of the Student"/>
<input type="button" value="Submit"/>	

List of the students in my class	
1	<input type="text" value="Name of the Student"/>
2	<input type="text" value="Name of the Student"/>
3	<input type="text" value="Name of the Student"/>
4	<input type="text" value="Name of the Student"/>
'''	
<input type="button" value="Sort"/>	

Complete Code:

Html Code:

```
<!DOCTYPE html>
<html>
<head>
|   <title>C79</title>
|   <link rel="stylesheet" type="text/css" href="style.css">
|   <script src="main.js"></script>
</head>
<body>
<center>
<h3 style="margin-top: 20px; margin-bottom: 20px; ">
|   List of the students in my class
</h3>

<div>
<span>1</span>
<input type="text" placeholder="Name of the Student" id="name_of_the_student_1">
<br>

<span>2</span>
<input type="text" placeholder="Name of the Student" id="name_of_the_student_2">
<br>

<span>3</span>
<input type="text" placeholder="Name of the Student" id="name_of_the_student_3">
<br>

<span>4</span>
<input type="text" placeholder="Name of the Student" id="name_of_the_student_4">
</div>
```

```

<button onclick="submit()" id="submit_button">
|   Submit
</button>

<div id="display_name" style="font-weight: bold;">

</div>

<button onclick="sorting()" id="sort_button">
|   Sort
</button>
</center>

<script>

</script>
</body>
</html>

```

Javascript Code:

```

name_of_the_student_array = [];

function submit()
{
    var name_1 = document.getElementById("name_of_the_student_1").value;
    var name_2 = document.getElementById("name_of_the_student_2").value;
    var name_3 = document.getElementById("name_of_the_student_3").value;
    var name_4 = document.getElementById("name_of_the_student_4").value;

    name_of_the_student_array.push(name_1);
    name_of_the_student_array.push(name_2);
    name_of_the_student_array.push(name_3);
    name_of_the_student_array.push(name_4);

    console.log(name_of_the_student_array);

    document.getElementById("display_name").innerHTML = name_of_the_student_array;
    document.getElementById("submit_button").style.display = "none";
    document.getElementById("sort_button").style.display = "inline-block";
}

function sorting()
{
    name_of_the_student_array.sort();
    console.log(name_of_the_student_array);
    document.getElementById("display_name").innerHTML = name_of_the_student_array;
}

```

CSS code


```

#submit_button
{
  margin-top: 20px;
  margin-bottom: 20px;
}
#sort_button
{
  display: none;
  margin-top: 20px;
  margin-bottom: 20px;
}

input
{
  margin: 10px;
}

```

Mapping:

```

name_of_the_student_array = [];

function submit()
{
  var name_1 = document.getElementById("name_of_the_student_1").value;
  var name_2 = document.getElementById("name_of_the_student_2").value;
  var name_3 = document.getElementById("name_of_the_student_3").value;
  var name_4 = document.getElementById("name_of_the_student_4").value;

  name_of_the_student_array.push(name_1);
  name_of_the_student_array.push(name_2);
  name_of_the_student_array.push(name_3);
  name_of_the_student_array.push(name_4);

  console.log(name_of_the_student_array);

  document.getElementById("display_name").innerHTML = name_of_the_student_array;
  document.getElementById("submit_button").style.display = "none";
  document.getElementById("sort_button").style.display = "inline-block";
}

```

List of the students in my class

1	<input type="text" value="Rocky"/>
2	<input type="text" value="Ram"/>
3	<input type="text" value="John"/>
4	<input type="text" value="Aish"/>

```

function sorting()
{
  name_of_the_student_array.sort();
  console.log(name_of_the_student_array);
  document.getElementById("display_name").innerHTML = name_of_the_student_array;
}

```

List of the students in my class

1	<input type="text" value="Rocky"/>
2	<input type="text" value="Ram"/>
3	<input type="text" value="John"/>
4	<input type="text" value="Aish"/>

Rocky,Ram,John,Aish