

Package ‘geozoo’

July 31, 2017

Version 0.5.1

Date 2016-05-06

Title Zoo of Geometric Objects

Description

Geometric objects defined in 'geozoo' can be simulated or displayed in the R package 'tourr'.

URL <http://schloerke.github.io/geozoo/>, <http://www.ggobi.org>,
<https://github.com/schloerke/geozoo>

BugReports <https://github.com/schloerke/geozoo/issues>

Depends R (>= 1.8.0)

Imports bitops, stats

Suggests tourr, roxygen2 (>= 5.0.0), testthat

License GPL-2

RoxygenNote 5.0.1

NeedsCompilation no

Author Barret Schloerke [aut, cre],
Di Cook [ths],
Hadley Wickham [ths]

Maintainer Barret Schloerke <schloerke@gmail.com>

Repository CRAN

Date/Publication 2016-05-07 00:36:41

R topics documented:

boy.surface	2
conic.spiral	3
conic.spiral.nautilus	4
cross.cap	5
cross.polytope	5
cube.dotline	6
cube.face	7
cube.iterate	7
cube.solid.grid	8
cube.solid.random	9
dini.surface	9

ellipsoid	10
enneper.surface	11
f_composition	12
f_helmert	12
klein.fig.eight	13
mobius	14
mobius.experiment	14
print.geozoo	15
print.geozooNoScale	16
roman.surface	16
simplex	17
sphere.hollow	18
sphere.solid.grid	18
sphere.solid.random	19
torus	20
torus.flat	20
write.xml	21

Index	22
--------------	-----------

boy.surface	<i>Boy Surface</i>
-------------	--------------------

Description

A function to produce a Boy Surface.

Usage

```
boy.surface(n = 10000)
```

Arguments

n	number of points
---	------------------

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/other/>

Examples

```
## Generates a Boy Surface
boy.surface(n = 1000)
```

conic.spiral	<i>Conic Spiral</i>
--------------	---------------------

Description

A function to produce a conic spiral

Usage

```
conic.spiral(n = 10000, a = 0.2, b = 1, c = 0.1, w = 2)
```

Arguments

n	number of points
a	final radius of cone
b	height of object
c	inner radius
w	number of spirals

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/other/>

Examples

```
## Generates a Conic Spiral  
conic.spiral(n = 1000)
```

conic.spiral.nautilus *Conic Spiral (Nautilus Shape)*

Description

A function to produce a Conic Spiral in a nautilus shape

Usage

```
conic.spiral.nautilus(n = 10000, a = 0.2, b = 0.1, c = 0, w = 2)
```

Arguments

n	number of points
a	final radius of cone
b	height of object
c	inner radius
w	number of spirals

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/other/>

Examples

```
## Generates a Nautilus Conic Spiral  
conic.spiral.nautilus( n = 1000 )
```

`cross.cap`*Cross Cap*

Description

A function to generate a cross cap

Usage

```
cross.cap(n = 10000)
```

Arguments

n	number of points
---	------------------

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/other/>

Examples

```
## Generates a Cross Cap  
cross.cap( n = 1000 )
```

`cross.polytope`*Cross Polytope*

Description

A function generate a cross polytope, cube dual, with vertices and a wire frame.

Usage

```
cross.polytope(p = 3)
```

Arguments

p	dimension of object
---	---------------------

Value

points	location of points
edges	edges of the object

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/cube/>

Examples

```
# Generates a 3-D Cross Polytope
cross.polytope(p = 3)
```

cube.dotline	<i>Cube with points along the wire frame</i>
--------------	----------------------------------------------

Description

A function to generate a cube with points on its face

Usage

```
cube.dotline(p = 3)
```

Arguments

p	dimension of object
---	---------------------

Value

points	location of points
edges	edges of the object

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/cube/>

Examples

```
## Generates a cube with points along its wire frame
cube.dotline(p = 3)
```

cube.face	<i>Cube with points on the 'face'</i>
-----------	---------------------------------------

Description

A function to generate a cube with points on its face

Usage

```
cube.face(p = 3)
```

Arguments

p	dimension of object
---	---------------------

Value

points	location of points
edges	edges of the object

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/cube/>

Examples

```
## Generates a cube with points on its face
cube.face(p = 3)
```

cube.iterate	<i>Cube</i>
--------------	-------------

Description

A function generate a cube with vertices and a wire frame

Usage

```
cube.iterate(p = 3)
```

Arguments

p	dimension of object
---	---------------------

Value

points	location of points
edges	edges of the object

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/cube/>

Examples

```
## Generates a cube  
cube.iterate(p = 3)
```

cube.solid.grid	<i>Equidistant Solid Cube</i>
-----------------	-------------------------------

Description

A function to generate a solid cube with equidistant points

Usage

```
cube.solid.grid(p = 3, n = 8)
```

Arguments

p	dimension of object
n	length of number of points in each dimension

Value

points	location of points
edges	edges of the object

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/cube/>

Examples

```
## Generates a solid cube with equidistant points  
cube.solid.grid(p = 3, n = 8)
```

cube.solid.random	<i>Solid Cube</i>
-------------------	-------------------

Description

A function to generate a solid cube with random points

Usage

```
cube.solid.random(p = 3, n = 850 * (2^p))
```

Arguments

p	dimension of object
n	number of points

Value

points	location of points
edges	edges of the object

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/cube/>

Examples

```
## Generates a solid cube with random points  
cube.solid.random(p = 3, n = 1000)
```

dini.surface	<i>Dini Surface</i>
--------------	---------------------

Description

A function to generate a dini surface.

Usage

```
dini.surface(n = 10000, a = 1, b = 1)
```

Arguments

n	number of points
a	outer radius of object
b	space between loops

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/other/>

Examples

```
## Generates a Dini Surface  
dini.surface(n = 1000, a = 1, b = 1)
```

ellipsoid	<i>Ellipsoid</i>
-----------	------------------

Description

A function to generate an ellipsoid

Usage

```
ellipsoid(n = 10000, a = 1, b = 1, c = 3)
```

Arguments

n	number of points
a	radius in x direction
b	radius in y direction
c	radius in z direction

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/other/>

Examples

```
## Generates an ellipsoid  
ellipsoid(n = 1000, a = 1, b = 1, c = 3)
```

enneper.surface	<i>Enneper's Surface</i>
-----------------	--------------------------

Description

A function to generate Enneper's surface

Usage

```
enneper.surface(n = 10000, a = 4)
```

Arguments

n	number of points
a	angle, radians, minimum and maximum. $-a < \text{angle} < a$

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/other/>

Examples

```
## Generates an Enneper Surface  
enneper.surface(n = 1000, a = 4)
```

<code>f_composition</code>	<i><code>f_composition</code></i>
----------------------------	-----------------------------------

Description

Function to take a d-dimensional compositional data set and transform it using a Helmert transformation into (p-1)-space, where it lives. Mostly internally used, but could be useful for setting up new compositional data.

Usage

```
f_composition(data)
```

Arguments

<code>data</code>	object
-------------------	--------

Value

<code>data</code>	points in (d-1)-dimensional space
-------------------	-----------------------------------

Author(s)

Di Cook

References

<http://schloerke.github.io/geozoo/simplices/>

<code>f_helmert</code>	<i><code>f_helmert</code></i>
------------------------	-------------------------------

Description

Function to set up a Helmert transformation of a (d-1)-dimensional shape in p-space down into its (p-1)-space. Mostly internally used, but could be useful for setting up new compositional data.

Usage

```
f_helmert(d)
```

Arguments

<code>d</code>	object
----------------	--------

Value

<code>helmert</code>	transformation matrix
----------------------	-----------------------

Author(s)

Di Cook

References<http://schloerke.github.io/geozoo/simplices/>

klein.fig.eight*Figure Eight Klein Bottle*

Description

A function to generate a figure eight Klein bottle

Usage

```
klein.fig.eight(n = 10000, a = 3, b = 1)
```

Arguments

n	number of points
a	radius of outer radius
b	radius of inner radius

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References<http://schloerke.github.io/geozoo/mobius/other/>**Examples**

```
## Generates a figure eight Klein bottle.  
klein.fig.eight(n = 1000, a = 3, b = 1)
```

mobius

Mobius

Description

A function to generate a mobius strip in the third or fourth dimension.

Usage

```
mobius(p = 3, n = 10000)
```

Arguments

p	dimension of object. (3)
n	number of points

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/mobius/>

Examples

```
## Generates a mobius strip.
mobius(3, n = 1000)
```

mobius.experiment

Mobius Experiment

Description

A function to generate a 5-D mobius strip in the third dimension.

Usage

```
mobius.experiment(p = 5, n = 10000)
```

Arguments

p	dimension of object. (5)
n	number of points

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/mobius/>

Examples

```
## Generates a mobius strip.  
mobius.experiment(5, n = 1000)
```

print.geozoo	<i>Print</i>
--------------	--------------

Description

Prints geozoo objects with tourr or prints them

Usage

```
## S3 method for class 'geozoo'  
print(x, ...)
```

Arguments

x	geozoo object
...	other arguments

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/>

Examples

```
## Not run:  
example(boy.surface)  
example(cube.face)  
  
## End(Not run)
```

```
print.geozooNoScale
```

Print Without Rescale

Description

Prints objects without rescaling them to 0, 1 in each dim

Usage

```
## S3 method for class 'geozooNoScale'
print(x, ...)
```

Arguments

x	geozoo object
...	other arguments

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/>

Examples

```
## Not run:
torus()

## End(Not run)
```

```
roman.surface
```

Roman Surface

Description

A function to generate a Roman surface, also known as a Steiner surface

Usage

```
roman.surface(n = 10000, a = 1)
```

Arguments

n	number of points
a	maximum radius of object

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/other/>

Examples

```
## Generates a Roman surface.  
roman.surface(n = 1000, a = 1)
```

simplex

Simplex

Description

A function to generate a simplex

Usage

```
simplex(p = 3)
```

Arguments

p	dimension of object
---	---------------------

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/simplices/>

Examples

```
## Generates a simplex  
simplex(p = 3)
```

sphere.hollow	<i>Sphere</i>
---------------	---------------

Description

A function to generate a sphere with points on the surface

Usage

```
sphere.hollow(p = 3, n = p * 500)
```

Arguments

p	dimension of object
n	number of points

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/sphere/>

Examples

```
## Generates a sphere with points on the surface  
sphere.hollow(p = 3, n = 1000)
```

sphere.solid.grid	<i>Solid Sphere with Equidistant Points</i>
-------------------	---------------------------------------------

Description

A function to generate a solid sphere with equidistant points.

Usage

```
sphere.solid.grid(p = 3, n = 8)
```

Arguments

p	dimension of object
n	maximum number of points in the diameter

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/sphere/>

Examples

```
## Generates a solid sphere with equidistant points
sphere.solid.grid(p = 3, n = 8)
```

sphere.solid.random	<i>Solid sphere with Random Points</i>
---------------------	----------------------------------------

Description

A function to generate a solid sphere with random points

Usage

```
sphere.solid.random(p = 3, n = p * 500)
```

Arguments

p	dimension of object
n	number of points

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/sphere/>

Examples

```
## Generates a solid sphere with random points.
sphere.solid.random(p = 3, n = 1000)
```

torus	<i>Torus</i>
-------	--------------

Description

A function to generate a torus in any dimension

Usage

```
torus(p = 3, n = 10000, radius = 2^((p - 2):0))
```

Arguments

p	dimension of object
n	number of points
radius	radiuses of the torus, set from largest to smallest

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/torus/>

Examples

```
## Generates a torus
torus(p = 3, n = 1000)
```

torus.flat	<i>Flat Torus</i>
------------	-------------------

Description

A function to generate a flat torus in any dimension

Usage

```
torus.flat(p = 4, n = 10000)
```

Arguments

p	dimension of object (number of circles x2)
n	number of points

Value

points	location of points
edges	edges of the object (null)

Author(s)

Barret Schloerke

References

<http://schloerke.github.io/geozoo/mobius/torus/>

Examples

```
## Generates a Flat Torus
torus.flat(p = 4, n = 1000)
```

write.xml

Write XML File

Description

A function that allows the user to write an object into an .xml.

Usage

```
write.xml(object.function, filepath, title)
```

Arguments

object.function	i.e. cube() or sphere()
filepath	where you would like to save the file in quotes
title	title of the file in quotes

Author(s)

Barret Schloerke

Index

*Topic **dynamic**

- boy.surface, [2](#)
- conic.spiral, [3](#)
- conic.spiral.nautilus, [4](#)
- cross.cap, [5](#)
- cross.polytope, [5](#)
- cube.dotline, [6](#)
- cube.face, [7](#)
- cube.iterate, [7](#)
- cube.solid.grid, [8](#)
- cube.solid.random, [9](#)
- dini.surface, [9](#)
- ellipsoid, [10](#)
- enneper.surface, [11](#)
- klein.fig.eight, [13](#)
- mobius, [14](#)
- mobius.experiment, [14](#)
- print.geozoo, [15](#)
- print.geozooNoScale, [16](#)
- roman.surface, [16](#)
- simplex, [17](#)
- sphere.hollow, [18](#)
- sphere.solid.grid, [18](#)
- sphere.solid.random, [19](#)
- torus, [20](#)
- torus.flat, [20](#)
- write.xml, [21](#)

boy.surface, [2](#)

- conic.spiral, [3](#)
- conic.spiral.nautilus, [4](#)
- cross.cap, [5](#)
- cross.polytope, [5](#)
- cube.dotline, [6](#)
- cube.face, [7](#)
- cube.iterate, [7](#)
- cube.solid.grid, [8](#)
- cube.solid.random, [9](#)

dini.surface, [9](#)

- ellipsoid, [10](#)
- enneper.surface, [11](#)

f_composition, [12](#)

f_helmert, [12](#)

klein.fig.eight, [13](#)

mobius, [14](#)

mobius.experiment, [14](#)

print.geozoo, [15](#)

print.geozooNoScale, [16](#)

roman.surface, [16](#)

simplex, [17](#)

sphere.hollow, [18](#)

sphere.solid.grid, [18](#)

sphere.solid.random, [19](#)

torus, [20](#)

torus.flat, [20](#)

write.xml, [21](#)