ElasticSearch Kibana Dashboard TSVB

TOP, Bottom 순위 뽑아내기


Create visualization
All types
Add from library
Lens
Maps
Log stream
TSVB
Custom visualization
Aggregation based
Controls
Text
Perform advanced analysis of your time series data.
News Control
date
Select...
category.keyword
Select...
Apply changes
Cancel chang
News Table
제목
url


elastic
Search Elastic
D
Dashboard
Create
Inspect
Share
Cancel
Save to library
Save and return
Last 15 years
Show dates
Refresh
Time Series
Metric
Top N
Gauge
Markdown
Table
- AWS 20
- cloud 20
- 네이버 20
- 마이데이터 20
- 빅데이터 20
- 삼성sds 20
- 카카오 20
- Migration 13
- 가트너 12
- 메가존클라우드 12
- GCP 9
- DW 8
- lgcns 7
- 데이터웨어하우스 7
- cloudera 4
- 이지팜 4
Auto apply
The changes will be automatically applied.
Markdown
Data
Panel options
Data
Data timerange mode
Entire time range
Index pattern
newsletter*
Time field
date
Interval
auto
Examples: auto, 1m, 1d, 7d, 1y, >=1m
Drop last bucket?
Yes
No
Panel filter
Search
KQL
Ignore global filter?
Yes
No


elastic
Search Elastic
D
Dashboard
Create
Inspect
Share
Cancel
Save to library
Save and return
Last 15 years
Show dates
Refresh
Time Series
Metric
Top N
Gauge
Markdown
Table
- AWS 20
- cloud 20
- 네이버 20
- 마이데이터 20
- 빅데이터 20
- 삼성sds 20
- 카카오 20
- Migration 13
- 가트너 12
- 데가존클라우드 12
- GCP 9
- DW 8
- lgcns 7
- 데이터웨어하우스 7
- cloudera 4
- 이지랩 4
- splunk 3
Auto apply
The changes will be automatically applied.
Markdown
Data
Panel options
Label
Variable name
Metrics
Options
Aggregation
Count
Group by
Terms
By
keyword.keyword
Include
Exclude
Top
50
Order by
Doc Count (default)
Direction
Descending


elastic
Search Elastic
D
Dashboard
Create
Inspect
Share
Cancel
Save to library
Save and return
Time Series
Metric
Top N
Gauge
Markdown
Table
- AWS 20
- cloud 20
- 네이버 20
- 마이데이터 20
- 빅데이터 20
- 삼성sds 20
- 카카오 20
- Migration 13
- 가트너 12
- 메가존클라우드 12
- GCP 9
- DW 8
- lgcns 7
- 데이터웨어하우스 7
- cloudera 4
- 이지랑 4
- splunk 3
Auto apply
The changes will be automatically applied.
Markdown
Data
Panel options
1 {{#each _all}}
2 - {{ label }} {{ last.formatted }}
3 {{/each}}
{{ 디리아.last.raw }} "1"
{{ 디리아.last.formatted }} "1"
{{ 디리아.data.raw }} [["1637798400000", "1"], ...]
{{ 디리아.data.formatted }} [["Nov 25, 2021 @ 09:00:00.000", "1"], ...]
{{ 디리아.label }} "디리아"
There is also a special variable named _all which you can use to access the entire tree. This is useful for creating lists with data from a group by:
All servers:
{{#each _all}}
- {{ label }} {{ last.formatted }}
{{/each}}


elastic
Search Elastic
D
Dashboard
Create
Inspect
Share
Cancel
Save to library
Save and return
Last 15 years
Show dates
Refresh
Time Series
Metric
Top N
Gauge
Markdown
Table
20
18
16
14
12
10
8
6
4
2
0
2008-01-01
2010-01-01
2012-01-01
2014-01-01
2016-01-01
2018-01-01
2020-01-01
per 4 weeks
AWS 20
cloud 20
네이버 20
마이데이터 20
빅데이터 20
삼성sds 20
카카오 20
Migration 13
가트너 12
메가존클라우드 12
GCP 9
DW 8
lgcns 7
Auto apply
The changes will be automatically applied.


elastic
Search Elastic
D
Dashboard
Create
Inspect
Share
Cancel
Save to library
Save and return
Last 15 years
Show dates
Refresh
Time Series
Metric
Top N
Gauge
Markdown
Table
Count
20
AWS
Count
20
cloud
Count
20
네이버
Count
20
마이데이터
Count
20
빅데이터
Count
20
삼성sds
Count
20
카카오
Count
13
Migration
Auto apply
The changes will be automatically applied.


elastic
Search Elastic
D
Dashboard
Create
Inspect
Share
Cancel
Save to library
Save and return
Last 15 years
Show dates
Refresh
Time Series
Metric
Top N
Gauge
Markdown
Table
카카오 20
삼성sds 20
빅데이터 20
마이데이터 20
네이버 20
cloud 20
AWS 20
Migration 13
메가존클라우드 12
가트너 12
GCP 9
Auto apply
The changes will be automatically applied.


elastic
Search Elastic
D
Dashboard
Create
Inspect
Share
Cancel
Save to library
Save and return
Last 15 years
Show dates
Refresh
Time Series
Metric
Top N
Gauge
Markdown
Table
Count
20
AWS
Count
20
cloud
Count
20
네이버
Count
20
마이데이터
Count
20
빅데이터
Count
20
삼성sds
Count
20
카카오
Count
13
Migration
Auto apply
The changes will be automatically applied.