

Assignment -01

1. Create a user with password "cdac"

```
astha@cdac:~$ whoami
astha
astha@cdac:~$ sudo adduser cdac
[sudo] password for astha:
info: Adding user `cdac' ...
info: Selecting UID/GID from range 1000 to 59999 ...
info: Adding new group `cdac' (1003) ...
info: Adding new user `cdac' (1003) with group `cdac (1003)' ...
info: Creating home directory `/home/cdac' ...
info: Copying files from `/etc/skel' ...
New password:
Retype new password:
Sorry, passwords do not match.
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for cdac
Enter the new value, or press ENTER for the default
    Full Name []:
    Room Number []:
    Work Phone []:
    Home Phone []:
    Other []:
Is the information correct? [Y/n] Y
info: Adding new user `cdac' to supplemental / extra groups `users' ...
info: Adding user `cdac' to group `users' ...
astha@cdac:~$
```

2. switch to cdac user, go inside their directory then

```
astha@cdac:~$ su cdac
Password:
cdac@cdac:/home/astha$
```

3. Create files HPC, CYBER, AI respectively under cdac.

```
cdac@cdac:/home/astha$ cd
cdac@cdac:~$ pwd
/home/cdac
cdac@cdac:~$ touch hpc cyber ai
cdac@cdac:~$ ls
ai  cyber  hpc
cdac@cdac:~$
```

4. Give permission to user rwx, group rw and other rx for the HPC

```
cdac@cdac:~$ sudo chmod u=rwx,g=rx,o=rx hpc
[sudo] password for cdac:
cdac is not in the sudoers file.
cdac@cdac:~$ su astha
Password:
astha@cdac:/home/cdac$ sudo chmod u=rwx,g=rw,o=rx /home/cdac/hpc
[sudo] password for astha:
astha@cdac:/home/cdac$
```

5. Give permission to user rw, group rwx and other rx for the CYBER file (Symbolic Method)

```
cdac@cdac:~$ su astha
Password:
astha@cdac:/home/cdac$ sudo chmod u=rw,g=rwx,o=rx cyber
[sudo] password for astha:
astha@cdac:/home/cdac$
```

6. Give permission to user rx, group rx and other rwx for the AI file (Numeric Method)

```
astha@cdac:/home/cdac$ cd
astha@cdac:~$ su cdac
Password:
cdac@cdac:/home/astha$ cd
cdac@cdac:~$ chmod 777 ai
cdac@cdac:~$
```

```
astha@cdac:/home/cdac$ cd
astha@cdac:~$ su cdac
Password:
cdac@cdac:/home/astha$ cd
cdac@cdac:~$ ls -l
total 0
-rwxrwxrwx 1 cdac cdac 0 Aug  5 21:52 ai
-rw-rwxr-x 1 cdac cdac 0 Aug  5 21:52 cyber
-rwxrw-r-x 1 cdac cdac 0 Aug  5 21:52 hpc
cdac@cdac:~$
```

7. Change HPC file ownership to punjab user, CYBER file ownership to chandigarh user and AI file ownership to haryana user.

```
astha@cdac:~$ su cdac
Password:
cdac@cdac:/home/astha$ cd
cdac@cdac:~$ ls -l
total 0
-rwxrwxrwx 1 cdac cdac 0 Aug  5 21:52 ai
-rw-rwxr-x 1 cdac cdac 0 Aug  5 21:52 cyber
-rwxrw-r-x 1 cdac cdac 0 Aug  5 21:52 hpc
cdac@cdac:~$
```

```
cdac@cdac:~$ sudo chown punjab /home/cdac/hpc
[sudo] password for cdac:
cdac is not in the sudoers file.
cdac@cdac:~$ su astha
Password:
astha@cdac:/home/cdac$ cd
astha@cdac:~$ sudo chown punjab /home/cdac/hpc
astha@cdac:~$ sudo chown chandigarh /home/cdac/cyber
astha@cdac:~$ sudo chown haryana /home/cdac/ai
astha@cdac:~$ su cdac
Password:
cdac@cdac:/home/astha$ cd
cdac@cdac:~$ ls -l
total 0
-rwxrwxrwx 1 haryana      cdac 0 Aug  5 21:52 ai
-rw-rwxr-x 1 chandigarh  cdac 0 Aug  5 21:52 cyber
-rwxrw-r-x 1 punjab      cdac 0 Aug  5 21:52 hpc
cdac@cdac:~$
```

8. Create a three groups, mohali, zirakpur and panchkula.

```
cdac@cdac:~$ su astha
Password:
astha@cdac:/home/cdac$ cd
astha@cdac:~$ sudo groupadd mohali
astha@cdac:~$ sudo groupadd zirakpur
astha@cdac:~$ sudo groupadd panchkula
astha@cdac:~$
```

9. Change group of HPC file to mohali, CYBER file to zirakpur and AI file to panchkula.

```
astha@cdac:~$ sudo groupadd mohali
astha@cdac:~$ sudo groupadd zirakpur
astha@cdac:~$ sudo groupadd panchkula
astha@cdac:~$ sudo chgrp mohali /home/cdac/hpc
astha@cdac:~$ sudo chgrp cyber /home/cdac/zirakpur
chgrp: invalid group: 'cyber'
astha@cdac:~$ sudo chgrp zirakpur /home/cdac/cyber
astha@cdac:~$ sudo chgrp panchkula /home/cdac/ai
```

```
cdac@cdac:~$ ls -l
total 0
-rwxrwxrwx 1 haryana      panchkula 0 Aug  5 21:52 ai
-rw-rwxr-x 1 chandigarh  zirakpur  0 Aug  5 21:52 cyber
-rwxrw-r-x 1 punjab      mohali      0 Aug  5 21:52 hpc
cdac@cdac:~$
```

10. Try to access file HPC file from mohali user.

```
cdac@cdac:~$ su -mohali
su: invalid option -- 'o'
Try 'su --help' for more information.
cdac@cdac:~$ sudo su mohali
[sudo] password for cdac:
cdac is not in the sudoers file.
cdac@cdac:~$ su astha
Password:
astha@cdac:/home/cdac$ cd
astha@cdac:~$ su /home/cdac/mohali
su: user /home/cdac/mohali does not exist or the user entry does not contain all the required fields
astha@cdac:~$ sudo adduser mohali
fatal: The group 'mohali' already exists.
astha@cdac:~$
```