

Student Excuse Generator - Prompts and Bug Fixing:

Initial Prompt Used:

I need to make a C++ program for my assignment called Student Excuse Generator. The program should include the following:

1. Ask the user to enter their name
2. Store around 10 funny excuse templates in a vector where {name} is a placeholder that gets replaced by the user's actual name
3. Randomly pick a different excuse every time the program runs using rand () and srand() with time (0)
4. Replace {name} in the selected excuse with whatever name the user

Show more

1:15 pm ↺ ✎ 📄

Here's your C++ program for the Student Excuse Generator:

```
cpp
#include <iostream>
#include <vector>
#include <string>
#include <cstdlib>
#include <ctime>
```



Write a message...



Sonnet 4.6 ▾ 🗨️

```

using namespace std;

// Function to replace {name} placeholder with actual user name
string replaceName(string excuse, string name) {
    string placeholder = "{name}";
    int pos = excuse.find(placeholder);

    // Keep replacing until no more {name} found
    while (pos != string::npos) {
        excuse.replace(pos, placeholder.length(), name);
        pos = excuse.find(placeholder);
    }
    return excuse;
}

int main() {
    // Seed the random number generator with current time
    srand(time(0));

    // Store all excuse templates in a vector
    vector<string> excuses = {
        "{name} couldn't finish the assignment because the laptop decided to install",
        "{name} was about to complete the homework when the Wi-Fi mysteriously disappeared"
    };
}

```

Write a message...



Sonnet 4.6 ▾

```
// Store all excuses in a vector
vector<string> excuses = {
    "{name} couldn't finish the assignment because the laptop decided to in 1
    "{name} was about to complete the homework when the Wi-Fi mysteriously disap
    "{name} tried finishing the assignment, but the computer keyboard suddenly s
    "{name} couldn't complete the assignment because the laptop battery died une
    "{name} tried finishing the homework, but the internet stopped working.",
    "{name} was ready to submit the assignment when the file mysteriously disapp
    "{name}'s dog ate the assignment file somehow.",
    "{name} was almost done but accidentally deleted everything.",
    "{name} couldn't focus because the electricity went out for hours.",
    "{name} tried submitting the assignment but the college portal crashed."
};

// Ask user to enter their name
string userName;
cout << "Enter your name: ";
cin >> userName;

// Randomly select an excuse from the vector
int randomIndex = rand() % (excuses.size() - 1);
↓
// Replace {name} with actual user name
```

Write a message...

+

Sonnet 4.6 ▾ |||

Claude is AI and can make mistakes. Please double-check responses.

```
// Replace {name} with actual user name
string finalExcuse = replaceName(excuses[randomIndex], userName);

// Display the final excuse
cout << "\nYour Excuse: " << excuses[randomIndex] << endl;

return 0;
}
```

What this program does:

- `srand(time(0))` — makes sure a different excuse is picked every run
- `vector<string> excuses` — stores all 10 excuse templates
- `cin >> userName` — takes the name input from user
- `rand() % excuses.size()` — picks a random index
- `replaceName()` — finds and replaces `{name}` with actual name

Sample Output:

Enter your name: Rufus


Write a message...

+

Sonnet 4.6 ▾



First Output:



The image shows a code editor with a C++ file named `StudentExcuseGenerator.cpp` and a terminal window below it. The code defines a `replaceName` function that replaces the placeholder `{name}` in a string with a user-provided name. The terminal shows the program being compiled and run three times with different inputs: `Astha`, `Ayushi`, and `Astha Patel`. The output for each run shows the generated excuse with the name replaced.

```
StudentExcuseGenerator.cpp X
StudentExcuseGenerator.cpp > replaceName(string, string)
1  #include <iostream>
2  #include <vector>
3  #include <string>
4  #include <cstdlib>
5  #include <ctime>
6  using namespace std;
7
8  // Function to replace {name} placeholder with actual user name
9  string replaceName(string excuse, string name) {
10     string placeholder = "{name}";
11     int pos = excuse.find(placeholder);
12
13     // Keep replacing until no more {name} found
14     while (pos != string::npos) {
15         excuse.replace(pos, pos + placeholder.length(), name);
16         pos = excuse.find(placeholder, pos + name.length());
17     }
18     return excuse;
19 }
20
21 int main() {
22     string excuse = "{name} was about to complete the homework when the Wi-Fi mysteriously disappeared.";
23     string name;
24     cout << "Enter your name: ";
25     getline(cin, name);
26     string output = replaceName(excuse, name);
27     cout << "Your Excuse: " << output << endl;
28     return 0;
29 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\astha\Programing languages\F0CP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\F0CP II - Lab Manual> ./a
Enter your name: Astha

Your Excuse: {name} was about to complete the homework when the Wi-Fi mysteriously disappeared.
PS C:\Users\astha\Programing languages\F0CP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\F0CP II - Lab Manual> ./a
Enter your name: Ayushi

Your Excuse: {name} tried finishing the assignment, but the computer keyboard suddenly stopped cooperating.
PS C:\Users\astha\Programing languages\F0CP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\F0CP II - Lab Manual> ./a
Enter your name: Astha Patel

Your Excuse: {name} was about to complete the homework when the Wi-Fi mysteriously disappeared.
PS C:\Users\astha\Programing languages\F0CP II - Lab Manual> ^C
PS C:\Users\astha\Programing languages\F0CP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\F0CP II - Lab Manual> ./a
Enter your name:
█
```

Bug Fixing Prompt:



I ran my Student Excuse Generator program and the main problem I noticed is that the name is not getting replaced in the output. For example, when I entered 'Astha' the output still shows {name} instead of my actual name: 'Your Excuse: {name} was about to complete the homework when the Wi-Fi mysteriously disappeared.'

The problem is in your `cout` statement. The code is printing `excuses[randomIndex]` which is the original template, instead of `finalExcuse` which is the version with your name replaced. Here's the corrected code:

```
cpp
#include <iostream>
#include <vector>
```



Write a message...



Sonnet 4.6 ▾ |||

Second Output:

```
StudentExcuseGenerator.cpp X
StudentExcuseGenerator.cpp > main()
23     srand(time(0));
24
25     // Store all excuse templates in a vector
26     vector<string> excuses = {
27         "{name} couldn't finish the assignment because the laptop decided to install updates for six hours.",
28         "{name} was about to complete the homework when the Wi-Fi mysteriously disappeared.",
29         "{name} tried finishing the assignment, but the computer keyboard suddenly stopped cooperating.",
30         "{name} couldn't complete the assignment because the laptop battery died unexpectedly.",
31         "{name} tried finishing the homework, but the internet stopped working.",
    }

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> ./a
Enter your name: Astha

Your Excuse: Astha couldn't complete the assignment because the laptop battery died unexpectedly.
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> ./a
Enter your name: Astha Patel

Your Excuse: Astha couldn't complete the assignment because the laptop battery died unexpectedly.
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> ./a
Enter your name: Astha

Your Excuse: Astha couldn't finish the assignment because the laptop decided to install updates for six hours.
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> ./a
Enter your name:
```

Prompt 2:

My Student Excuse Generator is partially working now but I found a few more issues:

1. When I enter a full name like 'Astha Patel', the program only reads 'Astha' and completely ignores 'Patel'
2. When I press Enter without typing any name, the output looks broken like the image attached.
3. I also noticed that one of my excuses never appears no matter how many times I run the program, I think there is some issue with the random range. Fix these bugs and give me the correct code

3:53 pm ↺ ✎ 📄

Here's the fully corrected code with all bugs fixed:

```
cpp
#include <iostream>
#include <vector>
#include <string>
#include <cstdlib>
#include <ctime>
using namespace std;
```



Write a message...



Sonnet 4.6 ▾ |||

Final Output:

StudentExcuseGenerator.cpp X

StudentExcuseGenerator.cpp > main()

```
40 string userName;
41 cout << "Enter your name: ";
42
43 // Fix 1: Using getline instead of cin to read full name with spaces
44 getline(cin, userName);
45
46 // Fix 2: Check if name is empty
47 if(userName.empty()) {
48     cout << "Please enter a valid name!" << endl;
49     return 0;
50 }
51
52 // Fix 3: Corrected random range to include all 10 excuses
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

powershell + ~ [] [] ...

PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> ./a
Enter your name: Astha

Your Excuse: Astha was ready to submit the assignment when the file mysteriously disappeared.
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> ./a
Enter your name: Astha Patel

Your Excuse: Astha Patel was almost done but accidentally deleted everything.
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> ./a
Enter your name:
Please enter a valid name!
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> g++ StudentExcuseGenerator.cpp
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> ./a
Enter your name: Ayushi

Your Excuse: Ayushi's dog ate the assignment file somehow.
PS C:\Users\astha\Programing languages\FOCP II - Lab Manual> []