
1. Model





```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Supplier extends Model
{
    // The original PHP table may not have created_at / updated_at columns.
    public $timestamps = false;

    protected $fillable = [
        'supplier_name',
        'supply_type',
        'contact_person',
        'vendor_address',
    ];
}
```




```php
<?php

namespace App\Models;


// use Illuminate\Contracts\Auth\MustVerifyEmail;
use Database\Factories\UserFactory;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;

class User extends Authenticatable
{
    /** @use HasFactory<UserFactory> */
    use HasFactory, Notifiable;


    /**
     * The attributes that are mass assignable.
     *
     * @var list<string>
     */
    protected $fillable = [
        'name',
        'email',
        'password',
    ];


    /**
     * The attributes that should be hidden for serialization.
     *
     * @var list<string>
     */
    protected $hidden = [
        'password',
        'remember_token',
    ];


    /**
```


File Edit Selection View Go Run Terminal Help
SupplierRaw2026-project
Update
Explorer
SupplierRaw...
app
Http\Controllers
AuthController.php
Controller.php
SupplierController.php
Models
Supplier.php
User.php
Providers
bootstrap
config
database
factories
migrations
seeders
.gitignore
public
resources
css
js
views
auth
suppliers
welcome.blade.php
routes
storage
tests
vendor
Outline
Timeline
datadisplay.php
web.php
DatabaseSeeder.php
Supplier.php
User.php
SupplierController.php
app > Models > User.php
12 {
37 /**
38 * Get the attributes that should be cast.
39 *
40 * @return array<string, string>
41 */
42 protected function casts(): array
43 {
44 return [
45 'email_verified_at' => 'datetime',
46 'password' => 'hashed',
47];
48 }
49 }
50
Chat
Sessions
Tip: Try the Plan agent to research and plan before implementing changes.
User.php
Describe what to build
Agent
Local
Ln 1, Col 1
Spaces: 4
UTF-8
LF
{ } PHP
Search
8:34 AM
10/26/2026

2. View


File Edit Selection View Go Run Terminal Help
SupplierRaw2026-project
Update
Explorer
datadisplay.php
web.php
DatabaseSeeder.php
Supplier.php
welcome.blade.php
SupplierController.php
resources > views > welcome.blade.php
Chat
Sessions
Tip: Try the Plan agent to research and plan before implementing changes.
Describe what to build
Agent
Local
Ln 1, Col 1
Spaces: 4
UTF-8
LF
PHP
Search
8:34 AM
10/26/2026



File Edit Selection View Go Run Terminal Help
SupplierRaw2026-project
Update
Explorer
datadisplay.php
web.php
DatabaseSeeder.php
Supplier.php
welcome.blade.php
SupplierController.php
resources > views > welcome.blade.php
Chat
Sessions
Tip: Try the Plan agent to research and plan before implementing changes.
Describe what to build
Agent
Local
Ln 1, Col 1
Spaces: 4
UTF-8
LF
PHP
Search
8:34 AM
10/26/2026


File Edit Selection View Go Run Terminal Help
SupplierRaw2026-project
Update
Explorer
SupplierRaw...
app
Http\Controllers
AuthController.php
Controller.php
SupplierController.php
Models
Supplier.php
User.php
Providers
bootstrap
config
database
factories
migrations
seeders
.gitignore
public
resources
css
js
views
auth
suppliers
welcome.blade.php
routes
storage
tests
vendor
Outline
Timeline
datadisplay.php
web.php
DatabaseSeeder.php
Supplier.php
welcome.blade.php
SupplierController.php
resources > views > welcome.blade.php
<html lang="{{ str_replace('_', '-', app()->getLocale()) }}">
<body class="bg-[#FDFDFC] dark:bg-[#0a0a0a] text-[#1b1b18] flex p-6 lg:p-8 items-center lg:justify-center min-
<div class="flex items-center justify-center w-full transition-opacity opacity-100 duration-750 lg:grow st
<main class="flex max-w-[335px] w-full flex-col-reverse lg:max-w-4xl lg:flex-row">
<div class="text-[13px] leading-[20px] flex-1 p-6 pb-12 lg:p-20 bg-white dark:bg-[#161615] dark:te
width="10"
height="11"
viewBox="0 0 10 11"
fill="none"
xmlns="http://www.w3.org/2000/svg"
class="w-2.5 h-2.5"
<path
d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5 3.00001"
stroke="currentColor"
stroke-linecap="square"
</svg>

<li class="flex items-center gap-4 py-2 relative before:border-l before:border-[#e3e3e0] d

<span class="flex items-center justify-center rounded-full bg-[#FDFDFC] dark:bg-[


Watch video tutorials at
<a href="https://laracasts.com" target="_blank" class="inline-flex items-center sp
Laracasts
<svg
width="10"
height="11"
viewBox="0 0 10 11"
fill="none"
Chat
Sessions
Tip: Try the Plan agent to research and plan before implementing changes.
welcome.blade.php
Describe what to build
Agent
Local
Ln 1, Col 1
Spaces: 4
UTF-8
LF
{ } PHP
Search
8:34 AM
10/26/2026



File Edit Selection View Go Run Terminal Help
SupplierRaw2026-project
Update
Explorer
SupplierRaw...
app
Http\Controllers
AuthController.php
Controller.php
SupplierController.php
Models
Supplier.php
User.php
Providers
bootstrap
config
database
factories
migrations
seeders
.gitignore
public
resources
css
js
views
auth
suppliers
welcome.blade.php
routes
storage
tests
vendor
Outline
Timeline
datadisplay.php
web.php
DatabaseSeeder.php
Supplier.php
welcome.blade.php
SupplierController.php
resources > views > welcome.blade.php
<html lang="{{ str_replace('_', '-', app()->getLocale()) }}">
<body class="bg-[#FDFDFC] dark:bg-[#0a0a0a] text-[#1b1b18] flex p-6 lg:p-8 items-center lg:justify-center min-
<div class="flex items-center justify-center w-full transition-opacity opacity-100 duration-750 lg:grow st
<main class="flex max-w-[335px] w-full flex-col-reverse lg:max-w-4xl lg:flex-row">
<div class="text-[13px] leading-[20px] flex-1 p-6 pb-12 lg:p-20 bg-white dark:bg-[#161615] dark:te
class="w-2.5 h-2.5"
<path
d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5 3.00001"
stroke="currentColor"
stroke-linecap="square"
</svg>


<ul class="flex gap-3 text-sm leading-normal">


<a href="https://cloud.laravel.com" target="_blank" class="inline-block dark:bg-[#eeee
Deploy now

<div class="bg-[#fff2f2] dark:bg-[#1D0002] relative lg:-ml-px -mb-px lg:mb-0 rounded-t-lg lg:round
{{-- Laravel Logo --}}
<svg class="w-full text-[#F53003] dark:text-[#F61500] transition-all translate-y-0 opacity-100
<path d="M17.2036 -3H0V102.197H49.5189V86.7187H17.2036V-3Z" fill="currentColor" />
<path d="M110.256 41.6337C108.061 38.1275 104.945 35.3731 100.905 33.3681C96.8667 31.3647
<path d="M242.805 41.6337C240.611 38.1275 237.494 35.3731 233.455 33.3681C229.416 31.3647
<path d="M438 -3H421.694V102.197H438V-3Z" fill="currentColor" />
<path d="M139.43 102.197H155.735V48.2834H183.712V32.1665H139.43V102.197Z" fill="currentCol
<path d="M324.49 32.1665L303.995 85.794L283.498 32.1665H266.983L293.748 102.197H314.242L34
<path d="M376.571 30.3656C356.603 30.3656 340.797 46.8497 340.797 67.1828C340.797 89.6597
</svg>
Chat
Sessions
Tip: Try the Plan agent to research and plan before implementing changes.
welcome.blade.php
Describe what to build
Agent
Local
Ln 1, Col 1
Spaces: 4
UTF-8
LF
{ } PHP
Search
8:35 AM
10/26/2026



File Edit Selection View Go Run Terminal Help
SupplierRaw2026-project
Update
Explorer
SupplierRaw...
app
Http\Controllers
AuthController.php
Controller.php
SupplierController.php
Models
Supplier.php
User.php
Providers
bootstrap
config
database
factories
migrations
seeders
.gitignore
public
resources
css
js
views
auth
suppliers
welcome.blade.php
routes
storage
tests
vendor
Outline
Timeline
datadisplay.php
web.php
DatabaseSeeder.php
Supplier.php
welcome.blade.php
SupplierController.php
resources > views > welcome.blade.php
Chat
Sessions
Tip: Try the Plan agent to research and plan before implementing changes.
welcome.blade.php
Describe what to build
Agent
Local
Ln 1, Col 1
Spaces: 4
UTF-8
LF
{ } PHP
Search
8:35 AM
10/26/2026


File Edit Selection View Go Run Terminal Help
SupplierRaw2026-project
Update
Explorer
SupplierRaw...
app
Http\Controllers
AuthController.php
Controller.php
SupplierController.php
Models
Supplier.php
User.php
Providers
bootstrap
config
database
factories
migrations
seeders
.gitignore
public
resources
css
js
views
auth
suppliers
welcome.blade.php
routes
storage
tests
vendor
Outline
Timeline
datadisplay.php
web.php
DatabaseSeeder.php
Supplier.php
welcome.blade.php
SupplierController.php
resources > views > welcome.blade.php
Chat
Sessions
Tip: Try the Plan agent to research and plan before implementing changes.
welcome.blade.php
Describe what to build
Agent
Local
Ln 1, Col 1
Spaces: 4
UTF-8
LF
{ } PHP
Search
8:35 AM
10/26/2026


File Edit Selection View Go Run Terminal Help
SupplierRaw2026-project
Update
Explorer
SupplierRaw...
app
Http\Controllers
AuthController.php
Controller.php
SupplierController.php
Models
Supplier.php
User.php
Providers
bootstrap
config
database
factories
migrations
seeders
.gitignore
public
resources
css
js
views
auth
suppliers
welcome.blade.php
routes
storage
tests
vendor
Outline
Timeline
datadisplay.php
web.php
DatabaseSeeder.php
Supplier.php
welcome.blade.php
SupplierController.php
resources > views > welcome.blade.php
Chat
Sessions
Tip: Try the Plan agent to research and plan before implementing changes.
welcome.blade.php
Describe what to build
Agent
Local
Ln 1, Col 1
Spaces: 4
UTF-8
LF
{ } PHP
Search
8:35 AM
10/26/2026


File Edit Selection View Go Run Terminal Help
SupplierRaw2026-project
Update
Explorer
SupplierRaw...
app
Http\Controllers
AuthController.php
Controller.php
SupplierController.php
Models
Supplier.php
User.php
Providers
bootstrap
config
database
factories
migrations
seeders
.gitignore
public
resources
css
js
views
auth
suppliers
welcome.blade.php
routes
storage
tests
vendor
Outline
Timeline
datadisplay.php
web.php
DatabaseSeeder.php
Supplier.php
welcome.blade.php
SupplierController.php
resources > views > welcome.blade.php
Chat
Sessions
Tip: Try the Plan agent to research and plan before implementing changes.
welcome.blade.php
Describe what to build
Agent
Local
Ln 1, Col 1
Spaces: 4
UTF-8
LF
{ } PHP
Search
8:35 AM
10/26/2026

3.Controller



```php
<?php

namespace App\Http\Controllers;

use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Illuminate\View\View;

class AuthController extends Controller
{
    public function showLogin(): View
    {
        return view('auth.login');
    }


    public function login(Request $request): RedirectResponse
    {
        $credentials = $request->validate([
            'email' => ['required', 'email'],
            'password' => ['required', 'string'],
        ]);

        if (! Auth::attempt($credentials, $request->boolean('remember'))) {
            return back()->withErrors(['email' => 'Email atau password tidak cocok.'])->onlyInput('email');
        }

        $request->session()->regenerate();

        return redirect()->intended(route('suppliers.index'));
    }

    public function logout(Request $request): RedirectResponse
    {
        Auth::logout();
        $request->session()->invalidate();
        $request->session()->regenerateToken();
```



```php
<?php

namespace App\Http\Controllers;

use App\Models\Supplier;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\View\View;


class SupplierController extends Controller
{
    public function index(): View
    {
        return view('suppliers.index', [
            'suppliers' => Supplier::orderByDesc('id')->get(),
        ]);
    }

    public function create(): View
    {
        return view('suppliers.form');
    }

    public function store(Request $request): RedirectResponse
    {
        $validated = $request->validate([
            'supplier_name' => ['required', 'string', 'max:150'],
            'supply_type' => ['required', 'string', 'max:100'],
            'contact_person' => ['required', 'string', 'max:100'],
            'vendor_address' => ['required', 'string'],
        ]);

        Supplier::create($validated);

        return redirect()->route('suppliers.index')->with('success', 'Supplier berhasil disimpan.');
    }
```


File Edit Selection View Go Run Terminal Help
SupplierRaw2026-project
Update
Explorer
datadisplay.php
web.php
DatabaseSeeder.php
Supplier.php
Controller.php
SupplierController.php
app > Http > Controllers > SupplierController.php
Chat
Sessions
SupplierRaw...
app
Http \ Controllers
AuthController.php
Controller.php
SupplierController.php
Models
Supplier.php
User.php
Providers
bootstrap
config
database
factories
migrations
seeders
.gitignore
public
resources
css
js
views
auth
suppliers
welcome.blade.php
routes
storage
tests
vendor
Outline
Timeline
11 {
23
24 public function store(Request $request): RedirectResponse
25 {
26 $validated = $request->validate([
27 'supplier_name' => ['required', 'string', 'max:150'],
28 'supply_type' => ['required', 'string', 'max:100'],
29 'contact_person' => ['required', 'string', 'max:100'],
30 'vendor_address' => ['required', 'string'],
31]);
32
33 Supplier::create($validated);
34
35 return redirect()->route('suppliers.index')->with('success', 'Supplier berhasil disimpan.');
36 }
37
38 public function destroy(Supplier $supplier): RedirectResponse
39 {
40 $supplier->delete();
41
42 return redirect()->route('suppliers.index')->with('success', 'Supplier berhasil dihapus.');
43 }
44 }
45
Tip: Try the Plan agent to research and plan before implementing changes.
SupplierController.php
Describe what to build
Agent
Local
Ln 4, Col 1
Spaces: 4
UTF-8
LF
{ } PHP
Search
8:36 AM
10/26/2026