

Base endpoint

The integration uses two distinct URLs: one to obtain the access token and another one for all the API resources.

Environment	Purpose	URL
Sandbox (CAT)	Authentication	<code>https://cat.api.firstdata.com/sba/token</code>
Sandbox (CAT)	API requests	<code>https://cat.api.firstdata.com/bwa/fiserv-capital-api/parceiro</code>
Production	Authentication	<code>https://prod.api.firstdata.com/sba/token</code>
Production	API requests	<code>https://prod.firstdata.com/bwa/fiserv-capital-api/parceiro</code>

- The **authentication URL** is used exclusively to obtain the access token and is the only endpoint that does not require the authentication headers.
- The **API requests URL** is the root for all the API resources. Every path documented below is relative to it.

For example, GET `/clover-capital/loan-requests/{document}` must be called as:

```
https://cat.api.firstdata.com/bwa/fiserv-capital-api/parceiro/clover-capital/loan-requests/{document}
```

Ensure that all requests are properly formatted and authenticated according to this documentation.

Authentication

The API uses **Bearer token + application key**, following the Fiserv Merchant Acquiring LATAM standard.

Every call to a protected endpoint must carry **two headers**:

1. **Authorization** — a Bearer access token obtained from the [Access Token](#) endpoint. It identifies *who* you are.
2. **Api-Key** — the `appKey` received during onboarding. It identifies the application making the call.

A request missing either one, or carrying an invalid one, is rejected with `401 Unauthorized`.

Credentials

During the integration process the partner receives the following credentials. They are delivered by e-mail by the Fiserv representative.

Credential	Description
username	User name used to obtain the access token
password	Password used to obtain the access token
appKey	Public application key, sent in the <code>Api-Key</code> header

Important notice

- The custody of the credentials is the responsibility of the partner.
- Do not share the credentials with anyone who must not have access to them.
- Store the credentials in a dedicated vault. Avoid storing them in the same database consumed by the application.
- The `username`, `password` and `appKey` must never be logged or placed in a URL.
- In case of loss or compromise of the credentials, contact us immediately.

Required headers

The following headers must be present in **every** request to a protected endpoint.

Header	Type	Description	Example
Authorization	string	Bearer access token returned by the token endpoint	Bearer <code>eyJhbGciOiJSUzI1NiIsInR5cCIg0...</code>
Api-Key	string	The <code>appKey</code> received during	<code>X0GW3QG0YFn4r7DHcVC8KuatUnNs6MGB</code>

Header	Type	Description	Example
		onboarding	
Content-Type	string	application/json for requests carrying a body	application/json

Note: no request signature is required. The same `access_token` can be reused until it expires — do not request a new token for every call.

Authenticating a request

Step by step

1. Request an `access_token` from the [Access Token](#) endpoint using the `username` and `password` received during onboarding.
2. Send the token in the `Authorization` header as `Bearer {access_token}`.
3. Send the `appKey` received during onboarding in the `Api-Key` header.
4. Add `Content-Type: application/json` when the request carries a body.
5. Reuse the same token until it expires. When it expires, request a new one and retry.

Full request sample

```
# 1) obtain the access token

ACCESS_TOKEN=$(curl --silent --location
'https://cat.api.firstdata.com/sba/token' \

--header 'Content-Type: application/x-www-form-urlencoded' \

--data-urlencode 'grant_type=password' \

--data-urlencode 'client_id=fiserv-capital' \

--data-urlencode 'username=<your_username>' \

--data-urlencode 'password=<your_password>' | jq -r '.access_token')

# 2) call a protected endpoint
```

```
curl --location 'https://cat.api.firstdata.com/bwa/fiserv-capital-  
api/parceiro/clover-capital/loan-requests/900/simulation' \  
  
--header 'Content-Type: application/json' \  
  
--header "Authorization: Bearer ${ACCESS_TOKEN}" \  
  
--header "Api-Key: ${APP_KEY}" \  
  
--data '{"requested_amount": 50000, "requested_installments": 24}'
```

Troubleshooting

Symptom	Most common cause
401 on every request	Authorization or Api-Key header missing, or Bearer prefix absent from the token.
401 after some time working	The access token expired. Request a new one from the token endpoint.
403	The appKey sent in Api-Key is not authorized for this resource.
404	Wrong base URL or path. Check the Base endpoint table.

Status codes

The API returns standard HTTP status codes. The table below applies to every endpoint; endpoint-specific payloads are documented in each section.

Code	Description	Meaning
200	OK	Request processed successfully
400	Bad Request	Validation error. The request could not be processed due to a problem in the parameters or in the request body
401	Unauthorized	Authentication error. Make sure the Authorization token is valid and not expired and that the Api-Key header was sent
403	Forbidden	The user is not authorized to access this resource

Code	Description	Meaning
404	Not found	The URI is incorrect or the resource was not found
422	Unprocessable Entity	The request is well formed but contains values that violate a business rule
500	Internal Server Error	Unexpected internal error. Contact the support team
502	Bad Gateway	The gateway or proxy received an invalid response from an internal server

Endpoints

#	Endpoint	Method	Path
1	Access Token	POST	/sba/token
2	Create a new loan request	POST	/clover-capital/loan-requests
3	Retrieve loan request	GET	/clover-capital/loan-requests/{document}
4	Simulate loan request	POST	/clover-capital/loan-requests/{loanRequestId}/simulation
5	Confirm loan request	POST	/clover-capital/loan-requests/{loanRequestId}/confirm_simulation
6	Get loan request status	GET	/clover-capital/loan-requests/{loanRequestId}/status
7	Update contact number	PATCH	/clover-capital/loan-requests/{loan_request_id}/change-contact-number

Pre-approved credit limit

When a lead is approved through `POST /clover-capital/loan-requests`, a **pre-approved credit amount** is defined for the customer.

This amount represents the maximum limit available for contracting and, consequently, the maximum value that can be used in the simulations performed through `POST /clover-capital/loan-requests/{loanRequestId}/simulation`.

The pre-approved credit amount can be consulted through `GET /clover-capital/loan-requests/{document}`, where the `amount` field represents the credit available to the customer.

Purpose of `offer_data`

When a customer is approved, the system generates an offer based on the granted pre-approved credit amount. The `offer_data` object returned by the same endpoint contains the details of that offer, including amounts, rates and all other applicable conditions. In other words, it represents a simulation already calculated using the maximum credit amount approved for that customer.

Therefore, when the maximum approved conditions need to be presented to the user, the information can be consumed directly from `offer_data`, without performing a new simulation just to obtain this data.

For integrations that use our callback, the available credit amount is also sent through the `availableCredit` field. See [Webhook - Status Change Notification](#).

Access Token

`POST /sba/token`

This endpoint is used to obtain the **access token** required to authenticate requests to the API. To access it, the partner must provide the `username` and `password` received during the integration process.

The token endpoint is hosted by Fiserv on a dedicated host, separate from the API requests base URL:

Environment	Token URL
Sandbox (CAT)	<code>https://cat.api.firstdata.com/sba/token</code>
Production	Provided by Fiserv during onboarding

The token endpoint is the **only** endpoint that does not require the authentication headers. Upon successful authentication, the API returns an `access_token`, which must be included in the `Authorization` header of all subsequent requests, together with the `Api-Key` header described in the [Authentication](#) section.

Request headers

Header	Value	Required
Content-Type	application/x-www-form-urlencoded	Yes

Request body

The body must be sent as `application/x-www-form-urlencoded`, in the following format:

```
grant_type=password&client_id={client_id}&username={user_name}&password={password}
```

Field	Type	Description	Example	Required
grant_type	string	Always password	password	Yes
client_id	string	Client identifier provided in integration	fiserv-capital	Yes
username	string	Partner user name registered in integration	{user_name}	Yes
password	string	Partner password registered in integration	{password}	Yes

Note: values containing special characters (`@`, `&`, `+`, `#`, ...) must be **URL encoded**. Using `--data-urlencode` in curl, or the equivalent in your HTTP client, handles this automatically.

Request sample

```
curl --location 'https://cat.api.firstdata.com/sba/token' \  
--header 'Content-Type: application/x-www-form-urlencoded' \  
--data-urlencode 'grant_type=password' \  
--data-urlencode 'client_id=fiserv-capital' \  

```

```
--data-urlencode 'username=<your_username>' \
--data-urlencode 'password=<your_password>'
```

Responses

200 OK

When valid credentials are provided, the API returns the access token and a refresh token to be used in the other protected endpoints.

Field	Type	Description
access_token	string	Token to be used in the Authorization header
expires_in	integer	Access token expiration time, in seconds
refresh_expires_in	integer	Refresh token expiration time, in seconds
refresh_token	string	Token used to refresh the authentication
token_type	string	Token type, always bearer
id_token	string	Token identifier
session_state	string	Session status

```
{
  "access_token": "eyJhbGciOiJS [...] swVHg6f8opW1DzuWsilvQ",
  "expires_in": 62208000,
  "refresh_expires_in": 1800,
  "refresh_token": "eyJhbGciOiJS [...] G8LSL7qfJLmLU5908sskw",
  "token_type": "bearer",
  "id_token": "eyJhbGciOiJS [...] 3utG5l7qC0ieC--oLzGQ6w",
  "not-before-policy": 0,
  "session_state": "3a639a9b-2c42-472e-911b-209f9e01e077"
}
```

Store the `access_token` securely and refresh it according to the `expires_in` value. Do not request a new token for every call.

401 Unauthorized

If invalid credentials are provided, the API returns an error indicating that the authentication has failed. In this case, ensure that the `username` and `password` submitted are correct and

match the credentials registered during the integration process.

```
{
  "error": "invalid_grant",
  "error_description": "Invalid user credentials"
}
```

Create a new loan request

```
POST /clover-capital/loan-requests
```

This endpoint is used to create a new loan request. Upon successful creation, the loan is officially registered and processed by the system.

Duplicate prevention & caching logic

To avoid duplicate loan requests, the system implements a caching mechanism:

- If a loan request already exists for the same registration document (CNPJ) and was created within the last 30 days, the existing loan request is returned instead of creating a new one.
- **Update on specific statuses:** when a new loan request is created for an existing cached lead with status `fail_to_contact`, `contact_updated`, `in_progress` or `in_quoting`, the system updates the existing loan request with the new information provided in the request body, instead of returning it unchanged.
- If the existing loan request is older than 30 days, a new loan request is created regardless of its status.

Note: the 30-day interval is configurable and may change based on our business logic. The current configuration value is returned in the response (`duplication_interval_in_days`).

Request body

Field	Type	Description	Required
contact_name	string	Contact name	Yes
contact_email	string	Contact email	No
contact_phone_number	string	Contact phone number	Yes
registration_code	string	Borrower CNPJ number	Yes
revenue	number	Company's average monthly revenue	Yes
requested_amount	number	Requested loan amount	Yes
opt_in	boolean	Indicates customer consent for data processing	No
opt_in_origin	string	Consent source channel	No
opt_in_ip	string	Customer IP address at the time of consent	No*
opt_in_timestamp	string	ISO 8601 timestamp when consent was provided	No*
opt_in_signer_name	string	Name of the person who provided consent	No*
opt_in_phone	string	WhatsApp phone number used to collect consent	No**
opt_in_message_id	string	WhatsApp message ID of the consent interaction	No**
opt_in_consent_text_version	string	Version of the consent text presented to the user	No**
opt_in_consent_text_hash	string	Hash of the consent text presented to the user	No**
opt_in_confirmation_message	string	Confirmation message sent by the customer	No**

* **Opt-in fields:** when `opt_in` is true and `opt_in_origin` is **not** "whatsapp" (or is absent), only `opt_in_ip`, `opt_in_timestamp` and `opt_in_signer_name` are required to create a consent record.

** **WhatsApp opt-in fields:** when `opt_in` is true and `opt_in_origin` is "whatsapp", **all** of the following fields are required: `opt_in_timestamp`, `opt_in_signer_name`, `opt_in_phone`, `opt_in_message_id`, `opt_in_consent_text_version`, `opt_in_consent_text_hash` and `opt_in_confirmation_message`.

In both cases, if any required field is missing, the consent record is **not** created. When `opt_in` is `false` or not provided, all opt-in fields are ignored.

Responses

200 OK

Proposal successfully registered.

Field	Type	Description
<code>loan_request_id</code>	<code>integer</code>	Unique identifier of the created (or cached) loan request, used by the other endpoints
<code>message</code>	<code>string</code>	Result message of the operation
<code>created_at</code>	<code>string</code>	Timestamp of when the loan request was created (YYYY-MM-DD HH:MM:SS)
<code>duplication_interval_in_days</code>	<code>integer</code>	Current duplicate prevention window, in days

```
{
  "loan_request_id": 123,
  "message": "Lead registered successfully",
  "created_at": "2026-01-27 17:45:17",
  "duplication_interval_in_days": 30
}
```

401 Unauthorized

The `Authorization` header is missing, or the access token is invalid or expired. Request a new token from the [Access Token](#) endpoint and retry, making sure the `Api-Key` header is also present.

```
{
  "error": "unauthenticated"
}
```

500 Internal Server Error

An unexpected internal error has occurred. Please contact the system administrator or the support team for further assistance.

```
{
  "errors": {
    "detail": "Internal Server Error"
  }
}
```

Retrieve loan request

```
GET /clover-capital/loan-requests/{document}
```

Retrieves the details of an existing loan request by providing the borrower's CNPJ (Brazilian National Registry of Legal Entities) number. This endpoint allows partners to query information related to a previously submitted loan request, using the CNPJ as a unique identifier.

URL parameters

Field	Description
document	Borrower CNPJ number

Responses

200 OK

If the loan request exists in our database, the API returns a JSON response containing the data associated with it. The response also includes a unique `loan_request_id`, which can be used with the other endpoints to check the status, simulate conditions or confirm a loan request.

Note: the `offer_data` field contains detailed loan simulation information and is only populated for loan requests in eligible stages. When the status is `in_progress`, `denied`,

cancelled, fails_to_process or lost, offer_data returns an empty object ({}) for security and business policy reasons.

Note: the `trackings` array provides an audit trail of the credit proposal lifecycle, capturing each status change and its corresponding timestamp. See the [Tracking Status Table](#) in the schemas section.

Field	Type	Description
amount	number	Pre-approved credit amount available to the customer and maximum value accepted in a simulation
installments	integer	Number of installments of the generated offer
loan_request_id	integer	Unique identifier of the loan request, used by the other endpoints
status	string	Internal status. See the Loan request status table
external_status	string	Customer-facing status. See the Loan request external status table
trackings	array	Audit trail of the proposal lifecycle
trackings[].status	string	Tracking status. See the Tracking Status Table
trackings[].date	string	Timestamp of the status change (YYYY-MM-DD HH:MM:SS.mmm)
offer_data	object	Offer already calculated with the pre-approved credit amount. Empty object ({}) for non-eligible statuses

Fields of `offer_data` :

Field	Type	Description
offer_data.PercCETAnual	number	Annual total effective cost (CET), in percent
offer_data.PercCETMensual	number	Monthly total effective cost (CET), in percent
offer_data.PercJurosAnual	number	Annual interest rate, in percent
offer_data.PercJurosMensual	number	Monthly interest rate, in percent
offer_data.VlrIOF	number	IOF tax amount
offer_data.VlrParcela	number	Installment amount
offer_data.VlrTAC	number	Credit analysis fee (TAC)
offer_data.VlrTotalCredito	number	Total credit amount granted

Field	Type	Description
offer_data.VlrTotalDivida	number	Total debt amount to be paid

```
{
  "amount": 100402.32,
  "installments": 24,
  "loan_request_id": 900,
  "status": "approved",
  "external_status": "Pré-aprovado",
  "trackings": [
    {
      "status": "Pré-aprovado",
      "date": "2026-01-22 15:01:36.000"
    },
    {
      "status": "Proposta",
      "date": "2026-01-23 15:01:36.000"
    },
    {
      "status": "Assinatura",
      "date": "2026-01-23 15:01:36.000"
    },
    {
      "status": "Dinheiro na conta!",
      "date": "2026-01-26 15:01:36.000"
    }
  ],
  "offer_data": {
    "PercCETAnual": 79.61,
    "PercCETMensal": 5,
    "PercJurosAnual": 74.12,
    "PercJurosMensal": 4.73,
    "VlrIOF": 2819.25,
    "VlrParcela": 7643.15,
    "VlrTAC": 20,
    "VlrTotalCredito": 103241.57,
    "VlrTotalDivida": 183435.6
  }
}
```

401 Unauthorized

The `Authorization` header is missing, or the access token is invalid or expired. Request a new token from the [Access Token](#) endpoint and retry, making sure the `Api-Key` header is also present.

```
{
  "error": "unauthenticated"
}
```

404 Not Found

The provided identifier was not found in our database. This may occur for one of the following reasons:

- The loan request has been deleted or is no longer available.
- An incorrect or invalid identifier was provided.

Please verify the identifier and try again.

```
{
  "errors": {
    "detail": "Loan request not found"
  }
}
```

500 Internal Server Error

An unexpected internal error has occurred. Please contact the system administrator or the support team for further assistance.

```
{
  "errors": {
    "detail": "Internal Server Error"
  }
}
```

Simulate loan request

```
POST /clover-capital/loan-requests/{loanRequestId}/simulation
```

Simulates a funding request based on the specified amount and number of installments. This endpoint is used for simulation purposes only — no actual funding is requested or processed.

URL parameters

Field	Description
loanRequestId	ID of the loan request returned by the consult route

Request body

Field	Type	Description	Example	Required
requested_amount	number	Requested amount. Cannot exceed the pre-approved credit amount (amount) of the loan request	100402.32	Yes
requested_installments	integer	Number of installments	24	Yes

Responses

200 OK

The API returns a JSON response containing simulation data based on the provided conditions for an existing loan request.

Field	Type	Description
loan_request_id	integer	Unique identifier of the simulated loan request
requested_amount	number	Amount used in the simulation
requested_installments	integer	Number of installments used in the simulation

Field	Type	Description
simulation_data	object	Conditions calculated for the requested values
simulation_data.PercCETAnual	number	Annual total effective cost (CET), in percent
simulation_data.PercCETMensal	number	Monthly total effective cost (CET), in percent
simulation_data.PercJurosAnual	number	Annual interest rate, in percent
simulation_data.PercJurosMensal	number	Monthly interest rate, in percent
simulation_data.VlrIOF	number	IOF tax amount
simulation_data.VlrParcela	number	Installment amount
simulation_data.VlrTAC	number	Credit analysis fee (TAC)
simulation_data.VlrTotalCredito	number	Total credit amount granted
simulation_data.VlrTotalDivida	number	Total debt amount to be paid

```
{
  "loan_request_id": 900,
  "requested_amount": 100402.32,
  "requested_installments": 24,
  "simulation_data": {
    "PercCETAnual": 79.61,
    "PercCETMensal": 5,
    "PercJurosAnual": 74.12,
    "PercJurosMensal": 4.73,
    "VlrIOF": 2819.25,
    "VlrParcela": 7643.15,
    "VlrTAC": 20,
    "VlrTotalCredito": 103241.57,
    "VlrTotalDivida": 183435.6
  }
}
```

401 Unauthorized

The `Authorization` header is missing, or the access token is invalid or expired. Request a new token from the [Access Token](#) endpoint and retry, making sure the `Api-Key` header is also present.

```
{
  "error": "unauthenticated"
}
```

404 Not Found

The provided `loanRequestId` was not found in our database. This may occur for one of the following reasons:

- The loan request has been deleted or is no longer available.
- An incorrect or invalid identifier was provided.

Please verify the identifier and try again.

```
{
  "errors": {
    "detail": "Loan request not found"
  }
}
```

422 Unprocessable Entity

Returned when the requested amount or the number of installments does not meet the minimum and maximum limits allowed by the system for this loan request.

Invalid amount

```
{
  "errors": {
    "detail": "Invalid requested limit"
  }
}
```

Invalid number of installments

```
{
```

```
"errors": {  
  "detail": "Invalid requested duration"  
}
```

500 Internal Server Error

An unexpected internal error has occurred. Please contact the system administrator or the support team for further assistance.

```
{  
  "errors": {  
    "detail": "Internal Server Error"  
  }  
}
```

Confirm loan request

```
POST /clover-capital/loan-requests/{loanRequestId}/confirm_simulation
```

This endpoint **confirms** a previously simulated loan request. It finalizes the funding process for a loan request that has already been created and simulated.

To confirm a loan, a valid `loanRequestId` must be provided, referencing an existing loan request that has successfully passed through the previous steps. Upon successful confirmation, the loan is officially registered and processed by the system.

URL parameters

Field	Description
<code>loanRequestId</code>	ID of the loan request returned by the consult route

Request body

Field	Type	Description	Example	Require
contact_name	string	Contact name	João Silva	Yes
contact_email	string	Contact email	example_user@gmail.com	Yes
contact_phone_number	string	Contact phone number	11996937265	Yes
installments	integer	Number of requested installments	12	Yes
requested_amount	number	Requested amount. Cannot exceed the pre-approved credit amount (amount) of the loan request	1500.42	Yes

Responses

200 OK

Loan request successfully confirmed. No content is returned in the response body.

401 Unauthorized

The `Authorization` header is missing, or the access token is invalid or expired. Request a new token from the [Access Token](#) endpoint and retry, making sure the `Api-Key` header is also present.

```
{
  "error": "unauthenticated"
}
```

404 Not Found

The provided `loanRequestId` was not found in our database. This may occur for one of the following reasons:

- The loan request has been deleted or is no longer available.
- An incorrect or invalid identifier was provided.

Please verify the identifier and try again.

```
{
  "errors": {
    "detail": "Loan request not found"
  }
}
```

422 Unprocessable Entity

Returned when the requested amount or the number of installments does not meet the minimum and maximum limits allowed by the system for this loan request.

Invalid amount

```
{
  "errors": {
    "detail": "Invalid requested limit"
  }
}
```

Invalid number of installments

```
{
  "errors": {
    "detail": "Invalid requested duration"
  }
}
```

500 Internal Server Error

An unexpected internal error has occurred. Please contact the system administrator or the support team for further assistance.

```
{
  "errors": {
    "detail": "Internal Server Error"
  }
}
```

Get loan request status

```
GET /clover-capital/loan-requests/{loanRequestId}/status
```

Retrieves the current status of a loan request.

URL parameters

Field	Description
loanRequestId	ID of the loan request returned by the consult route

Responses

200 OK

The API returns a JSON containing the `loan_request_id` and a `status` field that represents the current state of the loan request.

Field	Type	Description
external_status	string	Customer-facing status. See the Loan request external status table
loan_request_id	integer	Unique identifier of the loan request
status	string	Internal status. See the Loan request status table

```
{
  "external_status": "Pré-aprovado",
  "loan_request_id": 1,
  "status": "approved"
}
```

401 Unauthorized

The `Authorization` header is missing, or the access token is invalid or expired. Request a new token from the [Access Token](#) endpoint and retry, making sure the `Api-Key` header is also present.

```
{
  "error": "unauthenticated"
}
```

404 Not Found

The provided `loanRequestId` was not found in our database. This may occur for one of the following reasons:

- The loan request has been deleted or is no longer available.
- An incorrect or invalid identifier was provided.

Please verify the identifier and try again.

```
{
  "errors": {
    "detail": "Loan request not found"
  }
}
```

500 Internal Server Error

An unexpected internal error has occurred. Please contact the system administrator or the support team for further assistance.

```
{
  "errors": {
    "detail": "Internal Server Error"
  }
}
```

Update contact number

```
PATCH /clover-capital/loan-requests/{loan_request_id}/change-contact-
number
```

Updates the contact phone number of a loan request that failed the initial contact attempts. When successful, the loan request status is rolled back from `fail_to_contact` to `contact_request_sent`, triggering a new contact attempt within the next 24 hours. This operation is only permitted when the current status is `fail_to_contact`.

URL parameters

Field	Description
<code>loan_request_id</code>	Unique identifier of the lead

Request body

Field	Type	Description	Required
<code>contact_phone_number</code>	string	New contact phone number to be used in the lead process	Yes
<code>contact_name</code>	string	New contact name to be used in the lead process	No

Responses

200 OK

Contact number successfully updated.

Field	Type	Description
message	string	Result message of the operation

```
{
  "message": "Contact for this lead was updated."
}
```

400 Bad Request

The request body is invalid.

```
{
  "errors": {
    "detail": "Bad Request"
  }
}
```

The lead cannot be updated in its current status. This operation is only allowed when the status is `fail_to_contact`.

```
{
  "errors": {
    "detail": "Cannot update lead contact information. Current status: 'in_progress'. This operation is only allowed when status is 'fail_to_contact'."
  }
}
```

401 Unauthorized

The `Authorization` header is missing, or the access token is invalid or expired. Request a new token from the [Access Token](#) endpoint and retry, making sure the `Api-Key` header is

also present.

```
{
  "error": "unauthenticated"
}
```

404 Not Found

The provided lead id was not found.

```
{
  "errors": {
    "detail": "Lead not found"
  }
}
```

422 Unprocessable Entity

The `contact_phone_number` is invalid. The accepted format is a string with 11 numeric digits.

```
{
  "errors": {
    "contact_phone_number": [
      "Phone fields should be only numbers and contain 11 digits."
    ]
  }
}
```

500 Internal Server Error

An unexpected internal error has occurred. Please contact the system administrator or the support team for further assistance.

```
{
  "errors": {
```

```
    "detail": "Internal Server Error"
  }
}
```

Webhook - Status Change Notification

Whenever the status of a loan request changes, the system automatically sends a **webhook notification** to the partner's registered endpoint via an HTTP `POST` request.

This allows partners to receive **real-time updates** about the lifecycle of their loan requests, without the need to poll the API.

Configuration

During the integration process, the partner must provide a **webhook URL** where notifications will be delivered. This URL is registered internally and associated with the partner's account.

Request body (sent by our API)

The webhook payload varies depending on the current status of the loan request.

Eligible statuses (`approved`, `comite_approved`, `formalization`, `won`):

```
{
  "id": 900,
  "status": "approved",
  "details": null,
  "rating": "B2",
  "availableCredit": 100402.32,
  "loanTerm": 24,
  "loanTax": 4.73,
  "created_at": "2026-01-22T15:01:36"
}
```

Non-eligible statuses (`denied`, `lost`, `in_progress`, etc.):

```
{
  "id": 900,
  "status": "denied",
}
```

```
"details": "Credit policy restriction",
"rating": null,
"offerUrl": null,
"availableCredit": null,
"loanTerm": null,
"loanTax": null,
"created_at": "2026-01-22T15:01:36"
}
```

Webhook body fields

Field	Type	Description
id	integer	Unique identifier of the loan request
status	string	Current status of the loan request. See the Loan request status table
details	string or null	Additional details about the status change. Populated for denied/lost statuses, null otherwise
rating	string or null	Credit rating assigned to the loan request. Only available for eligible statuses
availableCredit	number or null	Pre-approved credit amount available to the customer. Only available for eligible statuses
loanTerm	integer or null	Loan term, in months. Only available for eligible statuses
loanTax	number or null	Monthly interest rate. Only available for eligible statuses
created_at	string	Timestamp of when the loan request was created

Expected response

The partner's webhook endpoint should return an HTTP `2xx` status code to acknowledge receipt of the notification. If the request fails, the system retries up to **3 times** within a 7-day window.

Schemas

Loan request external status table

Status values exposed to the end customer.

Status	Description
Pré-aprovado	The loan has been pre-approved based on initial analysis and is ready to move to the next stage.
Solicitação de contato enviada	The request was sent and is under analysis.
Proposta	The committee has reviewed and approved the loan request.
Assinatura	The loan signature has been requested and is waiting for the signers.
Dinheiro na conta!	The loan was paid.
Não conseguimos contato, verifique seu número e tentaremos novamente	Unable to contact the number registered on the lead.
Tentaremos contato novamente em até 24h	The phone number on the lead has been updated. A new contact attempt will be made within 24 hours.
Proposta cancelada	The loan request has been cancelled and is no longer active.
Analizamos sua solicitação e desta vez não conseguimos aprová-la devido a políticas internas de crédito.	The loan request has been rejected after review.
Ocorreu um erro. Entraremos em contato em até 24hs úteis.	An error occurred, and the loan request could not be processed.
Cliente desistiu da oferta	The opportunity for this loan was lost (e.g., the client opted out or went with another provider).

Tracking Status Table

Status values returned in the `trackings` array of the [Retrieve loan request](#) endpoint.

Status	Description
Pré-aprovado	The loan has been pre-approved based on initial analysis and is ready to move to the next stage.
Proposta	The committee has reviewed and approved the loan request.

Status	Description
Assinatura	The loan signature has been requested and is waiting for the signers.
Dinheiro na conta!	The loan was paid.
Não aprovado	The loan request has been rejected after review.

Loan request status table

Internal status values returned in the `status` field.

Status	Description
in_progress	The loan request is currently being processed.
fails_to_process	An error occurred, and the loan request could not be processed.
fail_to_contact	The loan request is on hold due to failure to contact the customer using the provided contact phone number.
contact_updated	The contact phone number has been updated. A new contact attempt will be made within the next 24 hours.
approved	The loan request has been approved.
in_quoting	The loan request is in the quotation phase.
denied	The loan request has been rejected after review.
comite	The loan request is under review by a credit or decision committee.
comite_approved	The committee has reviewed and approved the loan request.
formalization	The loan is in the formalization phase, awaiting signatures or document processing.
lost	The opportunity for this loan was lost (e.g., the client opted out or went with another provider).
won	The loan request was successful and secured the business.

**API version 2.0.4*