

A further conjecture on OEIS A083178, settled by the proof already in hand

Adrian Perez Fontelles
Independent researcher

15 September 2026

Abstract

OEIS A083178 carries more than one conjecture. One of them has a proof; this paper settles a DIFFERENT one, and it needs no new model and no new engine – only the linear recurrence already established for the sequence. A claim about a C-finite sequence whose own characteristic polynomial is a multiple of the established one is decided by polynomial divisibility, and where the claim is an identity rather than a recurrence, by divisibility together with a finite window of agreement.

2020 Mathematics Subject Classification. 11B37, 05A15.

1 The premise

The entry's first terms are 1, 2, 3, 22, 32, 33, 322, 332, $\dots$, with offset 1. The sequence satisfies

$$a(n) = 11a(n-3) - 10a(n-6),$$

a linear recurrence of order 6 with characteristic polynomial

$$q(x) = x^6 - 11x^3 + 10.$$

This recurrence is proved in this project; it is the premise of everything below and nothing else is assumed. It was confirmed against every term the entry publishes from the index where it begins to hold, with at least $6 + 2$ further terms after that index.

2 The further conjecture

Separately from the conjecture already settled, the entry records

Conjecture: $a(n) = 10a(n-3) + a(n-6) - 10a(n-9)$ for $n > 10$. - _Colin Barker_, Oct 14 2014

The further claim is another RECURRENCE, so the claim itself is that a satisfies the recurrence whose characteristic polynomial is p . Since $q \mid p$ and a satisfies the recurrence of q , it satisfies that of p , which is exactly what is claimed. No comparison of terms is needed, and none is made.

Theorem 1. *The conjecture displayed above is true.*

3 What is and is not claimed here

This is a second result on an entry that already has one, and it is a second result only because it is a DIFFERENT statement. A generating function whose denominator's reciprocal is exactly q says precisely what the proved recurrence says, in another notation; such restatements are identified and are not counted. The conjecture settled here is not of that kind.