

The conjectured generating function of OEIS A065261, from the recurrence the entry states

Adrian Perez Fontelles
Independent researcher

15 September 2026

Abstract

OEIS A065261 states a linear recurrence as a fact and carries a rational generating function as an empirical conjecture. The conjecture follows from the recurrence by polynomial algebra alone: the recurrence fixes the denominator, the published terms fix the numerator exactly, and the generating function is then determined as a rational function rather than checked on finitely many coefficients. No model of the sequence and no reading of its name is required.

2020 Mathematics Subject Classification. 11B37, 05A15, 30B10.

1 What the entry says

The first terms are 1, 1, 1, 2, 5, 3, 2, 4, $\dots$, with offset 1. The entry states, as a fact,

$$a(n) = 2 \cdot a(n-4) - a(n-8).$$

and separately records the conjecture

Empirical g.f.: $x^*(x^5+3x^4+2x^3+x^2+x+1) / ((x-1)^2(x+1)^2(x^2+1)^2)$.
[Colin Barker, Feb 18 2013]

The stated line was taken from the entry's factual formulas only. A formula qualified by a finite range – "holds at least up to $n = 1000$ but is not known to hold in general" – is not a fact and is not used, nor is anything inside a conjectural block.

2 The argument

Write $b_k = a(1+k)$ and

$$D(x) = 1 - \sum_i c_i x^i = x^8 - 2x^4 + 1,$$

the polynomial of the stated recurrence, of degree 8. Let $B(x) = \sum_{k \geq 0} b_k x^k$.

The recurrence says $b_k = \sum_i c_i b_{k-i}$ for every $k \geq 8$. The coefficient of x^k in $D(x)B(x)$ is exactly $b_k - \sum_i c_i b_{k-i}$, so it vanishes for every $k \geq 8$ and

$$D(x)B(x) = P(x) = \sum_{k < 8} \left(b_k - \sum_i c_i b_{k-i} \right) x^k = x^6 + 3x^5 + 2x^4 + x^3 + x^2 + x,$$

a polynomial whose every coefficient is fixed by finitely many published terms. Therefore

$$B(x) = \frac{P(x)}{D(x)} = \frac{x(x^5 + 3x^4 + 2x^3 + x^2 + x + 1)}{(x-1)^2(x+1)^2(x^2+1)^2},$$

which is the conjectured expression.

Theorem 1. *The conjectured generating function of OEIS A065261 is correct, given the recurrence the entry states.*

Proof. Immediate from the displayed identity: $DB = P$ holds coefficientwise, $D(0) = 1 \neq 0$ so D is invertible in the ring of formal power series, and $B = P/D$ follows. This is an identity of rational functions, not a comparison of the 76 terms the entry publishes – those enter only in fixing the 8 coefficients of P . $\square$