

The empirical recurrence for OEIS A133710, derived from the entry's generating function

$$\begin{aligned} & s \ y \ 1w5 \ u0 \ 0F \ t \ 75 \ A020 \\ & \quad S A B Y B A B S d \ b B \cdot B \ b f i \ B b \\ & \quad 2 \ v0 \ A03 \ x0 \ 2P26 \end{aligned}$$

s ~~xyt~~vy

b kmøkj fi. bbBc . S ~~BP~~ Ybfi. Obfi**e** bbBSfiB TCTbABb 7 I B BSdbi cBY. b dBO bfiTbAc . EBSBb dISE @SfidLIS **5**S Td . c . fITS Mide bB : ed . c . cd dEP BSd TCC fid **5** SA dI B bfi**e** bbBSfiB Ic . fITS cBae BSfiB TCl**d** P e QIYOISE dI B EBSBb dISE @SfidLIS : i dI B YTOSTP L OdI B bfi**e** bbBSfiB ceYY**QB** EIf Bc . **r** , **r** **5** . SA dI B bfi**e** bbBSfiB dI BS I TQc . d f **Bi** IS Ab Y. cd dI . d YTOSTP L **4** ABEbBB T P TABOTC dI B T **MF**idc : HSE fITe SdBA Ic SEBABA **5** . SA ST cB bfi dI B g I T**Q** . bEeP BSd Ic TSB YTOSTP L OAE Ic LIS **5** fi. bbBA Ted IS fh. fid . bIdI P BIfi I B bBce **Q** Ic fITS ALILIS . OTS dI B bfiTbABA EBSBb dISE @SfidLIS **5** g I Ifi Ic g I . d dI B BSdbi . ccBdc . SA g I . d Ic fiI bINBA I BB . E IScd f **Bi** Ye : **Q** I BA dBP

ljlj . dI BP . dffice : ~~M~~id **a** OccL fi. dLIS j n kn**5**kk m**5**nj kj

h 2 7 **æ** I **V**₄ a7? 7 **AaV**

^ . -ffi* nmr R (+WE U V T n W**BP**Ln**e** T**b** d**RG**NL IV* nmr s -d OGc W cLd 1 **GVK** HLN**V**c
0, 3, 35, 131, 347, 767, 1511, 2744, ...

AOL LV**di** cdG**L**c Cc GIW**RI**dbL **GVK** Vlf Lb U Gb LK cLd**ILK**

GVk r**2GhV** **k** m **2GhV** nk**3** np**2GhV** nk np**2GhV** ok**3** m **2GhV** pk r**2GhV** qk**3** GhV r k
N**W** Vmr

GVK cLYG**G**LT **GVK** — ^ A Cc GIW**RI**dbL

: M h>n**2h** **3** o**2h** p **2h**>m**3** q **2h**>n n **2h**>o **3** q**2h**>pk **h** h k>r

* c W**H**OL (- Gcd U W**K**P LK T**VL** W dOL T**P** L LV**di** h* Yb n m m r pn q bIf R**FW** pk dOL | bcd R
cdP**T** bLI W**K**LK Cc LU Y**B**P GT A**OR** VWL K**L** bP Lc Rl M**VU** dOL cLI W**K**

i z **T** a I **A**₄ fi 7 **A**₇ **T** a **A** 9c **A**₅ a I **A**₆ 7 **5** 6 7 **V**₇ d**7** **T**g fi **A**₇ **4** **T** **T**₅ c **T** **T**₅ c **T** **T**₅ **A**₅ 7

E bRL

$$G(x) = \sum_n a(n) x^n = \frac{-6x^7 + 31x^6 - 60x^5 + 51x^4 - 14x^3 - 3x^2}{x^7 - 7x^6 + 21x^5 - 35x^4 + 35x^3 - 21x^2 + 7x - 1},$$

dOL LV**di** **k** Wg V NLV**b** G**P** V N M**M** d**PW** **GVK** Td

$$D(x) = 1 - \sum_i c_i x^i = -x^7 + 7x^6 - 21x^5 + 35x^4 - 35x^3 + 21x^2 - 7x + 1$$

HL dOL Y**W** V**WU** R**ET** G**H** G OLK d**W**dOL I W**RI**dbL**K** bLI**e** b**L**ML

m 3 7 T_x 5 4 a I A

AOHL IOLI c

/ Rcd dOL NLVLbGfPN MVI dPW g Gē LhYGMKLK Gē G YW Lb cLbLc PV LhG d bGfPWGTGRIOU LdP
GVK I WU YGblK GNGVcd GIT30 dLbU c dOL LVdli YeHfPOLc Rl bLYbVKeILc If Li VWL AOR R g OGd
dLc dOL bLI WKLK NLVLbGfPN MVI dPW dWdOL cLae LML dOL bLi e bLML R GHVd

ffLI WK dOL YWf VWU RGTfP RfPW GHWL g Gē I GbELK Wd ci UHWMf GIT VWL Ve U LbP GIT cWdOL
cdGILU LVd dOGd $D(x)G(x)$ R G YWf VWU RGTfP LhG d bGdOLb dOGV GYbMfPU GIL

AORbK dOL bLi e bLML g Gē If Gē GILK KPLIdT VW dOL cLbLc IWL IELVc Mf cRhd I WcLLe dP L
PKfLc HLi WK $n = 7$ GVK OWRc Gd If Li VWL GVK Gd $n = 7$ RēLTMf MfP) dOL KNL LL HWVK R
GdGVK cWdOL bGVNL cdGILK R dOL dbe L VWL GVK VWU U LbLT GcGf VWL

ps ur AOL Gē U LVd R I WKRfPWGTfW dOL NLVLbGfPN MVI dPW g OPO dOL LVdli bLI WKc Gē
GMf d GVK Gd bPHe dLc dWGI Wd bPHe dV bGdOLb dOGV W LbPN Gē GIWBL dē bL E OGd R cOW V OLL
R dOGd dOL LU YRf GTbLi e bLML R VWL GV PKLYLVKLVD Nē Lcc Rl R Lae P GILVd dWfVMBU GfPW dOL
LVdli GELGk I WdGVc

1 7 97 T A 5 7 V

o r AOL ^ . ff / WVKGfPW *The On-Line Enc clo edia of In ege Se ence* <https://oeis.org>
m nq ffLae LML * nnr

o r ff fi ff dGVLi *En me a i e Combina o ic* DWEUL mK LK +GUHbKNL CVP LbcRi fi bLcc
m ff GfPWGTNLVLbGfPN MVI dPWc ffLI dPW o k

o r “ ” Gē Lbc GVK fi fi Gē T *The Conc e e Te ahed on* ffYbPNLb m

o r fi / TRLd GVK ff ffLKNLg R *Anal ic Combina o ic* +GUHbKNL CVP LbcRi fi bLcc m s