



(Reference Photo)

EXTERNAL DIMENSIONS

Length (mm)	8615
Width (mm)	2518*
Height (mm) (empty)	3120
Wheel base (mm)	1800+3000+1350
Wheel track (mm)	Front 2030/2030; Rear 1850/1850
Front overhang (mm)	1490
GVM	Certified 35t
Max speed (km/h)	Theoretical 105; AU legal limit 100
Max climb gradient (%)	Theoretical 54%
Fuel tank (L)	250L

FEATURES

- Cummins X11EVI360 10.5L engine; 265 kW / 1900 rpm and 1800 Nm / 1000-1400 rpm.
- F12JZ20A 12-speed transmission with 0.78 overdrive top gear.
- Right-hand drive flat-roof short semi-sleeper cab for mixer applications.
- Four-point air suspension cab and air suspension driver seat.
- 7.5t disc front axle and 10t drum rear axle with dual differential locks.
- Four-airbag rear suspension designed for mixer platform stability.
- EBS + ESC, AEBS, FCWS, LDWS and reversing camera included.
- Right-side water tank reserved space: 1335 mm; customer target: 2000 mm.

WEIGHTS

GVM (kg)	35000 certified
Front axle rating	7.5t + 7.5t
Rear axle rating	10t + 10t
GCM (kg)	To be confirmed

CAPABILITY

Max speed (km/h)	105 theoretical / 100 AU legal
Max climb gradient (%)	54 theoretical
Fuel tank (L)	250
Turning diameter	To be confirmed

ENGINE

Model	Cummins X11EVE360
Displacement (L)	10.5
Power rating	265 kW / 1900 rpm
Max torque	1800 Nm / 1000-1400 rpm

TRANSMISSION

Model	F12JZ20A
Forward ratios	12.26, 9.56, 7.36, 5.73, 4.52, 3.52, 2.71, 2.11, 1.63, 1.27, 1.00, 0.78
Reverse gear	To be confirmed

FRAME

Model	Ladder framework
Main beam	1000-850 x 300 x 80 x (8+4)
Reserved water tank space	Right side 1335 mm

FRONT AXLE

Model	7.5t disc front axle
Type	Mercedes type front axle
Wheel track	2030 / 2030 mm

DRIVING AXLE

Model	10t drum oil-lubricated 440 axle
Differential lock	Interwheel / interaxle diff. lock
Ratio	4.44
Wheel track	1850 / 1850 mm

SUSPENSION

Front	Few-leaf spring 3/3
Rear	Four airbags, 2+ - / 2+ -
Cab suspension	Four-point air suspension

CABIN

Model	Flat-roof short semi-sleeper
Steering	Right-hand drive
Cab tilting	Electric + manual hydraulic
Seat	Air suspension seat

BRAKING / SAFETY

EBS + ESC	Included
AEBS	Included
FCWS	Included
LDWS	Included
Reverse camera	Included

ELECTRICS / COMFORT

Battery	180 Ah low-temperature
Remote key	1 key
Multimedia	MP5
Air conditioning	Semi-automatic

初版底盘布置交流图 (非最终状态)

