LAST 10 PAGES OF CORE SOURCE CODE (SRC/APP.TSX) • ENDING COMPONENT HIERARCHY, MODALS, RENDER TREE & EXPORT ROOT

```
                  </div>
                  <div className="flex items-center gap-1.5">
                    <span className="text-[#C5A059]">'&</span> Ruling Planet & Bodily Me...
                  </div>
                  <div className="flex items-center gap-1.5">
                    <span className="text-[#C5A059]">'&</span> High-Definition SVG Tatto...
                  </div>
                  <div className="flex items-center gap-1.5">
                    <span className="text-[#C5A059]">'&</span> Sanskrit Ritual Activatio...
                  </div>
                  <div className="flex items-center gap-1.5">
                    <span className="text-[#C5A059]">'&</span> 3 Auspicious Shubh Muhurt...
                  </div>
                </div>
              </section>
            </div>

            {/* Footer Buttons */}
            <div className="border-t border-white/10 pt-4 mt-5 flex justify-end">
              <button
                type="button"
                onClick={() => setShowKundliInfoModal(false)}
                className="py-2.5 px-6 bg-[#C5A059] hover:bg-[#b08e4d] text-black text-...
              >
                Understood & Aligned
              </button>
            </div>

          </div>
        </div>
      )}

      {/* iOS & Android Mobile Companion Portal */}

      {/* iOS & Android Mobile Companion Portal */}
      {showDownloadPortal && (
        <div className="fixed inset-0 z-[120] flex items-center justify-center p-4 bg-b...
          <div className="bg-[#121212] border border-[#C5A059]/40 w-full max-w-2xl roun...

            {/* Header */}
            <div className="flex justify-between items-center px-5 py-4 border-b border...
              <AuraInkLogo variant="header" showSubtitle={true} />
              <button
                type="button"
                onClick={() => setShowDownloadPortal(false)}
                className="w-8 h-8 rounded-full bg-white/5 hover:bg-white/10 text-gray-...
              >
                <X className="w-4 h-4" />
              </button>
            </div>
```

LAST 10 PAGES OF CORE SOURCE CODE (SRC/APP.TSX) • ENDING COMPONENT HIERARCHY, MODALS, RENDER TREE & EXPORT ROOT

```
6178
6179              {/* Navigation Tabs inside Modal */}
6180              <div className="flex border-b border-white/5 bg-[#141414] px-4">
6181                <button
6182                  type="button"
6183                  onClick={() => setDownloadPortalTab("pwa")}
6184                  className={`flex-1 py-3 text-xs uppercase tracking-wider font-bold tran...
6185                    downloadPortalTab === "pwa"
6186                      ? "text-[#C5A059] border-[#C5A059]"
6187                      : "text-gray-400 border-transparent hover:text-white"
6188                  }`}
6189                >
6190                  Ø=Üò Direct Mobile Install (PWA)
6191                </button>
6192                <button
6193                  type="button"
6194                  onClick={() => setDownloadPortalTab("stores")}
6195                  className={`flex-1 py-3 text-xs uppercase tracking-wider font-bold tran...
6196                    downloadPortalTab === "stores"
6197                      ? "text-[#C5A059] border-[#C5A059]"
6198                      : "text-gray-400 border-transparent hover:text-white"
6199                  }`}
6200                >
6201                  Ø<ßÛþ  Submit to Play/App Store
6202                </button>
6203              </div>
6204
6205              {/* Scrollable Content Container */}
6206              <div className="flex-1 p-5 overflow-y-auto custom-scrollbar space-y-5 bg-[#...
6207
6208                {downloadPortalTab === "pwa" ? (
6209                  <div className="space-y-4 text-left">
6210                    {/* Introduction */}
6211                    <div className="p-4 bg-[#161616] border border-white/5 rounded-lg">
6212                      <p className="text-xs text-gray-300 leading-relaxed">
6213                        AstroPsyche is designed with a fully fluid Progressive Web App en...
6214                      </p>
6215                    </div>
6216
6217                    {/* Dynamic Installation triggers */}
6218                    {deferredPrompt && (
6219                      <div className="p-4 bg-gradient-to-br from-[#C5A059]/10 to-[#8C6D3A...
6220                        <div className="p-2 rounded-full bg-[#C5A059]/10 text-[#C5A059]">
6221                          <Sparkles className="w-6 h-6 animate-pulse" />
6222                        </div>
6223                        <div>
6224                          <h4 className="text-sm font-serif font-bold text-white uppercas...
6225                          <p className="text-xs text-gray-400 mt-1">Your browser supports...
6226                        </div>
6227                        <button
```

LAST 10 PAGES OF CORE SOURCE CODE (SRC/APP.TSX) • ENDING COMPONENT HIERARCHY, MODALS, RENDER TREE & EXPORT ROOT

```
                        type="button"
                        onClick={async () => {
                          if (deferredPrompt) {
                            deferredPrompt.prompt();
                            const { outcome } = await deferredPrompt.userChoice;
                            if (outcome === "accepted") {
                              setIsAppInstalled(true);
                            }
                            setDeferredPrompt(null);
                          }
                        }}
                        className="px-5 py-2.5 bg-[#C5A059] hover:bg-[#b08e4d] text-bla...
                      >
                        <Download className="w-4 h-4" />
                        <span>Install AstroPsyche App Now</span>
                      </button>
                    </div>
                  )}

                  {isAppInstalled && (
                    <div className="p-4 bg-green-500/10 border border-green-500/30 roun...
                      <Check className="w-6 h-6 text-green-400" />
                      <h4 className="text-sm font-serif font-bold text-white">Successfu...
                      <p className="text-xs text-gray-400">AstroPsyche is loaded on you...
                    </div>
                  )}

                  {/* Manual OS-specific Installation Instructions */}
                  <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
                    {/* iOS Safari Guide */}
                    <div className="p-4 bg-[#141414] border border-white/5 rounded-lg s...
                      <div className="flex items-center gap-2 border-b border-white/5 p...
                        <span className="text-lg">Ø<ßN</span>
                        <h4 className="text-xs font-bold text-white uppercase tracking-...
                      </div>
                      <ol className="text-[11px] text-gray-300 space-y-3 list-decimal p...
                        <li>
                          Open the standalone URL <strong className="text-white select-...
                        </li>
                        <li>
                          Tap the <strong className="text-[#C5A059] inline-flex items-c...
                        </li>
                        <li>
                          Scroll down the share sheet options list and select <strong c...
                        </li>
                        <li>
                          Confirm the name as <strong className="text-white">AstroPsych...
                        </li>
                      </ol>
                    </div>
```

LAST 10 PAGES OF CORE SOURCE CODE (SRC/APP.TSX) • ENDING COMPONENT HIERARCHY, MODALS, RENDER TREE & EXPORT ROOT

```
6278
6279                      {/* Android Chrome Guide */}
6280                      <div className="p-4 bg-[#141414] border border-white/5 rounded-lg s...
6281                        <div className="flex items-center gap-2 border-b border-white/5 p...
6282                          <span className="text-lg">Ø>Ý </span>
6283                          <h4 className="text-xs font-bold text-white uppercase tracking-...
6284                        </div>
6285                        <ol className="text-[11px] text-gray-300 space-y-3 list-decimal p...
6286                          <li>
6287                            Launch <strong className="text-[#C5A059]">Google Chrome</stro...
6288                          </li>
6289                          <li>
6290                            Tap the browser's menu button <strong className="text-white f...
6291                          </li>
6292                          <li>
6293                            Select <strong className="text-white">Install app</strong> or...
6294                          </li>
6295                          <li>
6296                            Click the native confirmation dialog box <strong className="t...
6297                          </li>
6298                        </ol>
6299                      </div>
6300                    </div>
6301                  </div>
6302                ) : (
6303                  <div className="space-y-4 text-left">
6304                    {/* Store integration introduction */}
6305                    <div className="p-4 bg-[#161616] border border-white/5 rounded-lg">
6306                      <h4 className="text-xs font-bold text-white uppercase tracking-wide...
6307                      <p className="text-[11px] text-gray-400 leading-relaxed">
6308                        To officially publish this application onto the <strong className...
6309                      </p>
6310                    </div>
6311
6312                    {/* Copyable code steps */}
6313                    <div className="space-y-3">
6314                      {/* Step 1 */}
6315                      <div className="space-y-1.5">
6316                        <div className="flex justify-between items-center text-[10px] fon...
6317                          <span>Step 1: Install Capacitor CLI & Core</span>
6318                          <button
6319                            type="button"
6320                            onClick={() => {
6321                              navigator.clipboard.writeText("npm i @capacitor/core @capac...
6322                              setCopiedCommand("step1");
6323                              setTimeout(() => setCopiedCommand(null), 2000);
6324                            }}
6325                            className="text-[#C5A059] hover:text-white cursor-pointer tra...
6326                          >
6327                            {copiedCommand === "step1" ? <Check className="w-3 h-3 text-g...
```

LAST 10 PAGES OF CORE SOURCE CODE (SRC/APP.TSX) • ENDING COMPONENT HIERARCHY, MODALS, RENDER TREE & EXPORT ROOT

```
                        <span>{copiedCommand === "step1" ? "Copied" : "Copy Command"}...
                      </button>
                    </div>
                    <pre className="bg-black border border-white/10 rounded-lg p-3 te...
                      npm i @capacitor/core @capacitor/cli
                    </pre>
                  </div>

                  {/* Step 2 */}
                  <div className="space-y-1.5">
                    <div className="flex justify-between items-center text-[10px] fon...
                      <span>Step 2: Initialize Configuration Bundle</span>
                      <button
                        type="button"
                        onClick={() => {
                          navigator.clipboard.writeText('npx cap init "Aura Ink" "com...
                          setCopiedCommand("step2");
                          setTimeout(() => setCopiedCommand(null), 2000);
                        }}
                        className="text-[#C5A059] hover:text-white cursor-pointer tra...
                      >
                        {copiedCommand === "step2" ? <Check className="w-3 h-3 text-g...
                        <span>{copiedCommand === "step2" ? "Copied" : "Copy Command"}...
                      </button>
                    </div>
                    <pre className="bg-black border border-white/10 rounded-lg p-3 te...
                      {`npx cap init "Aura Ink" "com.auraink.app" --web-dir=dist`}
                    </pre>
                  </div>

                  {/* Step 3 */}
                  <div className="space-y-1.5">
                    <div className="flex justify-between items-center text-[10px] fon...
                      <span>Step 3: Add iOS & Android Native Platforms</span>
                      <button
                        type="button"
                        onClick={() => {
                          navigator.clipboard.writeText("npm i @capacitor/android @ca...
                          setCopiedCommand("step3");
                          setTimeout(() => setCopiedCommand(null), 2000);
                        }}
                        className="text-[#C5A059] hover:text-white cursor-pointer tra...
                      >
                        {copiedCommand === "step3" ? <Check className="w-3 h-3 text-g...
                        <span>{copiedCommand === "step3" ? "Copied" : "Copy Command"}...
                      </button>
                    </div>
                    <pre className="bg-black border border-white/10 rounded-lg p-3 te...
                      npm i @capacitor/android @capacitor/ios && npx cap add android ...
                    </pre>
```

LAST 10 PAGES OF CORE SOURCE CODE (SRC/APP.TSX) • ENDING COMPONENT HIERARCHY, MODALS, RENDER TREE & EXPORT ROOT

```
6378                      </div>
6379
6380                      {/* Step 4 */}
6381                      <div className="space-y-1.5">
6382                        <div className="flex justify-between items-center text-[10px] fon...
6383                          <span>Step 4: Compile & Sync Web Assets</span>
6384                          <button
6385                            type="button"
6386                            onClick={() => {
6387                              navigator.clipboard.writeText("npm run build && npx cap syn...
6388                              setCopiedCommand("step4");
6389                              setTimeout(() => setCopiedCommand(null), 2000);
6390                            }}
6391                            className="text-[#C5A059] hover:text-white cursor-pointer tra...
6392                          >
6393                            {copiedCommand === "step4" ? <Check className="w-3 h-3 text-g...
6394                            <span>{copiedCommand === "step4" ? "Copied" : "Copy Command"}...
6395                          </button>
6396                        </div>
6397                        <pre className="bg-black border border-white/10 rounded-lg p-3 te...
6398                          npm run build && npx cap sync
6399                        </pre>
6400                      </div>
6401
6402                      {/* Step 5 */}
6403                      <div className="grid grid-cols-1 sm:grid-cols-2 gap-3 pt-1 text-left">
6404                        <div className="p-3 bg-black/60 border border-white/5 rounded-lg ...
6405                          <div className="flex justify-between items-center">
6406                            <span className="text-[9px] font-bold text-[#C5A059] tracking...
6407                            <button
6408                              type="button"
6409                              onClick={() => {
6410                                navigator.clipboard.writeText("npx cap open android");
6411                                setCopiedCommand("step5a");
6412                                setTimeout(() => setCopiedCommand(null), 2000);
6413                              }}
6414                              className="text-gray-400 hover:text-white transition-colors"
6415                            >
6416                              {copiedCommand === "step5a" ? <Check className="w-2.5 h-2.5...
6417                            </button>
6418                          </div>
6419                          <p className="text-[10px] text-gray-400 leading-relaxed">Launch...
6420                          <code className="block bg-black p-1.5 text-[9px] font-mono text...
6421                        </div>
6422
6423                        <div className="p-3 bg-black/60 border border-white/5 rounded-lg ...
6424                          <div className="flex justify-between items-center">
6425                            <span className="text-[9px] font-bold text-[#C5A059] tracking...
6426                            <button
6427                              type="button"
```

LAST 10 PAGES OF CORE SOURCE CODE (SRC/APP.TSX) • ENDING COMPONENT HIERARCHY, MODALS, RENDER TREE & EXPORT ROOT

```
                            onClick={() => {
                              navigator.clipboard.writeText("npx cap open ios");
                              setCopiedCommand("step5i");
                              setTimeout(() => setCopiedCommand(null), 2000);
                            }}
                            className="text-gray-400 hover:text-white transition-colors"
                          >
                            {copiedCommand === "step5i" ? <Check className="w-2.5 h-2.5...
                          </button>
                        </div>
                        <p className="text-[10px] text-gray-400 leading-relaxed">Launch...
                        <code className="block bg-black p-1.5 text-[9px] font-mono text...
                      </div>
                    </div>
                  </div>
                )}
              </div>

              {/* Footer buttons */}
              <div className="border-t border-white/10 px-5 py-4 bg-[#141414] flex justif...
                <button
                  type="button"
                  onClick={() => setShowDownloadPortal(false)}
                  className="px-5 py-2.5 bg-[#C5A059] hover:bg-[#b08e4d] text-black font-...
                >
                  Done
                </button>
              </div>

            </div>
          </div>
        )}

        {/* Interactive Privacy Policy Modal */}
        {showPrivacyModal && (
          <div className="fixed inset-0 z-[160] flex items-center justify-center p-4 bg-b...
            <div className="bg-[#121212] border border-[#C5A059]/40 w-full max-w-3xl roun...

              {/* Header */}
              <div className="flex justify-between items-start border-b border-white/10 p...
                <div className="flex items-center gap-3">
                  <div className="w-10 h-10 rounded-full bg-[#C5A059]/10 flex items-cente...
                    Ø=Þáþ
                  </div>
                  <div>
                    <h3 className="font-serif text-base font-bold text-white uppercase tr...
                      Privacy Policy & Data Security
                    </h3>
                    <p className="text-[10px] uppercase tracking-widest text-[#C5A059] fo...
```

LAST 10 PAGES OF CORE SOURCE CODE (SRC/APP.TSX) • ENDING COMPONENT HIERARCHY, MODALS, RENDER TREE & EXPORT ROOT

```
                    Aura Ink (AstroPsyche) App Protection Declarations
                  </p>
                </div>
              </div>
              <button
                type="button"
                onClick={() => setShowPrivacyModal(false)}
                className="w-8 h-8 rounded-full bg-white/5 hover:bg-white/10 text-gray-...
              >
                <X className="w-4 h-4" />
              </button>
            </div>

            {/* Quick Action buttons */}
            <div className="flex flex-col sm:flex-row gap-3 mb-4 p-3.5 bg-white/[0.02] ...
              <div className="text-gray-400 max-w-sm">
                Need an offline vector PDF or a text copy for your Google Play Store su...
              </div>
              <div className="flex items-center gap-2 w-full sm:w-auto justify-end">
                <button
                  type="button"
                  onClick={() => {
                    window.open("?view=privacy", "_blank");
                  }}
                  className="py-1.5 px-3 bg-[#C5A059] hover:bg-[#b08e4d] text-black fon...
                >
                  <Download className="w-3 h-3" />
                  <span>Save PDF / Print</span>
                </button>
                <button
                  type="button"
                  onClick={downloadPrivacyTxt}
                  className="py-1.5 px-3 bg-white/5 hover:bg-white/10 border border-whi...
                >
                  Download TXT
                </button>
              </div>
            </div>

            {/* Document text content */}
            <div className="space-y-4 text-xs text-gray-400 leading-relaxed max-h-[350p...
              <p>
                Aura Ink Dev Studio (<strong>"we"</strong>, <strong>"us"</strong>, <str...
              </p>

              <div className="space-y-2">
                <h4 className="font-bold text-white uppercase tracking-wider text-[11px...
                <p>We collect several different types of information for various purpos...
                <ul className="list-disc pl-4 space-y-1 text-[11px]">
                  <li><strong className="text-gray-300">Astrological & Natal Parameters...
```

LAST 10 PAGES OF CORE SOURCE CODE (SRC/APP.TSX) • ENDING COMPONENT HIERARCHY, MODALS, RENDER TREE & EXPORT ROOT

```
                    <li><strong className="text-gray-300">Local Storage:</strong> Browser...
                    <li><strong className="text-gray-300">Google Play Billing:</strong> S...
                  </ul>
                </div>

                <div className="space-y-2">
                  <h4 className="font-bold text-white uppercase tracking-wider text-[11px...
                  <p>Optional access requests to improve physical visualization:</p>
                  <ul className="list-disc pl-4 space-y-1 text-[11px]">
                    <li><strong className="text-gray-300">Camera Access:</strong> Request...
                    <li><strong className="text-gray-300">Notifications:</strong> Optiona...
                  </ul>
                </div>

                <div className="space-y-2">
                  <h4 className="font-bold text-white uppercase tracking-wider text-[11px...
                  <p>We utilize standard secure infrastructure tools including: Google Pl...
                </div>

                <div className="space-y-2">
                  <h4 className="font-bold text-white uppercase tracking-wider text-[11px...
                  <p>GDPR and CCPA compliant access rights. Since birth chart configurati...
                </div>

                <div className="space-y-2">
                  <h4 className="font-bold text-white uppercase tracking-wider text-[11px...
                  <p>The Service is not targeted for children under 13 years of age. We d...
                </div>

                <div className="space-y-2">
                  <h4 className="font-bold text-white uppercase tracking-wider text-[11px...
                  <p>Direct inquiries to our official email channel: <strong className="t...
                </div>
              </div>

              {/* Footer Buttons */}
              <div className="pt-4 flex justify-between items-center">
                <a
                  href="?view=privacy"
                  target="_blank"
                  referrerPolicy="no-referrer"
                  className="text-xs text-[#C5A059] hover:underline font-mono uppercase t...
                >
                  <span>View Fullscreen URL</span>
                  <ExternalLink className="w-3 h-3" />
                </a>
                <button
                  type="button"
                  onClick={() => setShowPrivacyModal(false)}
                  className="py-2.5 px-6 bg-[#C5A059] hover:bg-[#b08e4d] text-black text-...
```

LAST 10 PAGES OF CORE SOURCE CODE (SRC/APP.TSX) • ENDING COMPONENT HIERARCHY, MODALS, RENDER TREE & EXPORT ROOT

```
              >
                Understood & Confirmed
              </button>
            </div>

          </div>
        </div>
      )}

      {/* Permanent Cosmic Footer with Privacy Policy & Legal Links */}
      <footer className="w-full bg-[#050505] border-t border-white/5 py-8 px-4 md:px-8 ...
        <div className="flex items-center gap-2">
          <div className="w-5 h-5 bg-[#C5A059]/10 rounded-full flex items-center justif...
            <span className="text-[10px] text-[#C5A059]">'&</span>
          </div>
          <span className="text-gray-500 font-serif">© 2026 Aura Ink Dev Studio. All co...
        </div>
        <div className="flex flex-wrap items-center gap-4 text-gray-400">
          <button
            type="button"
            onClick={() => setShowPrivacyModal(true)}
            className="hover:text-[#C5A059] transition-colors cursor-pointer"
          >
            Privacy Policy
          </button>
          <span className="text-white/10">|</span>
          <a
            href="?view=privacy"
            target="_blank"
            referrerPolicy="no-referrer"
            className="hover:text-[#C5A059] transition-colors flex items-center gap-1"
          >
            <span>Live Privacy URL</span>
            <ExternalLink className="w-2.5 h-2.5 text-[#C5A059]" />
          </a>
          <span className="text-white/10">|</span>
          <button
            type="button"
            onClick={() => setShowDownloadPortal(true)}
            className="hover:text-[#C5A059] transition-colors"
          >
            Google Play Console Guide
          </button>
        </div>
      </footer>

    </div>
  );
}
```