

Presentation Title Goes Here

A one-line subtitle that says what this talk is about

Presenter Name, Role at Organisation

Event Name in October 2026

Agenda

01 **Text & layout** — Typography, lists, images, quotes and Markdown

02 **Code** — Syntax highlighting, line steps and shell sessions

03 **Mathematics** — Inline and display LaTeX with derivations

04 **Data** — Tables, charts, numbers, options and timelines

05 **Extras** — Fragments, auto-animate and speaker notes

01

Text & layout

Typography, lists, images, quotes and Markdown slides.

Typography

Use **strong** for emphasis, *italics* sparingly, `inline code` for identifiers and underlined links for references.

Body copy is a quiet grey, still above the 4.5:1 contrast minimum [1], so headings and figures carry the hierarchy. Keep one idea per slide.

Caption text suits sources, footnotes and fine print.

Type scale

Display

Heading

Subheading

Body text

Small text

`code_text()`

Lists

Bullets, one by one

- Short, parallel points
- One line each
  - Nested detail sits here
- Press → to reveal

Numbered

1. Define the problem
2. Measure the baseline
3. Ship the smallest fix

Checklist

- ✓ Works offline
- ✓ Exports to PDF
- ✓ One file for the theme
- ✓ Speaker notes built in

Text beside an image

Pair one short claim with one supporting visual.

- ✓ Put images in `public/images`
- ✓ Reference them as `/images/name.png`
- ✓ Any aspect ratio is cropped to fit

Primary Secondary

1600 × 1000 placeholder image

A caption tells the reader what to notice.

> “Put the one line you want the audience to repeat after the talk here.”

Author Name, Source or Context

Written in Markdown

Any slide can be written in **Markdown** instead of HTML.

- Lists, *emphasis* and `inline code`
- Links such as the reveal.js docs [2]
- Maths works here too, for example $e^{i\pi} + 1 = 0$

Markdown	Result
`**bold**`	**bold**
`*italic*`	*italic*

02

Code

Syntax highlighting, step-through line highlights and shell sessions.

Code, step by step

Each range in `data-line-numbers` lights up on its own press of →.

load-users.js

```
1  // Fetch users and keep only the fields we need
2  async function loadUsers(url) {
3    const response = await fetch(url);
4    if (!response.ok) {
5      throw new Error(`Request failed: ${response.status}`);
6    }
7    const users = await response.json();
8    return users.map(({ id, name }) => ({ id, name }));
9  }
```

Any language, plus shell sessions

fib.py

```python
def fib(n: int) -> int:
    a, b = 0, 1
    for _ in range(n):
        a, b = b, a + b
    return a

print([fib(i) for i in range(8)])
```

zsh

```
$ npm install
$ npm run dev
  Local: http://localhost:5173/

# export every slide to a PDF
$ npm run pdf
```

`npm run dev` `npm run build` `npm run pdf`

03

Mathematics

Maths in TeX notation [3], rendered by KaTeX [4] and built up step by step.

Mathematics with LaTeX

Inline maths sits in a sentence, like $e^{i\pi} + 1 = 0$ or $\hat{\beta} = (X^\top X)^{-1} X^\top y$ for $X \in \mathbb{R}^{n \times p}$.

Display equation

$$\int_{-\infty}^{\infty} e^{-x^2}\,dx = \sqrt{\pi}$$

Aligned equations

$$\begin{aligned} \nabla \cdot \mathbf{E} &= \rho / \varepsilon_0 \\ \nabla \times \mathbf{B} &= \mu_0 \mathbf{J} + \mu_0 \varepsilon_0 \frac{\partial \mathbf{E}}{\partial t} \end{aligned}$$

Matrices

$$A = \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}, \qquad \det A = -2$$

Sums and cases

$$\sum_{n=1}^{\infty} \frac{1}{n^2} = \frac{\pi^2}{6}, \qquad |x| = \begin{cases} x & x \geq 0 \\ -x & x < 0 \end{cases}$$

A derivation, one step at a time

$ax^2 + bx + c = 0$	Start from the quadratic
$x^2 + \frac{b}{a}\,x = -\frac{c}{a}$	Divide by a
$\left(x + \frac{b}{2a}\right)^2 = \frac{b^2 - 4ac}{4a^2}$	Complete the square
$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$	Take the square root

04

Data

Tables, charts, key numbers, comparisons and timelines.


Tables

Hairline rows, tabular figures and right-aligned numbers keep the ink on the data [5]. Mark the row that matters.


Approach	Setup	Latency (ms)	Monthly cost	Score
Baseline	Single server	240	$120	0.71
Cached	Server + cache	95	$160	0.78
Scaled out	Four servers	80	$480	0.80
Proposed	Two servers + cache	62	$260	0.86

Charts

Quarterly results



Monthly trend against target



Bars and lines show values by position, the encoding people judge most accurately [6].

Key numbers

42%

Faster onboarding

Median time to first result, compared with last quarter.

$1.2M

Annual savings

Infrastructure and support costs combined.

3.2×

Throughput

Requests served per server at peak load.

Tell the audience what to do with these numbers.

Next step

Comparing options

Option A

Keep the current setup.

Low effort

- ✓ No migration needed
- ✓ Known running costs

Option B

Rebuild from scratch.

High effort

- ✓ Clean architecture
- ✓ Longest time to value

Option C

Migrate step by step.

Medium effort

- ✓ Value in the first month
- ✓ Reversible at each step

Timeline

Each press of → adds the next step to the timeline.

Q1 2026	**Discover**	Interview users and map the current process.
Q2 2026	**Design**	Prototype and test the riskiest ideas first.
Q3 2026	**Build**	Ship in small, reviewable increments.
Q4 2026	**Launch**	Roll out gradually and watch the metrics.
Q1 2027	**Review**	Measure the outcome against the goal.
Q2 2027	**Scale**	Grow what worked and retire what did not.

05

Extras

This section is a vertical stack. Press ↓ to go down or → to skip ahead.

Fragment styles

Add `class="fragment"` plus an optional style to reveal anything step by step.

fade-in

The default

fade-up

Slides in from below

fade-down

Slides in from above

fade-left

Slides in from the right

semi-fade-out

Dims to half when stepped

~~strike~~

Crosses out text

Auto-animate

Two adjacent slides with `data-auto-animate` morph matching elements.


A

B

C

Auto-animate

Elements are matched by `data-id`, then their size and position animate.



Presenting

S	Speaker view	Notes, timer and the next slide
Esc	Overview	Every slide on one screen
F	Full screen	Press Esc to leave
B	Black screen	Pause and take questions
←↑→↓	Navigate	Space also moves forward

Questions people usually ask

How do I change the colours or fonts?

Edit the tokens in `style.css`, or start with `npm run dev:dark` for the dark theme.

How do I get a PDF?

Run `npm run pdf`. The file lands in the project root as `slides.pdf`.

Can I write slides in Markdown?

Yes. Put the Markdown in a `data-markdown` section, like the “Written in Markdown” slide.

Acknowledgements

People

Name Surname

Reviewed early drafts of this talk

Name Surname

Shared the data behind the charts

Name Surname

Gave feedback at the rehearsal

Organisations

Team or Lab Name

Hosted the user interviews

Event Name 2026

Invited and hosted this talk

Funding

Funder Name

Supported this work under grant ABC-123456

Built with

reveal.js [2] and KaTeX [4], with Chart.js and highlight.js.

References

[1] W3C, *Web Content Accessibility Guidelines (WCAG) 2.2*, W3C Recommendation, Oct. 2023. [Online]. Available: https://www.w3.org/TR/WCAG22/

[2] H. El Hattab, *reveal.js: The HTML Presentation Framework*, version 6.0.1. [Online]. Available: https://revealjs.com

[3] D. E. Knuth, *The TeXbook*. Reading, MA, USA: Addison-Wesley, 1984.

[4] Khan Academy, *KaTeX: The Fastest Math Typesetting Library for the Web*, version 0.19.1. [Online]. Available: https://katex.org

[5] E. R. Tufte, *The Visual Display of Quantitative Information*, 2nd ed. Cheshire, CT, USA: Graphics Press, 2001.

[6] W. S. Cleveland and R. McGill, "Graphical perception: Theory, experimentation, and application to the development of graphical methods," *J. Amer. Statist. Assoc.*, vol. 79, no. 387, pp. 531–554, Sep. 1984, doi: 10.1080/01621459.1984.10478080.



Thank you

Questions, comments and ideas are welcome.

```
$ git clone https://example.com/your-name/your-talk.git
```

name@example.com

example.com