

Prometheus Community Helm chart scan

Visited all 46 discovered charts with --filter, four workers, and a five-minute test budget per chart. No scan-wide deadline was imposed.

Recorded 94,833 test attempts in 50.6 minutes. Attempts include shrinking and repeated inputs; they are not counts of unique inputs or confirmed bugs.

Findings: 1 baseline-failed; 1 error; 41 failed; 1 missing-values; 2 time-limit.

value-path: 317 failed; 5 generation-error; 879 passed; 34 time-limit.

Observed failures include chart validation rejections, rendering failures, and possible tooling limitations. Inferred inputs are not an authoritative chart contract. Findings need triage before being called chart defects; time-limited coverage remains incomplete.

Checks: dependency build in isolated copies, Helm lint, Helm template with values-schema checks, and built-in manifest checks. External kubeconform/kubesecc validation was not configured.

Source: third_party/prometheus-community-helm-charts at 732bf3642c931946f1962fbd2e1b694ce8827e77; Helm 4.3.0. Per-worker dependency caches are isolated. Each primary chart has one dedicated job; nested results from parent jobs are retained separately and excluded from totals.

[Combined PDF](#) · [Aggregate data](#) · [Raw logs and provenance](#)

Generated C0/C1 controls are excluded except LF and CR. Other Unicode text remains eligible; explicit finite domains are unchanged. Dependency preparation is excluded from chart testing budgets.

Directory: third_party/prometheus-community-helm-charts

Started (Unix epoch): 1789325515

Elapsed (wall clock): 3037.00 seconds

Chart testing: 11835.98 seconds

Dependency preparation: 6.40 seconds (excluded from testing budgets)

Charts discovered: 46

Scan status: completed

Discovery complete: True

Unstarted charts: 0

Results describe the tested sample; they do not prove chart correctness.

Baseline-only, skipped, blocked, and incomplete charts are not property-test passes.

Status counts

1 baseline-failed; 1 error; 41 failed; 1 missing-values; 2 time-limit.

Settings

Filtering: True | Seed: 0 | Traversal: random

Chart timeout: 300.0 seconds | Workers: 4

Complete settings are retained in the JSON report.

Errors

281 distinct diagnostics across 327 occurrences; 46 repeats grouped.

Diagnostics and their triggering inputs are grouped under each chart below.

Up to two examples per diagnostic and six fields per example are shown. Long values and diagnostics are shortened.

Full inputs, diagnostics, and remaining cases are retained in JSON and linked artifacts.

Selected fields identify what the test varied, not an independently proven cause.

Charts

charts/alertmanager

Status: error | Attempts: N/A

E279

recursive schema at ('config', 'route', 'routes', '*')

Phase: chart | Status: error

No triggering values were recorded for this diagnostic.

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/alertmanager-snmp-notifier

Status: failed | Attempts: 2501

E002

Error: YAML parse error on alertmanager-snmp-notifier/templates/deployment.yaml: error converting YAML to JSON: yaml: line 29: did not find expected key

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"repository": ""}

[Full input and diagnostic](#)

E003

Error: YAML parse error on alertmanager-snmp-notifier/templates/deployment.yaml: error converting YAML to JSON: yaml: line 40: did not find expected ',', ' or ']'

Phase: \$.snmpNotifier.snmpAuthenticationPasswordSecret | Status: failed

Selected fields (full context in artifacts):

- \$.snmpNotifier.snmpAuthenticationPasswordSecret = {"key": [null, []]}

[Full input and diagnostic](#)

Phase: \$.snmpNotifier.snmpPrivatePasswordSecret | Status: failed

Selected fields (full context in artifacts):

- \$.snmpNotifier.snmpPrivatePasswordSecret = {"key": [null, []]}

[Full input and diagnostic](#)

E004

Error: YAML parse error on alertmanager-snmp-notifier/templates/service.yaml: error converting YAML to JSON: yaml: line 12: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E252

Error: alertmanager-snmp-notifier/templates/secrets.yaml:18:53 executing "alertmanager-snmp-notifier/templates/secrets.yaml" at <b64enc>: wrong type for value; expected string; got []interface {}

Phase: \$.snmpNotifier.snmpCommunity | Status: failed

Selected fields (full context in artifacts):

- \$.snmpNotifier.snmpCommunity = [null]

[Full input and diagnostic](#)

E271

[Diagnostic shortened; full text in artifacts] ... ting it again. It is also possible that applying this much filtering will distort the domain and/or distribution of the test, leaving your testing less rigorous than expected. If you expect this many inputs to be filtered out during generation, you can disable this health check with `@settings(suppress_health_check=[HealthCheck.filter_too_much])`. See <https://hypothesis.readthedocs.io/en/latest/reference/api.html#hypothesis.HealthCheck> for details.

Phase: `$.ingress.tls[*].hosts[*]` | Status: generation-error

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: `$.ingress.tls[***].hosts[***]`. Defaults may still apply.

[Full input and diagnostic](#)

E277

invalid rendered YAML: while constructing a mapping in "<unicode string>", line 27, column 3: user-object-1-template.tpl: | ^ (line: 27)
found duplicate key "user-object-1-template.tpl" with value "" (original value: "") in "<unicode string>", line 29, column 3:

user-object-1-template.tpl: | ^ (line: 29) To suppress this check see:

https://yaml.dev/doc/ruamel.yaml/api/#Duplicate_keys

Phase: `$.snmpNotifier.trapTemplates` | Status: failed

Selected fields (full context in artifacts):

- `$.snmpNotifier.trapTemplates` = `{"userObjects": [{"subOid": 1, "template": ""}, {"subOid": 1, "template": ""}]}`

[Full input and diagnostic](#)

E281

resource has no nonempty apiVersion

Phase: `$.route.main` | Status: failed

Selected fields (full context in artifacts):

- `$.route.main` = `{"apiVersion": "0", "enabled": true}`

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/jiralert

Status: failed | Attempts: 2398

E005

Error: YAML parse error on jiralert/templates/deployment.yaml: error converting YAML to JSON: yaml: line 43: block sequence entries are not allowed in this context

Phase: `$.image` | Status: failed

Selected fields (full context in artifacts):

- `$.image` = `{"pullPolicy": "-"}`

[Full input and diagnostic](#)

E006

Error: YAML parse error on jiralert/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: `$.serviceAccount.annotations` | Status: failed

Selected fields (full context in artifacts):

- `$.serviceAccount.annotations` = `{"": []}`

[Full input and diagnostic](#)

E281

resource has no nonempty apiVersion

Phase: \$.route.main | Status: failed

Selected fields (full context in artifacts):

- \$.route.main = {"apiVersion": "0", "enabled": true}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/kube-prometheus-stack

Status: time-limit | Attempts: 132

[Chart artifacts](#)

charts/kube-prometheus-stack/charts/crds

Status: failed | Attempts: 1

E274

chart rendered no resources

Phase: chart | Status: failed

No triggering values were recorded for this diagnostic.

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/kube-state-metrics

Status: failed | Attempts: 1427

E007

Error: YAML parse error on kube-state-metrics/templates/deployment.yaml: error converting YAML to JSON: yaml: line 50: found an indentation indicator equal to 0

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": ">0"}

[Full input and diagnostic](#)

E008

Error: YAML parse error on kube-state-metrics/templates/extra-manifests.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go value of type util.SimpleHead

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = [[]]

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prom-label-proxy

Status: failed | Attempts: 2010

E009

Error: YAML parse error on prom-label-proxy/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E010

Error: YAML parse error on prom-label-proxy/templates/deployment.yaml: error converting YAML to JSON: yaml: line 44: found an indentation indicator equal to 0

Phase: \$.config | Status: failed

Selected fields (full context in artifacts):

- \$.config = {"listenAddress": ">0"}

[Full input and diagnostic](#)

E011

Error: YAML parse error on prom-label-proxy/templates/service.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E012

Error: YAML parse error on prom-label-proxy/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"": []}

[Full input and diagnostic](#)

E253

Error: prom-label-proxy/templates/extra-objects.yaml:8:10 executing "prom-label-proxy/templates/extra-objects.yaml" at <\$extraObjects>: range can't iterate over 1

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = 1

[Full input and diagnostic](#)

E281

resource has no nonempty apiVersion

Phase: \$.route.main | Status: failed

Selected fields (full context in artifacts):

- \$.route.main = {"apiVersion": "0", "enabled": true}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus

Status: failed | Attempts: 1

E278

invalid rendered YAML: while scanning for the next token found character '\t' that cannot start any token in "<unicode string>", line 1359,
column 21: - apiVersion: v1 ^ (line: 1359)

Phase: chart | Status: failed

No triggering values were recorded for this diagnostic.

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-adapter

Status: failed | Attempts: 1834

E013

Error: YAML parse error on prometheus-adapter/templates/custom-metrics-cluster-role.yaml: error converting YAML to JSON: yaml: line 18: could not find expected ':'

Phase: \$.rbac.customMetrics | Status: failed

Selected fields (full context in artifacts):

- \$.rbac.customMetrics = {"resources": []}

[Full input and diagnostic](#)

E014

Error: YAML parse error on prometheus-adapter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 45: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E015

Error: YAML parse error on prometheus-adapter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 97: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets[*] | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.image.pullSecrets["*"]. Defaults may still apply.

[Full input and diagnostic](#)

E016

Error: YAML parse error on prometheus-adapter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 98: mapping values are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [{"0": null, "": ""}]

[Full input and diagnostic](#)

E017

Error: YAML parse error on prometheus-adapter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 99: did not find expected
' , ' or '] '

Phase: \$.rules.existing | Status: failed

Selected fields (full context in artifacts):

- \$.rules.existing = [{}]

[Full input and diagnostic](#)

E018

Error: YAML parse error on prometheus-adapter/templates/extra-objects.yaml: error unmarshaling JSON: while decoding JSON: json: cannot
unmarshal array into Go value of type util.SimpleHead

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = [[]]

[Full input and diagnostic](#)

E019

Error: YAML parse error on prometheus-adapter/templates/service.yaml: error converting YAML to JSON: yaml: line 23: found an indentation
indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-blackbox-exporter

Status: failed | Attempts: 1620

E020

Error: YAML parse error on prometheus-blackbox-exporter/templates/deployment.yaml: error converting
YAML to JSON: yaml: line 44: could not
find expected ' : '

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"digest": "\n0"}

[Full input and diagnostic](#)

E021

Error: YAML parse error on prometheus-blackbox-exporter/templates/extra-manifests.yaml: error
unmarshaling JSON: while decoding JSON: json:
cannot unmarshal array into Go value of type util.SimpleHead

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = [[]]

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-cloudwatch-exporter

Status: failed | Attempts: 2496

E022

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/configmap.yaml: error converting YAML to JSON: yaml: line 16: could not find expected ':'

Phase: \$.config | Status: failed

Selected fields (full context in artifacts):

- \$.config = "\r0"

[Full input and diagnostic](#)

E023

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 33: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E024

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E025

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: could not find expected ':'

Phase: \$.extraEnv | Status: failed

Selected fields (full context in artifacts):

- \$.extraEnv = true

[Full input and diagnostic](#)

E026

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 37: did not find expected ',', ' or ']'

Phase: \$.aws.secret.name | Status: failed

Selected fields (full context in artifacts):

- \$.aws.secret.name = [{}]

[Full input and diagnostic](#)

E027

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 40: could not find expected ':'

Phase: \$.aws.secret | Status: failed

Selected fields (full context in artifacts):

```
- $.aws.secret = {"name": "\r0"}
```

[Full input and diagnostic](#)

E028

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 42: found an indentation indicator equal to 0

Phase: \$.livenessProbe.path | Status: failed

Selected fields (full context in artifacts):

```
- $.livenessProbe.path = ">0"
```

[Full input and diagnostic](#)

E029

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 51: found an indentation indicator equal to 0

Phase: \$.readinessProbe.path | Status: failed

Selected fields (full context in artifacts):

```
- $.readinessProbe.path = ">0"
```

[Full input and diagnostic](#)

E030

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/deployment.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.deployment.annotations | Status: failed

Selected fields (full context in artifacts):

```
- $.deployment.annotations = {"": []}
```

[Full input and diagnostic](#)

E031

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/pdb.yaml: error converting YAML to JSON: yaml: line 11: did not find expected ',', ' or ']'

Phase: \$.podDisruptionBudget | Status: failed

Selected fields (full context in artifacts):

```
- $.podDisruptionBudget = {"enabled": true, "minAvailable": [{}]}
```

[Full input and diagnostic](#)

E032

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 14: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

```
- $.service.type = ">0"
```

[Full input and diagnostic](#)

E033

Error: YAML parse error on prometheus-cloudwatch-exporter/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations of type map[string]string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = [null]

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-contrack-stats-exporter

Status: failed | Attempts: 3079

E034

Error: YAML parse error on prometheus-contrack-stats-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 38: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E035

Error: YAML parse error on prometheus-contrack-stats-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 40: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E036

Error: YAML parse error on prometheus-contrack-stats-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 40: found an indentation indicator equal to 0

Phase: \$.image.pullPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullPolicy = ">0"

[Full input and diagnostic](#)

E037

Error: YAML parse error on prometheus-contrack-stats-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 54: found unexpected end of stream

Phase: \$.image.tag | Status: failed

Selected fields (full context in artifacts):

- \$.image.tag = ""

[Full input and diagnostic](#)

E038

Error: YAML parse error on prometheus-contrack-stats-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 7: found an indentation indicator equal to 0

Phase: \$.nameOverride | Status: failed

Selected fields (full context in artifacts):

- \$.nameOverride = ">0"

[Full input and diagnostic](#)

E039

Error: YAML parse error on prometheus-contrack-stats-exporter/templates/podmonitor.yaml: error converting YAML to JSON: yaml: line 18: block sequence entries are not allowed in this context

Phase: \$.podMonitor | Status: failed

Selected fields (full context in artifacts):

- \$.podMonitor = {"enabled": true, "interval": "-"}

[Full input and diagnostic](#)

E040

Error: YAML parse error on prometheus-contrack-stats-exporter/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"": []}

[Full input and diagnostic](#)

Phase: \$.serviceAccount | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount = {"annotations": {"": []}}

[Full input and diagnostic](#)

E280

resource has no metadata.name

Phase: \$.serviceAccount.name | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.name = ""

[Full input and diagnostic](#)

Phase: \$.fullnameOverride | Status: failed

Selected fields (full context in artifacts):

- \$.fullnameOverride = ""

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-consul-exporter

Status: failed | Attempts: 3339

E041

Error: YAML parse error on prometheus-consul-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 24: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

Phase: \$.image.tag | Status: failed

Selected fields (full context in artifacts):

- \$.image.tag = ""

[Full input and diagnostic](#)

E042

Error: YAML parse error on prometheus-consul-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 26: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E043

Error: YAML parse error on prometheus-consul-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 26: found an indentation indicator equal to 0

Phase: \$.image.pullPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullPolicy = ">0"

[Full input and diagnostic](#)

E044

Error: YAML parse error on prometheus-consul-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 47: found unexpected end of stream

Phase: \$.options | Status: failed

Selected fields (full context in artifacts):

- \$.options = {"\\": null}

[Full input and diagnostic](#)

E045

Error: YAML parse error on prometheus-consul-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E046

Error: YAML parse error on prometheus-consul-exporter/templates/service.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.service.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.service.annotations = {"": []}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-couchdb-exporter

Status: failed | Attempts: 2327

E047

Error: YAML parse error on prometheus-couchdb-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 24: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E048

Error: YAML parse error on prometheus-couchdb-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 26: found an indentation indicator equal to 0

Phase: \$.image.pullPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullPolicy = ">0"

[Full input and diagnostic](#)

E049

Error: YAML parse error on prometheus-couchdb-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 27: did not find expected key

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": ""}

[Full input and diagnostic](#)

E050

Error: YAML parse error on prometheus-couchdb-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 30: did not find expected '-' indicator

Phase: \$.couchdb.uri | Status: failed

Selected fields (full context in artifacts):

- \$.couchdb.uri = ""

[Full input and diagnostic](#)

E051

Error: YAML parse error on prometheus-couchdb-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 32: did not find expected '-' indicator

Phase: \$.couchdb.password | Status: failed

Selected fields (full context in artifacts):

- \$.couchdb.password = {"": null}

[Full input and diagnostic](#)

Phase: \$.couchdb.username | Status: failed

Selected fields (full context in artifacts):

- \$.couchdb.username = {"": null}

[Full input and diagnostic](#)

E052

Error: YAML parse error on prometheus-couchdb-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 48: found unexpected end of stream

Phase: \$.couchdb | Status: failed

Selected fields (full context in artifacts):

- \$.couchdb = {"databases": ""}

[Full input and diagnostic](#)

Phase: \$.couchdb.databases | Status: failed

Selected fields (full context in artifacts):

- \$.couchdb.databases = ""

[Full input and diagnostic](#)

E053

Error: YAML parse error on prometheus-couchdb-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 11: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E054

Error: YAML parse error on prometheus-couchdb-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 13: could not find expected ':'

Phase: \$.service | Status: failed

Selected fields (full context in artifacts):

- \$.service = {"type": "\r0"}

[Full input and diagnostic](#)

E055

Error: YAML parse error on prometheus-couchdb-exporter/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.name of type string

Phase: \$.serviceAccount.name | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.name = [null]

[Full input and diagnostic](#)

E254

Error: prometheus-couchdb-exporter/templates/NOTES.txt:3:17 executing "prometheus-couchdb-exporter/templates/NOTES.txt" at <.Values.ingress.hosts>: range can't iterate over false

Phase: \$.ingress | Status: failed

Selected fields (full context in artifacts):

- \$.ingress = {"enabled": true, "hosts": false}

[Full input and diagnostic](#)

E280

resource has no metadata.name

Phase: \$.serviceAccount | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount = {"name": "0"}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-druid-exporter

Status: failed | Attempts: 2483

E056

Error: YAML parse error on prometheus-druid-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 31: found an indentation indicator equal to 0

Phase: \$.druidURL | Status: failed

Selected fields (full context in artifacts):

- \$.druidURL = ">0"

[Full input and diagnostic](#)

E057

Error: YAML parse error on prometheus-druid-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: found an indentation indicator equal to 0

Phase: \$.logLevel | Status: failed

Selected fields (full context in artifacts):

- \$.logLevel = ">0"

[Full input and diagnostic](#)

E058

Error: YAML parse error on prometheus-druid-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 37: did not find expected key

Phase: \$.image.name | Status: failed

Selected fields (full context in artifacts):

- \$.image.name = "\""

[Full input and diagnostic](#)

E059

Error: YAML parse error on prometheus-druid-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 37: found an indentation indicator equal to 0

Phase: \$.logFormat | Status: failed

Selected fields (full context in artifacts):

- \$.logFormat = ">0"

[Full input and diagnostic](#)

E060

Error: YAML parse error on prometheus-druid-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 39: found an indentation indicator equal to 0

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

```
- $.image = {"pullPolicy": ">0"}
```

[Full input and diagnostic](#)

Phase: \$.image.pullPolicy | Status: failed

Selected fields (full context in artifacts):

```
- $.image.pullPolicy = ">0"
```

[Full input and diagnostic](#)

E061

Error: YAML parse error on prometheus-druid-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 46: found unexpected end of stream

Phase: \$.image.tag | Status: failed

Selected fields (full context in artifacts):

```
- $.image.tag = "\""
```

[Full input and diagnostic](#)

E062

Error: YAML parse error on prometheus-druid-exporter/templates/deployment.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.annotations | Status: failed

Selected fields (full context in artifacts):

```
- $.annotations = {"": []}
```

[Full input and diagnostic](#)

E063

Error: YAML parse error on prometheus-druid-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 20: found an indentation indicator equal to 0

Phase: \$.serviceType | Status: failed

Selected fields (full context in artifacts):

```
- $.serviceType = ">0"
```

[Full input and diagnostic](#)

E064

Error: YAML parse error on prometheus-druid-exporter/templates/servicemonitor.yaml: error converting YAML to JSON: yaml: line 9: did not find expected key

Phase: \$.serviceMonitor | Status: failed

Selected fields (full context in artifacts):

```
- $.serviceMonitor = {"additionalLabels": {"": null}, "enabled": true}
```

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-elasticsearch-exporter

Status: failed | Attempts: 2265

E065

Error: YAML parse error on prometheus-elasticsearch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 46: could not find expected ':'

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

```
- $.image = {"pullPolicy": "\r0"}
```

[Full input and diagnostic](#)

E066

Error: YAML parse error on prometheus-elasticsearch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 55: did not find expected ',', ' or ']'

Phase: \$.es.timeout | Status: failed

Selected fields (full context in artifacts):

- \$.es.timeout = ""

[Full input and diagnostic](#)

E067

Error: YAML parse error on prometheus-elasticsearch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 67: found an indentation indicator equal to 0

Phase: \$.service.metricsPort | Status: failed

Selected fields (full context in artifacts):

- \$.service.metricsPort = {"name": ">0"}

[Full input and diagnostic](#)

E068

Error: YAML parse error on prometheus-elasticsearch-exporter/templates/deployment.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.deployment.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.deployment.annotations = {"": []}

[Full input and diagnostic](#)

E069

Error: YAML parse error on prometheus-elasticsearch-exporter/templates/prometheusrule.yaml: error converting YAML to JSON: yaml: line 5: block sequence entries are not allowed in this context

Phase: \$.prometheusRule | Status: failed

Selected fields (full context in artifacts):

- \$.prometheusRule = {"enabled": true, "namespace": "-"}

[Full input and diagnostic](#)

E070

Error: YAML parse error on prometheus-elasticsearch-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E255

Error: prometheus-elasticsearch-exporter/templates/cert-secret.yaml:11:37 executing "prometheus-elasticsearch-exporter/templates/cert-secret.yaml" at <b64enc>: invalid value; expected string

Phase: \$.es | Status: failed

Selected fields (full context in artifacts):

- \$.es = {"ssl": {"enabled": true}}

[Full input and diagnostic](#)

E256

Error: prometheus-elasticsearch-exporter/templates/deployment.yaml:165:23 executing "prometheus-elasticsearch-exporter/templates/deployment.yaml" at <.name>: nil pointer evaluating interface {}.name

Phase: \$.secretMounts[*] | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.secretMounts["*"]. Defaults may still apply.

[Full input and diagnostic](#)

Phase: \$.secretMounts | Status: failed

Selected fields (full context in artifacts):

- \$.secretMounts = [null]

[Full input and diagnostic](#)

E257

Error: prometheus-elasticsearch-exporter/templates/deployment.yaml:44:10 executing "prometheus-elasticsearch-exporter/templates/deployment.yaml" at <include "elasticsearch-exporter.imagePullSecrets" .>: error calling include: prometheus-elasticsearch-exporter/templates/_helpers.tpl:86:15 executing "elasticsearch-exporter.imagePullSecrets" at <.>: wrong type for value; expected string; got interface {}

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [null]

[Full input and diagnostic](#)

E258

Error: prometheus-elasticsearch-exporter/templates/extra-manifests.yaml:3:7 executing "prometheus-elasticsearch-exporter/templates/extra-manifests.yaml" at <.>: wrong type for value; expected string; got interface {}

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = [null]

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-fastly-exporter

Status: failed | Attempts: 2847

E071

Error: YAML parse error on prometheus-fastly-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 25: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E072

Error: YAML parse error on prometheus-fastly-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 27: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E073

Error: YAML parse error on prometheus-fastly-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 34: found an indentation indicator equal to 0

Phase: \$.existingSecret.key | Status: failed

Selected fields (full context in artifacts):

- \$.existingSecret.key = ">0"

[Full input and diagnostic](#)

Phase: \$.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.existingSecret = {"key": ">0"}

[Full input and diagnostic](#)

E074

Error: YAML parse error on prometheus-fastly-exporter/templates/extra-manifests.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go value of type util.SimpleHead

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = [[]]

[Full input and diagnostic](#)

E075

Error: YAML parse error on prometheus-fastly-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 12: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E076

Error: YAML parse error on prometheus-fastly-exporter/templates/service.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.service.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.service.annotations = {"": []}

[Full input and diagnostic](#)

E275

Source: prometheus-fastly-exporter 0.14.1 / templates/secret.yaml

execution error at (prometheus-fastly-exporter/templates/secret.yaml:10:23): A Fastly token is required

Phase: \$.fastly.token | Status: failed

Selected fields (full context in artifacts):

- \$.fastly.token = ""

[Full input and diagnostic](#)

Phase: \$.fastly | Status: failed

Selected fields (full context in artifacts):

- \$.fastly = {"token": ""}

[Full input and diagnostic](#)

E281

resource has no nonempty apiVersion

Phase: \$.route.main | Status: failed

Selected fields (full context in artifacts):

- \$.route.main = {"apiVersion": "0", "enabled": true}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-ipmi-exporter

Status: failed | Attempts: 2608

E077

Error: YAML parse error on prometheus-ipmi-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 31: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E078

Error: YAML parse error on prometheus-ipmi-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 60: did not find expected ',', ' or '}'

Phase: \$.resources | Status: failed

Selected fields (full context in artifacts):

- \$.resources = {"limits": {"cpu": {""}}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-json-exporter

Status: failed | Attempts: 2484

E079

Error: YAML parse error on prometheus-json-exporter/templates/configmap.yaml: error converting YAML to JSON: yaml: line 17: could not find expected ':'

Phase: \$.configuration.config | Status: failed

Selected fields (full context in artifacts):

- \$.configuration.config = "\r0"

[Full input and diagnostic](#)

E080

Error: YAML parse error on prometheus-json-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 31: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = "\""

[Full input and diagnostic](#)

E081

Error: YAML parse error on prometheus-json-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 33: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"} }

[Full input and diagnostic](#)

E082

Error: YAML parse error on prometheus-json-exporter/templates/prometheusrule.yaml: error converting YAML to JSON: yaml: line 5: found an indentation indicator equal to 0

Phase: \$.prometheusRule | Status: failed

Selected fields (full context in artifacts):

- \$.prometheusRule = {"enabled": true, "namespace": ">0"} }

[Full input and diagnostic](#)

E083

Error: YAML parse error on prometheus-json-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E084

Error: YAML parse error on prometheus-json-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 18: found an indentation indicator equal to 0

Phase: \$.service.name | Status: failed

Selected fields (full context in artifacts):

- \$.service.name = ">0"

[Full input and diagnostic](#)

E085

Error: YAML parse error on prometheus-json-exporter/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"": []}

[Full input and diagnostic](#)

E259

Error: prometheus-json-exporter/templates/extra-manifests.yaml:3:7 executing "prometheus-json-exporter/templates/extra-manifests.yaml" at
<.>: wrong type for value; expected string; got interface {}

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = [null]

[Full input and diagnostic](#)

E281

resource has no nonempty apiVersion

Phase: \$.route.main | Status: failed

Selected fields (full context in artifacts):

- \$.route.main = {"apiVersion": "0", "enabled": true}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-kafka-exporter

Status: failed | Attempts: 2638

E086

Error: YAML parse error on prometheus-kafka-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 28: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E087

Error: YAML parse error on prometheus-kafka-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 30: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E088

Error: YAML parse error on prometheus-kafka-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: did not find expected ',', ' or ']'

Phase: \$.sasL.kerberos.mountPath | Status: failed

Selected fields (full context in artifacts):

- \$.sasL.kerberos.mountPath = [{}]

[Full input and diagnostic](#)

Phase: \$.sasL.kerberos | Status: failed

Selected fields (full context in artifacts):

- \$.sasL.kerberos = {"mountPath": [null, []]}

[Full input and diagnostic](#)

E089

Error: YAML parse error on prometheus-kafka-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: found unexpected end of stream

Phase: \$.kafkaServer[*] | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.kafkaServer["*"]. Defaults may still apply.

[Full input and diagnostic](#)

E090

Error: YAML parse error on prometheus-kafka-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 36: did not find expected '-' indicator

Phase: \$.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.imagePullSecrets = [{"": null, "0": null}]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [{"": null, "0": null}]

[Full input and diagnostic](#)

E091

Error: YAML parse error on prometheus-kafka-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 38: could not find expected ':'

Phase: \$.server | Status: failed

Selected fields (full context in artifacts):

- \$.server = {"tls": {"mountPath": {"\n": null}}}

[Full input and diagnostic](#)

E092

Error: YAML parse error on prometheus-kafka-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 11: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E093

Error: YAML parse error on prometheus-kafka-exporter/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"": []}

[Full input and diagnostic](#)

E260

Error: prometheus-kafka-exporter/templates/extra-objects.yaml:8:10 executing "prometheus-kafka-exporter/templates/extra-objects.yaml" at
<\$extraObjects>: range can't iterate over 1

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = 1

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-memcached-exporter

Status: failed | Attempts: 3213

E094

Error: YAML parse error on prometheus-memcached-exporter/templates/deployment.yaml: error converting
YAML to JSON: yaml: line 27: did not
find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E095

Error: YAML parse error on prometheus-memcached-exporter/templates/deployment.yaml: error converting
YAML to JSON: yaml: line 29: block
sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E096

Error: YAML parse error on prometheus-memcached-exporter/templates/deployment.yaml: error converting
YAML to JSON: yaml: line 29: found an
indentation indicator equal to 0

Phase: \$.image.pullPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullPolicy = ">0"

[Full input and diagnostic](#)

E097

Error: YAML parse error on prometheus-memcached-exporter/templates/deployment.yaml: error converting
YAML to JSON: yaml: line 33: could not
find expected ':'

Phase: \$.extraArgs | Status: failed

Selected fields (full context in artifacts):

- \$.extraArgs = {"\n": null}

[Full input and diagnostic](#)

E098

Error: YAML parse error on prometheus-memcached-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 45: found unexpected end of stream

Phase: \$.image.tag | Status: failed

Selected fields (full context in artifacts):

- \$.image.tag = "\""

[Full input and diagnostic](#)

E099

Error: YAML parse error on prometheus-memcached-exporter/templates/hpa.yaml: error converting YAML to JSON: yaml: line 29: did not find expected ',', or ']'

Phase: \$.autoscaling | Status: failed

Selected fields (full context in artifacts):

- \$.autoscaling = {"enabled": true, "targetMemoryUtilizationPercentage": [{}]}

[Full input and diagnostic](#)

E100

Error: YAML parse error on prometheus-memcached-exporter/templates/prometheusrule.yaml: error converting YAML to JSON: yaml: line 5: found an indentation indicator equal to 0

Phase: \$.prometheusRule | Status: failed

Selected fields (full context in artifacts):

- \$.prometheusRule = {"enabled": true, "namespace": ">0"}

[Full input and diagnostic](#)

E101

Error: YAML parse error on prometheus-memcached-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 12: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E102

Error: YAML parse error on prometheus-memcached-exporter/templates/service.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.service.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.service.annotations = {"": []}

[Full input and diagnostic](#)

E103

Error: YAML parse error on prometheus-memcached-exporter/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"": []}

[Full input and diagnostic](#)

E270

Inconsistent data generation! Data generation behaved differently between test cases. Is your data generation depending on external state?

The second run stopped drawing earlier than the first run, which continued to draw more data.

Phase: \$.serviceMonitor.timeout | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.serviceMonitor.timeout. Defaults may still apply.

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-modbus-exporter

Status: failed | Attempts: 2668

E104

Error: YAML parse error on prometheus-modbus-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 41: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E105

Error: YAML parse error on prometheus-modbus-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 45: could not find expected ':'

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "\r0"}

[Full input and diagnostic](#)

E106

Error: YAML parse error on prometheus-modbus-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 64: did not find expected ',', ' or ']'

Phase: \$.configMapFile | Status: failed

Selected fields (full context in artifacts):

- \$.configMapFile = [{}]

[Full input and diagnostic](#)

E107

Error: YAML parse error on prometheus-modbus-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 12: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E108

Error: YAML parse error on prometheus-mongodb-exporter/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"": []}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-mongodb-exporter

Status: failed | Attempts: 2808

E109

Error: YAML parse error on prometheus-mongodb-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E110

Error: YAML parse error on prometheus-mongodb-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: found an indentation indicator equal to 0

Phase: \$.existingSecret.key | Status: failed

Selected fields (full context in artifacts):

- \$.existingSecret.key = ">0"

[Full input and diagnostic](#)

Phase: \$.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.existingSecret = {"key": ">0"}

[Full input and diagnostic](#)

E111

Error: YAML parse error on prometheus-mongodb-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 37: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E112

Error: YAML parse error on prometheus-mongodb-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 39: did not find expected '-' indicator

Phase: \$.extraArgs | Status: failed

Selected fields (full context in artifacts):

- \$.extraArgs = []

[Full input and diagnostic](#)

E113

Error: YAML parse error on prometheus-mongodb-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 22: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E114

Error: YAML parse error on prometheus-mongodb-exporter/templates/service.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.service.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.service.annotations = {"": []}

[Full input and diagnostic](#)

E261

Error: prometheus-mongodb-exporter/templates/deployment.yaml:33:24 executing "prometheus-mongodb-exporter/templates/deployment.yaml" at <include "prometheus-mongodb-exporter.mongodbUri" .>: error calling include: prometheus-mongodb-exporter/templates/_helpers.tpl:84:44 executing "prometheus-mongodb-exporter.mongodbUri" at <.uri>: nil pointer evaluating interface {}.uri

Phase: \$.serviceMonitor.multiTarget | Status: failed

Selected fields (full context in artifacts):

- \$.serviceMonitor.multiTarget = {"enabled": true, "targets": [null]}

[Full input and diagnostic](#)

E276

Source: prometheus-mongodb-exporter 3.22.0 / templates/secret.yaml

execution error at (prometheus-mongodb-exporter/templates/secret.yaml:10:18): A MongoDB URI is required

Phase: \$.mongodb.uri | Status: failed

Selected fields (full context in artifacts):

- \$.mongodb.uri = ""

[Full input and diagnostic](#)

Phase: \$.mongodb | Status: failed

Selected fields (full context in artifacts):

- \$.mongodb = {"uri": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-mysql-exporter

Status: failed | Attempts: 2359

E115

Error: YAML parse error on prometheus-mysql-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: did not find expected key

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

```
- $.image = {"registry": "\""}
```

[Full input and diagnostic](#)

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

```
- $.image.repository = "\""
```

[Full input and diagnostic](#)

E116

Error: YAML parse error on prometheus-mysql-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 62: found unexpected end of stream

Phase: \$.config.logLevel | Status: failed

Selected fields (full context in artifacts):

```
- $.config.logLevel = "\""
```

[Full input and diagnostic](#)

E117

Error: YAML parse error on prometheus-mysql-exporter/templates/prometheusrule.yaml: error converting YAML to JSON: yaml: line 5: found an indentation indicator equal to 0

Phase: \$.prometheusRule | Status: failed

Selected fields (full context in artifacts):

```
- $.prometheusRule = {"enabled": true, "namespace": ">0"}
```

[Full input and diagnostic](#)

E118

Error: YAML parse error on prometheus-mysql-exporter/templates/secret-config.yaml: error converting YAML to JSON: yaml: line 21: could not find expected ':'

Phase: \$.mysql.host | Status: failed

Selected fields (full context in artifacts):

```
- $.mysql.host = "\n0"
```

[Full input and diagnostic](#)

E119

Error: YAML parse error on prometheus-mysql-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 18: found an indentation indicator equal to 0

Phase: \$.service.name | Status: failed

Selected fields (full context in artifacts):

```
- $.service.name = ">0"
```

[Full input and diagnostic](#)

E271

[Diagnostic shortened; full text in artifacts] ... ting it again. It is also possible that applying this much filtering will distort the domain and/or distribution of the test, leaving your testing less rigorous than expected. If you expect this many inputs to be filtered out during generation, you can disable this health check with @settings(suppress_health_check=[HealthCheck.filter_too_much]). See <https://hypothesis.readthedocs.io/en/latest/reference/api.html#hypothesis.HealthCheck> for details.

Phase: \$.extraEnvs[*].valueFrom | Status: generation-error

Selected fields (full context in artifacts):

```
- No supplied value at the selected paths.
```

Absent from overrides: \$.extraEnvs["*"].valueFrom. Defaults may still apply.

[Full input and diagnostic](#)

E273

```
[Diagnostic shortened; full text in artifacts] ... '#/$defs/uriString'}, 'additionalProperties':
{'type': 'boolean'}}, '$comment': {'type':
'string'}, '$defs': {'type': 'object', 'additionalProperties': {'$dynamicRef': '#meta'}}}, '$defs':
{'anchorString': {'type': 'string',
'pattern': '^([A-Za-z_-][A-Za-z0-9_-]*)$'}, 'uriString': {'type': 'string', 'format': 'uri'},
'uriReferenceString': {'type': 'string',
'format': 'uri-reference'}}} On schema['properties']['extraEnvs']['items']: [{'const': ''}]
```

Phase: \$.extraEnvs[*] | Status: generation-error

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.extraEnvs["*"]. Defaults may still apply.

[Full input and diagnostic](#)

E281

resource has no nonempty apiVersion

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = [{}]

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-nats-exporter

Status: failed | Attempts: 3515

E120

Error: YAML parse error on prometheus-nats-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 37: did not find expected '-' indicator

Phase: \$.config | Status: failed

Selected fields (full context in artifacts):

- \$.config = {"nats": {"namespace": ""}}

[Full input and diagnostic](#)

Phase: \$.config.nats.service | Status: failed

Selected fields (full context in artifacts):

- \$.config.nats.service = ""

[Full input and diagnostic](#)

2 additional occurrences are retained in the JSON report and chart artifacts.

E121

Error: YAML parse error on prometheus-nats-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 38: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E122

Error: YAML parse error on prometheus-nats-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 40: found an indentation indicator equal to 0

Phase: \$.image.pullPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullPolicy = ">0"

[Full input and diagnostic](#)

E123

Error: YAML parse error on prometheus-nats-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 59: found unexpected end of stream

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": ""}

[Full input and diagnostic](#)

Phase: \$.image.tag | Status: failed

Selected fields (full context in artifacts):

- \$.image.tag = "\""

[Full input and diagnostic](#)

E124

Error: YAML parse error on prometheus-nats-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 60: could not find expected ':'

Phase: \$.extraVolumes | Status: failed

Selected fields (full context in artifacts):

- \$.extraVolumes = "0"

[Full input and diagnostic](#)

E125

Error: YAML parse error on prometheus-nats-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E126

Error: YAML parse error on prometheus-nats-exporter/templates/service.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.service.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.service.annotations = {"": []}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-nginx-exporter

Status: failed | Attempts: 2957

E127

Error: YAML parse error on prometheus-nginx-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 36: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E128

Error: YAML parse error on prometheus-nginx-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 38: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": ":"}

[Full input and diagnostic](#)

E129

Error: YAML parse error on prometheus-nginx-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 57: found unexpected end of stream

Phase: \$.nginxServer | Status: failed

Selected fields (full context in artifacts):

- \$.nginxServer = ""

[Full input and diagnostic](#)

E130

Error: YAML parse error on prometheus-nginx-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 5: found an indentation indicator equal to 0

Phase: \$.namespaceOverride | Status: failed

Selected fields (full context in artifacts):

- \$.namespaceOverride = ">0"

[Full input and diagnostic](#)

E131

Error: YAML parse error on prometheus-nginx-exporter/templates/deployment.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.deployment.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.deployment.annotations = {"": []}

[Full input and diagnostic](#)

Phase: \$.additionalAnnotations | Status: failed

Selected fields (full context in artifacts):

- \$.additionalAnnotations = {"": []}

[Full input and diagnostic](#)

E132

Error: YAML parse error on prometheus-nginx-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E133

Error: YAML parse error on prometheus-nginx-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 16: found an indentation indicator equal to 0

Phase: \$.service.externalTrafficPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.service.externalTrafficPolicy = ">0"

[Full input and diagnostic](#)

E134

Error: YAML parse error on prometheus-nginx-exporter/templates/service.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.service.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.service.annotations = {"": []}

[Full input and diagnostic](#)

E281

resource has no nonempty apiVersion

Phase: \$.serviceMonitor | Status: failed

Selected fields (full context in artifacts):

- \$.serviceMonitor = {"apiVersion": "", "enabled": true}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-node-exporter

Status: failed | Attempts: 1547

E135

Error: YAML parse error on prometheus-node-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 46: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"digest": ":"}

[Full input and diagnostic](#)

E136

Error: YAML parse error on prometheus-node-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 99: did not find expected '-' indicator

Phase: \$.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

```
- $.imagePullSecrets = [{"": null, "0": null}]
```

[Full input and diagnostic](#)

E137

Error: YAML parse error on prometheus-node-exporter/templates/daemonset.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.daemonsetAnnotations | Status: failed

Selected fields (full context in artifacts):

```
- $.daemonsetAnnotations = {"": []}
```

[Full input and diagnostic](#)

E262

Error: prometheus-node-exporter/templates/extra-manifests.yaml:3:7 executing "prometheus-node-exporter/templates/extra-manifests.yaml" at <.>: wrong type for value; expected string; got interface {}

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

```
- $.extraManifests = [null]
```

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-operator-admission-webhook

Status: failed | Attempts: 1576

E138

Error: YAML parse error on prometheus-operator-admission-webhook/templates/deployment.yaml: error converting YAML to JSON: yaml: line 33: mapping values are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

```
- $.image.pullSecrets = [{"0": null, "": ""}]
```

[Full input and diagnostic](#)

E139

Error: YAML parse error on prometheus-operator-admission-webhook/templates/deployment.yaml: error converting YAML to JSON: yaml: line 82: found unexpected end of stream

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

```
- $.image = {"digest": "\\\"}"
```

[Full input and diagnostic](#)

E140

Error: YAML parse error on prometheus-operator-admission-webhook/templates/deployment.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.deployment.annotations | Status: failed

Selected fields (full context in artifacts):

```
- $.deployment.annotations = {"": []}
```

[Full input and diagnostic](#)

E141

Error: YAML parse error on prometheus-operator-admission-webhook/templates/hooks/job-createSecret.yaml: error converting YAML to JSON: yaml:
line 30: found an indentation indicator equal to 0

Phase: \$.jobs.image.pullPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.jobs.image.pullPolicy = ">0"

[Full input and diagnostic](#)

E142

Error: YAML parse error on prometheus-operator-admission-webhook/templates/hooks/job-patchWebhook.yaml: error unmarshaling JSON: while
decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.jobs.patchWebhook.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.jobs.patchWebhook.annotations = {"": []}

[Full input and diagnostic](#)

E270

Inconsistent data generation! Data generation behaved differently between test cases. Is your data generation depending on external state?

The second run stopped drawing earlier than the first run, which continued to draw more data.

Phase: \$.networkPolicy.annotations | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.networkPolicy.annotations. Defaults may still apply.

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-operator-crds

Status: time-limit | Attempts: 29

[Chart artifacts](#)

charts/prometheus-operator-crds/charts/crds

Status: missing-values | Attempts: N/A

E272

Selected values file not found:

/Users/emmad Doyle/projects/personal/hypothesis-helm/third_party/prometheus-community-helm-charts/charts/prometheus-operator-crds/charts/crds/values.yaml

Phase: chart | Status: missing-values

No triggering values were recorded for this diagnostic.

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-pgbouncer-exporter

Status: failed | Attempts: 2504

E143

Error: YAML parse error on prometheus-pgbouncer-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 34: could not find expected ':'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = {"": {"\r": null}}

[Full input and diagnostic](#)

E144

Error: YAML parse error on prometheus-pgbouncer-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: did not find expected key

Phase: \$.config.logLevel | Status: failed

Selected fields (full context in artifacts):

- \$.config.logLevel = ""

[Full input and diagnostic](#)

E145

Error: YAML parse error on prometheus-pgbouncer-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 44: found an indentation indicator equal to 0

Phase: \$.config.datasource.passwordFile | Status: failed

Selected fields (full context in artifacts):

- \$.config.datasource.passwordFile = ">0"

[Full input and diagnostic](#)

E146

Error: YAML parse error on prometheus-pgbouncer-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 47: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E147

Error: YAML parse error on prometheus-pgbouncer-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 81: found unexpected end of stream

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": ""}

[Full input and diagnostic](#)

Phase: \$.config.datasource.sslmode | Status: failed

Selected fields (full context in artifacts):

- \$.config.datasource.sslmode = ""

[Full input and diagnostic](#)

E148

Error: YAML parse error on prometheus-pgbouncer-exporter/templates/prometheusrule.yaml: error converting YAML to JSON: yaml: line 5: found an indentation indicator equal to 0

Phase: \$.prometheusRule | Status: failed

Selected fields (full context in artifacts):

- \$.prometheusRule = {"enabled": true, "namespace": ">0"}

[Full input and diagnostic](#)

E149

Error: YAML parse error on prometheus-pgbouncer-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 11: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E150

Error: YAML parse error on prometheus-pgbouncer-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 16: found an indentation indicator equal to 0

Phase: \$.service.name | Status: failed

Selected fields (full context in artifacts):

- \$.service.name = ">0"

[Full input and diagnostic](#)

E151

Error: YAML parse error on prometheus-pgbouncer-exporter/templates/serviceaccount.yaml: error converting YAML to JSON: yaml: line 12: did not find expected key

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"\n": null}

[Full input and diagnostic](#)

E263

Error: prometheus-pgbouncer-exporter/templates/secrets.yaml:13:89 executing "prometheus-pgbouncer-exporter/templates/secrets.yaml" at <b64enc>: wrong type for value; expected string; got bool

Phase: \$.config | Status: failed

Selected fields (full context in artifacts):

- \$.config = {"datasource": {"password": true}}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-pingdom-exporter

Status: failed | Attempts: 3162

E152

Error: YAML parse error on prometheus-pingdom-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 23: found an indentation indicator equal to 0

Phase: \$.serviceAccount.name | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.name = ">0"

[Full input and diagnostic](#)

E153

Error: YAML parse error on prometheus-pingdom-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = "\""

[Full input and diagnostic](#)

E154

Error: YAML parse error on prometheus-pingdom-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 37: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"} }

[Full input and diagnostic](#)

E155

Error: YAML parse error on prometheus-pingdom-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 37: found an indentation indicator equal to 0

Phase: \$.image.pullPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullPolicy = ">0"

[Full input and diagnostic](#)

E156

Error: YAML parse error on prometheus-pingdom-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 42: found an indentation indicator equal to 0

Phase: \$.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.existingSecret = {"name": ">0"} }

[Full input and diagnostic](#)

Phase: \$.existingSecret.name | Status: failed

Selected fields (full context in artifacts):

- \$.existingSecret.name = ">0"

[Full input and diagnostic](#)

E157

Error: YAML parse error on prometheus-pingdom-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 58: found unexpected end of stream

Phase: \$.image.tag | Status: failed

Selected fields (full context in artifacts):

- \$.image.tag = "\""

[Full input and diagnostic](#)

E158

Error: YAML parse error on prometheus-pingdom-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 7: found an indentation indicator equal to 0

Phase: \$.nameOverride | Status: failed

Selected fields (full context in artifacts):

- \$.nameOverride = ">0"

[Full input and diagnostic](#)

E159

Error: YAML parse error on prometheus-pingdom-exporter/templates/secret.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.secret.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.secret.annotations = {"": []}

[Full input and diagnostic](#)

Phase: \$.secret | Status: failed

Selected fields (full context in artifacts):

- \$.secret = {"annotations": {"": []}}

[Full input and diagnostic](#)

E160

Error: YAML parse error on prometheus-pingdom-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 12: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E161

Error: YAML parse error on prometheus-pingdom-exporter/templates/service.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.service.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.service.annotations = {"": []}

[Full input and diagnostic](#)

Phase: \$.service | Status: failed

Selected fields (full context in artifacts):

- \$.service = {"annotations": {"": []}}

[Full input and diagnostic](#)

E162

Error: YAML parse error on prometheus-pingdom-exporter/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount = {"annotations": {"": []}, "create": true}

[Full input and diagnostic](#)

E280

resource has no metadata.name

Phase: \$.fullnameOverride | Status: failed

Selected fields (full context in artifacts):

- \$.fullnameOverride = ""

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-pingmesh-exporter

Status: failed | Attempts: 1491

E163

Error: YAML parse error on prometheus-pingmesh-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 59: could not find expected ':'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = {"": {"\r": null}}

[Full input and diagnostic](#)

E164

Error: YAML parse error on prometheus-pingmesh-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 74: did not find expected key

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-postgres-exporter

Status: baseline-failed | Attempts: N/A

E001

[Diagnostic shortened; full text in artifacts] ... s-postgres-exporter/templates/secrets.yaml:12:38 executing

"prometheus-postgres-exporter/templates/secrets.yaml" at <.Values.config.datasource.password>: wrong type for value; expected string; got interface {} level=WARN msg="missing required value" message="config.datasource.password is required when not using

config.datasource.passwordSecret, config.datasource.passwordFile, or config.datasourceSecret" Error: 1 chart(s) linted, 1 chart(s) failed

Phase: chart | Status: baseline-failed

No triggering values were recorded for this diagnostic.

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-pushgateway

Status: failed | Attempts: 2157

E165

Error: YAML parse error on prometheus-pushgateway/templates/deployment.yaml: error converting YAML to JSON: yaml: line 34: found an indentation indicator equal to 0

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": ">0"}

[Full input and diagnostic](#)

E166

Error: YAML parse error on prometheus-pushgateway/templates/deployment.yaml: error converting YAML to JSON: yaml: line 42: did not find expected ',', or '}'

Phase: \$.liveness | Status: failed

Selected fields (full context in artifacts):

- \$.liveness = {"probe": {"httpGet": {"path": "{}"}}

[Full input and diagnostic](#)

E167

Error: YAML parse error on prometheus-pushgateway/templates/deployment.yaml: error converting YAML to JSON: yaml: line 43: could not find expected ':'

Phase: \$.liveness.probe | Status: failed

Selected fields (full context in artifacts):

- \$.liveness.probe = {"httpGet": {"path": "\r0"}}

[Full input and diagnostic](#)

E168

Error: YAML parse error on prometheus-pushgateway/templates/extra-manifests.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go value of type util.SimpleHead

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = [[]]

[Full input and diagnostic](#)

E169

Error: YAML parse error on prometheus-pushgateway/templates/httproute.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.route.main | Status: failed

Selected fields (full context in artifacts):

- \$.route.main = {"annotations": {"": []}, "enabled": true}

[Full input and diagnostic](#)

E170

Error: YAML parse error on prometheus-pushgateway/templates/service.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E171

Error: YAML parse error on prometheus-pushgateway/templates/service.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAnnotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAnnotations = {"": []}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-rabbitmq-exporter

Status: failed | Attempts: 2725

E172

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 25: did not find expected ',', ' or ''

Phase: \$.image.pullSecrets[*] | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.image.pullSecrets["*"]. Defaults may still apply.

[Full input and diagnostic](#)

E173

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 26: mapping values are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [{"0": null, "": ""}]

[Full input and diagnostic](#)

E174

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 27: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E175

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 29: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}
[Full input and diagnostic](#)

E176

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 34: found an indentation indicator equal to 0

Phase: \$.rabbitmq.configMapOverrideReference | Status: failed

Selected fields (full context in artifacts):

- \$.rabbitmq.configMapOverrideReference = ">0"
[Full input and diagnostic](#)

E177

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 36: did not find expected key

Phase: \$.rabbitmq.existingPasswordSecret | Status: failed

Selected fields (full context in artifacts):

- \$.rabbitmq.existingPasswordSecret = {"\"": null}
[Full input and diagnostic](#)

E178

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 41: did not find expected key

Phase: \$.rabbitmq.existingUserSecret | Status: failed

Selected fields (full context in artifacts):

- \$.rabbitmq.existingUserSecret = {"\"": null}
[Full input and diagnostic](#)

E179

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 45: found an indentation indicator equal to 0

Phase: \$.rabbitmq.url | Status: failed

Selected fields (full context in artifacts):

- \$.rabbitmq.url = ">0"
[Full input and diagnostic](#)

E180

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/deployment.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.additionalAnnotations | Status: failed

Selected fields (full context in artifacts):

- \$.additionalAnnotations = {"": []}

[Full input and diagnostic](#)

E181

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 11: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E182

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"": []}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-redis-exporter

Status: failed | Attempts: 2526

E183

Error: YAML parse error on prometheus-redis-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 31: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets[*] | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.image.pullSecrets["*"]. Defaults may still apply.

[Full input and diagnostic](#)

E184

Error: YAML parse error on prometheus-redis-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 32: mapping values are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [{"0": null, "": ""}]

[Full input and diagnostic](#)

E185

Error: YAML parse error on prometheus-redis-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 34: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E186

Error: YAML parse error on prometheus-redis-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 59: did not find expected ',', ' or ']'

Phase: \$.script | Status: failed

Selected fields (full context in artifacts):

- \$.script = {"configmap": [null, []]}

[Full input and diagnostic](#)

E187

Error: YAML parse error on prometheus-redis-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 61: did not find expected ',', ' or ']'

Phase: \$.script.keyname | Status: failed

Selected fields (full context in artifacts):

- \$.script.keyname = [{}]

[Full input and diagnostic](#)

E188

Error: YAML parse error on prometheus-redis-exporter/templates/extra-manifests.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go value of type util.SimpleHead

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = [[]]

[Full input and diagnostic](#)

E189

Error: YAML parse error on prometheus-redis-exporter/templates/prometheusrule.yaml: error converting YAML to JSON: yaml: line 5: found an indentation indicator equal to 0

Phase: \$.prometheusRule | Status: failed

Selected fields (full context in artifacts):

- \$.prometheusRule = {"enabled": true, "namespace": ">0"}

[Full input and diagnostic](#)

E190

Error: YAML parse error on prometheus-redis-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 14: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-smartctl-exporter

Status: failed | Attempts: 2619

E191

Error: YAML parse error on prometheus-smartctl-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 29: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets[*] | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.image.pullSecrets["*"]. Defaults may still apply.

[Full input and diagnostic](#)

E192

Error: YAML parse error on prometheus-smartctl-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 30: mapping values are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [{"0": null, "": ""}]

[Full input and diagnostic](#)

E193

Error: YAML parse error on prometheus-smartctl-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 31: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E194

Error: YAML parse error on prometheus-smartctl-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 36: did not find expected key

Phase: \$.common | Status: failed

Selected fields (full context in artifacts):

- \$.common = {"config": {"bind_to": ""}}

[Full input and diagnostic](#)

E195

Error: YAML parse error on prometheus-smartctl-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 12: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E264

Error: prometheus-smartctl-exporter/templates/prometheusrule.yaml:19:15 executing "prometheus-smartctl-exporter/templates/prometheusrule.yaml" at <.enabled>: nil pointer evaluating interface {}.enabled

Phase: \$.prometheusRules | Status: failed

Selected fields (full context in artifacts):

- \$.prometheusRules = {"enabled": true, "rules": {"": null}}

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-snm-exporter

Status: failed | Attempts: 2114

E196

Error: YAML parse error on prometheus-snm-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 43: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}
[Full input and diagnostic](#)

[Full input and diagnostic](#)

E197

Error: YAML parse error on prometheus-snm-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"
[Full input and diagnostic](#)

[Full input and diagnostic](#)

E265

Error: prometheus-snm-exporter/templates/configmap.yaml:11:27 executing "prometheus-snm-exporter/templates/configmap.yaml" at <4>: wrong type for value; expected string; got []interface {}

Phase: \$.config | Status: failed

Selected fields (full context in artifacts):

- \$.config = [null]
[Full input and diagnostic](#)

[Full input and diagnostic](#)

E266

Error: prometheus-snm-exporter/templates/extra-manifests.yaml:3:7 executing "prometheus-snm-exporter/templates/extra-manifests.yaml" at <.>: wrong type for value; expected string; got interface {}

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = [null]
[Full input and diagnostic](#)

[Full input and diagnostic](#)

E281

resource has no nonempty apiVersion

Phase: \$.route.main | Status: failed

Selected fields (full context in artifacts):

- \$.route.main = {"apiVersion": "0", "enabled": true}
[Full input and diagnostic](#)

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-sql-exporter

Status: failed | Attempts: 2576

E198

Error: YAML parse error on prometheus-sql-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 33: found an indentation indicator equal to 0

Phase: \$.image.pullSecrets[*] | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.image.pullSecrets["*"]. Defaults may still apply.

[Full input and diagnostic](#)

E199

Error: YAML parse error on prometheus-sql-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: could not find expected ':'

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullSecrets": ["\r0"]}

[Full input and diagnostic](#)

E200

Error: YAML parse error on prometheus-sql-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 38: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E201

Error: YAML parse error on prometheus-sql-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 83: found unexpected end of stream

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [""]

[Full input and diagnostic](#)

E202

Error: YAML parse error on prometheus-sql-exporter/templates/deployment.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.deployment.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.deployment.annotations = {"": []}

[Full input and diagnostic](#)

E203

Error: YAML parse error on prometheus-sql-exporter/templates/prometheusrule.yaml: error converting YAML to JSON: yaml: line 5: found an indentation indicator equal to 0

Phase: \$.prometheusRule | Status: failed

Selected fields (full context in artifacts):

- \$.prometheusRule = {"enabled": true, "namespace": ">0"}

[Full input and diagnostic](#)

E204

Error: YAML parse error on prometheus-sql-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 17: found an indentation indicator equal to 0

Phase: \$.service.name | Status: failed

Selected fields (full context in artifacts):

- \$.service.name = ">0"

[Full input and diagnostic](#)

E205

Error: YAML parse error on prometheus-sql-exporter/templates/serviceaccount.yaml: error converting YAML to JSON: yaml: line 13: did not find expected key

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"\n": null}

[Full input and diagnostic](#)

E271

[Diagnostic shortened; full text in artifacts] ... ting it again. It is also possible that applying this much filtering will distort the domain and/or distribution of the test, leaving your testing less rigorous than expected. If you expect this many inputs to be filtered out during generation, you can disable this health check with @settings(suppress_health_check=[HealthCheck.filter_too_much]). See <https://hypothesis.readthedocs.io/en/latest/reference/api.html#hypothesis.HealthCheck> for details.

Phase: \$.extraEnvs[*].valueFrom | Status: generation-error

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.extraEnvs["*"].valueFrom. Defaults may still apply.

[Full input and diagnostic](#)

E273

[Diagnostic shortened; full text in artifacts] ... '#/\$defs/uriString'}, 'additionalProperties': {'type': 'boolean'}, '\$comment': {'type': 'string'}, '\$defs': {'type': 'object', 'additionalProperties': {'\$dynamicRef': '#meta'}}}, '\$defs': {'anchorString': {'type': 'string', 'pattern': '^([A-Za-z_-][A-Za-z0-9_-]*)\$'}, 'uriString': {'type': 'string', 'format': 'uri'}, 'uriReferenceString': {'type': 'string', 'format': 'uri-reference'}}} On schema['properties']['extraEnvs']['items']: [{'const': ''}]

Phase: \$.extraEnvs[*] | Status: generation-error

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.extraEnvs["*"]. Defaults may still apply.

[Full input and diagnostic](#)

E281

resource has no nonempty apiVersion

Phase: \$.extraManifests | Status: failed

Selected fields (full context in artifacts):

- \$.extraManifests = [{}]

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-stackdriver-exporter

Status: failed | Attempts: 2658

E206

Error: YAML parse error on prometheus-stackdriver-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 39: could not find expected ':'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = {"": {"\r": null}}

[Full input and diagnostic](#)

E207

Error: YAML parse error on prometheus-stackdriver-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 41: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E208

Error: YAML parse error on prometheus-stackdriver-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 43: did not find expected key

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": ""}

[Full input and diagnostic](#)

E209

Error: YAML parse error on prometheus-stackdriver-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 60: could not find expected ':'

Phase: \$.stackdriver.backoffJitter | Status: failed

Selected fields (full context in artifacts):

- \$.stackdriver.backoffJitter = "\n0"

[Full input and diagnostic](#)

Phase: \$.web | Status: failed

Selected fields (full context in artifacts):

- \$.web = {"listenAddress": "\n0"}

[Full input and diagnostic](#)

E210

Error: YAML parse error on prometheus-stackdriver-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 61: could not find expected ':'

Phase: \$.stackdriver.metrics.filters | Status: failed

Selected fields (full context in artifacts):

- \$.stackdriver.metrics.filters = [{"\r": null}]

[Full input and diagnostic](#)

Phase: \$.stackdriver.universeDomain | Status: failed

Selected fields (full context in artifacts):

- \$.stackdriver.universeDomain = "\n0"

[Full input and diagnostic](#)

E211

Error: YAML parse error on prometheus-stackdriver-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 79: found unexpected end of stream

Phase: \$.stackdriver.projectIds[*] | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.stackdriver.projectIds["*"]. Defaults may still apply.

[Full input and diagnostic](#)

E212

Error: YAML parse error on prometheus-stackdriver-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 80: found unexpected end of stream

Phase: \$.stackdriver.projectFilters | Status: failed

Selected fields (full context in artifacts):

- \$.stackdriver.projectFilters = "\n"

[Full input and diagnostic](#)

E213

Error: YAML parse error on prometheus-stackdriver-exporter/templates/prometheusrule.yaml: error converting YAML to JSON: yaml: line 5: found an indentation indicator equal to 0

Phase: \$.prometheusRule | Status: failed

Selected fields (full context in artifacts):

- \$.prometheusRule = {"enabled": true, "namespace": ">0"}

[Full input and diagnostic](#)

E214

Error: YAML parse error on prometheus-stackdriver-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-statsd-exporter

Status: failed | Attempts: 2783

E215

Error: YAML parse error on prometheus-statsd-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 32: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = "\""

[Full input and diagnostic](#)

E216

Error: YAML parse error on prometheus-statsd-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 34: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E217

Error: YAML parse error on prometheus-statsd-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 34: found an indentation indicator equal to 0

Phase: \$.extraEnv | Status: failed

Selected fields (full context in artifacts):

- \$.extraEnv = {">0": null}

[Full input and diagnostic](#)

E218

Error: YAML parse error on prometheus-statsd-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 12: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E219

Error: YAML parse error on prometheus-statsd-exporter/templates/service.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.service.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.service.annotations = {"": []}

[Full input and diagnostic](#)

E220

Error: YAML parse error on prometheus-statsd-exporter/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

```
- $.serviceAccount.annotations = {"": []}
```

[Full input and diagnostic](#)

E267

```
Error: prometheus-statsd-exporter/templates/deployment.yaml:18:28 executing "prometheus-statsd-exporter/templates/deployment.yaml" at
<include (print $.Template.BasePath "/configmap.yaml") .>: error calling include: prometheus-statsd-exporter/templates/configmap.yaml:12:19
executing "prometheus-statsd-exporter/templates/configmap.yaml" at <4>: wrong type for value;
expected string; got []interface {}
```

Phase: \$.statsd.mappingConfig | Status: failed

Selected fields (full context in artifacts):

```
- $.statsd.mappingConfig = [null]
```

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-systemd-exporter

Status: failed | Attempts: 2484

E221

```
Error: YAML parse error on prometheus-systemd-exporter/templates/daemonset.yaml: error converting
YAML to JSON: yaml: line 38: did not find
expected '-' indicator
```

Phase: \$.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

```
- $.imagePullSecrets = [{"": null, "0": null}]
```

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

```
- $.global.imagePullSecrets = [{"": null, "0": null}]
```

[Full input and diagnostic](#)

E222

```
Error: YAML parse error on prometheus-systemd-exporter/templates/daemonset.yaml: error converting
YAML to JSON: yaml: line 46: did not find
expected comment or line break
```

Phase: \$.global.imageRegistry | Status: failed

Selected fields (full context in artifacts):

```
- $.global.imageRegistry = ">"
```

[Full input and diagnostic](#)

E223

```
Error: YAML parse error on prometheus-systemd-exporter/templates/daemonset.yaml: error converting
YAML to JSON: yaml: line 48: could not
find expected ':'
```

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

```
- $.image = {"digest": "\n0"}
```

[Full input and diagnostic](#)

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

```
- $.image.repository = "\n"
```

[Full input and diagnostic](#)

E224

Error: YAML parse error on prometheus-systemd-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 52: could not find expected ':'

Phase: \$.config.log | Status: failed

Selected fields (full context in artifacts):

- \$.config.log = {"level": "\n0"}

[Full input and diagnostic](#)

Phase: \$.config | Status: failed

Selected fields (full context in artifacts):

- \$.config = {"log": {"level": "\n0"}}

[Full input and diagnostic](#)

E225

Error: YAML parse error on prometheus-systemd-exporter/templates/daemonset.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.daemonsetAnnotations | Status: failed

Selected fields (full context in artifacts):

- \$.daemonsetAnnotations = {"": []}

[Full input and diagnostic](#)

E226

Error: YAML parse error on prometheus-systemd-exporter/templates/prometheusrule.yaml: error converting YAML to JSON: yaml: line 5: found an indentation indicator equal to 0

Phase: \$.prometheus.rules | Status: failed

Selected fields (full context in artifacts):

- \$.prometheus.rules = {"enabled": true, "namespace": ">0"}

[Full input and diagnostic](#)

E227

Error: YAML parse error on prometheus-systemd-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 17: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-to-sd

Status: failed | Attempts: 982

E228

Error: YAML parse error on prometheus-to-sd/templates/deployment.yaml: error converting YAML to JSON: yaml: line 23: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E229

Error: YAML parse error on prometheus-to-sd/templates/deployment.yaml: error converting YAML to JSON: yaml: line 25: block sequence entries are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "-"}

[Full input and diagnostic](#)

E230

Error: YAML parse error on prometheus-to-sd/templates/deployment.yaml: error converting YAML to JSON: yaml: line 25: found an indentation indicator equal to 0

Phase: \$.image.pullPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullPolicy = ">0"

[Full input and diagnostic](#)

E231

Error: YAML parse error on prometheus-to-sd/templates/deployment.yaml: error converting YAML to JSON: yaml: line 32: did not find expected key

Phase: \$.metricsSources | Status: failed

Selected fields (full context in artifacts):

- \$.metricsSources = {"\r": null}

[Full input and diagnostic](#)

E232

Error: YAML parse error on prometheus-to-sd/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: could not find expected ':'

Phase: \$.monitoredResourceTypes | Status: failed

Selected fields (full context in artifacts):

- \$.monitoredResourceTypes = "\n0"

[Full input and diagnostic](#)

Phase: \$.metricsSources["kube-state-metrics"] | Status: failed

Selected fields (full context in artifacts):

- \$.metricsSources["kube-state-metrics"] = "\n0"

[Full input and diagnostic](#)

E233

Error: YAML parse error on prometheus-to-sd/templates/deployment.yaml: error converting YAML to JSON: yaml: line 36: found unexpected end of stream

Phase: \$.image.tag | Status: failed

Selected fields (full context in artifacts):

- \$.image.tag = "\""

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-windows-exporter

Status: failed | Attempts: 2018

E234

Error: YAML parse error on prometheus-windows-exporter/templates/config.yaml: error converting YAML to JSON: yaml: line 18: could not find expected ':'

Phase: \$.config | Status: failed

Selected fields (full context in artifacts):

- \$.config = "\r0"

[Full input and diagnostic](#)

E235

Error: YAML parse error on prometheus-windows-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 45: could not find expected ':'

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"digest": "\n0"}

[Full input and diagnostic](#)

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = "\n"

[Full input and diagnostic](#)

E236

Error: YAML parse error on prometheus-windows-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 75: found an indentation indicator equal to 0

Phase: \$.readinessProbe.httpGet.path | Status: failed

Selected fields (full context in artifacts):

- \$.readinessProbe.httpGet.path = ">0"

[Full input and diagnostic](#)

E237

Error: YAML parse error on prometheus-windows-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 87: did not find expected '-' indicator

Phase: \$.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.imagePullSecrets = [{"": null, "0": null}]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [{"": null, "0": null}]

[Full input and diagnostic](#)

E238

Error: YAML parse error on prometheus-windows-exporter/templates/daemonset.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.daemonsetAnnotations | Status: failed

Selected fields (full context in artifacts):

- \$.daemonsetAnnotations = {"": []}

[Full input and diagnostic](#)

E239

Error: YAML parse error on prometheus-windows-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E240

Error: YAML parse error on prometheus-windows-exporter/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"": []}

[Full input and diagnostic](#)

E268

Error: prometheus-windows-exporter/templates/daemonset.yaml:127:23 executing "prometheus-windows-exporter/templates/daemonset.yaml" at <.name>: nil pointer evaluating interface {}.name

Phase: \$.secrets | Status: failed

Selected fields (full context in artifacts):

- \$.secrets = [null]

[Full input and diagnostic](#)

[Chart artifacts](#)

charts/prometheus-yet-another-cloudwatch-exporter

Status: failed | Attempts: 2872

E241

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/configmap.yaml: error converting YAML to JSON: yaml: line 15: could not find expected ':'

Phase: \$.config | Status: failed

Selected fields (full context in artifacts):

- \$.config = "\r0"

[Full input and diagnostic](#)

E242

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/deployment.yaml:
error converting YAML to JSON: yaml: line
19: did not find expected ',', ' or ']'

Phase: \$.aws | Status: failed

Selected fields (full context in artifacts):

- \$.aws = {"role": [{}]}

[Full input and diagnostic](#)

E243

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/deployment.yaml:
error converting YAML to JSON: yaml: line
32: did not find expected key

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

E244

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/deployment.yaml:
error converting YAML to JSON: yaml: line
36: could not find expected ':'

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"pullPolicy": "\r0"}

[Full input and diagnostic](#)

E245

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/deployment.yaml:
error converting YAML to JSON: yaml: line
40: could not find expected ':'

Phase: \$.extraArgs | Status: failed

Selected fields (full context in artifacts):

- \$.extraArgs = {"\n": null}

[Full input and diagnostic](#)

E246

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/deployment.yaml:
error converting YAML to JSON: yaml: line
43: found an indentation indicator equal to 0

Phase: \$.portName | Status: failed

Selected fields (full context in artifacts):

- \$.portName = ">0"

[Full input and diagnostic](#)

E247

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/deployment.yaml:
error converting YAML to JSON: yaml: line
45: did not find expected ',', ' or ']'

Phase: \$.aws.secret.name | Status: failed

Selected fields (full context in artifacts):

- \$.aws.secret.name = [{}]

[Full input and diagnostic](#)

E248

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/deployment.yaml:
error converting YAML to JSON: yaml: line
48: could not find expected ':'

Phase: \$.aws.secret | Status: failed

Selected fields (full context in artifacts):

- \$.aws.secret = {"name": "\r0"}

[Full input and diagnostic](#)

E249

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/prometheusrule.yaml:
error converting YAML to JSON: yaml:
line 11: could not find expected ':'

Phase: \$.prometheusRule | Status: failed

Selected fields (full context in artifacts):

- \$.prometheusRule = {"enabled": true, "labels": true}

[Full input and diagnostic](#)

E250

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/service.yaml: error
converting YAML to JSON: yaml: line 12:
found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E251

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/service.yaml: error
unmarshaling JSON: while decoding JSON:
json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.service.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.service.annotations = {"": []}

[Full input and diagnostic](#)

E269

Error: prometheus-yet-another-cloudwatch-exporter/templates/serviceaccount.yaml:15:42 executing
"prometheus-yet-another-cloudwatch-exporter/templates/serviceaccount.yaml" at <\$v>: wrong type for
value; expected string; got interface {}

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"": null}

[Full input and diagnostic](#)

[Chart artifacts](#)