



Visited all 115 discovered charts with --filter, four workers, and a five-minute test budget per chart. No scan-wide deadline was imposed.

Recorded 101,799 test attempts in 144.8 minutes. Attempts include shrinking and repeated inputs; they are not counts of unique inputs or confirmed bugs.

Findings: 92 failed; 1 skipped-library; 22 time-limit.

value-path: 272 failed; 1022 passed; 111 time-limit.

Observed failures include chart validation rejections, rendering failures, and possible tooling limitations. Inferred inputs are not an authoritative chart contract. Findings need triage before being called chart defects; time-limited coverage remains incomplete.

Checks: dependency build in isolated copies, Helm lint, Helm template with values-schema checks, and built-in manifest checks. External kubeconform/kubesecc validation was not configured.

Source: third_party/bitnami-charts at 6a8cccf3c29a1faabf0c34c8276a09ed14f3c5b3; Helm 4.3.0. Per-worker dependency caches are isolated.

Each primary chart has one dedicated job; nested results from parent jobs are retained separately and excluded from totals.

[Combined PDF](#) .

[Aggregate data](#)

.

[Raw logs and provenance](#)

Generated C0/C1 controls are excluded except LF and CR. Other Unicode text remains eligible; explicit finite domains are unchanged.

Dependency preparation is excluded from chart testing budgets.

Directory: third_party/bitnami-charts

Started (Unix epoch): 1789316790

Elapsed (wall clock): 8687.00 seconds

Chart testing: 33730.96 seconds

Dependency preparation: 93.28 seconds (excluded from testing budgets)

Charts discovered: 115

Scan status: completed

Discovery complete: True

Unstarted charts: 0

Results describe the tested sample; they do not prove chart correctness.

Baseline-only, skipped, blocked, and incomplete charts are not property-test passes.

Status counts

92 failed; 1 skipped-library; 22 time-limit.

Settings

Filtering: True | Seed: 0 | Traversal: random

Chart timeout: 300.0 seconds | Workers: 4

Complete settings are retained in the JSON report.

Errors

244 distinct diagnostics across 274 occurrences; 30 repeats grouped.

Diagnostics and their triggering inputs are grouped under each chart below.

Up to two examples per diagnostic and six fields per example are shown. Long values and diagnostics are shortened.

Full inputs, diagnostics, and remaining cases are retained in JSON and linked artifacts.

Selected fields identify what the test varied, not an independently proven cause.



Charts

bitnami/airflow

Status: time-limit | Attempts: 264

[Chart artifacts](#)

bitnami/apache

Status: failed | Attempts: 1425

E001

Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON: yaml: line 178: found an indentation indicator equal to 0

Phase: \$.htdocsConfigMap | Status: failed

Selected fields (full context in artifacts):

- \$.htdocsConfigMap = ">0"

[Full input and diagnostic](#)

E002

Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON: yaml: line 31: did not find expected ',' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E003

Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON: yaml: line 62: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E004

Error: YAML parse error on apache/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/apisix

Status: failed | Attempts: 77



E005

Error: YAML parse error on apisix/templates/control-plane/dep-ds.yaml: error converting YAML to JSON: yaml: line 329: found an indentation indicator equal to 0

Phase: \$.controlPlane.extraConfigExistingConfigMap | Status: failed

Selected fields (full context in artifacts):

- \$.controlPlane.extraConfigExistingConfigMap = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/appsmith

Status: failed | Attempts: 415

E006

Error: YAML parse error on appsmith/templates/backend/pdb.yaml: error converting YAML to JSON: yaml: line 14: found an indentation indicator equal to 0

Phase: \$.backend.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.backend.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/argo-cd

Status: failed | Attempts: 254

E215

Error: argo-cd/templates/server/ingress-grcp.yaml:41:15 executing "argo-cd/templates/server/ingress-grcp.yaml" at <.name>: nil pointer evaluating interface {}.name

Phase: \$.server.ingressGrpc | Status: failed

Selected fields (full context in artifacts):

- \$.server.ingressGrpc = {"enabled": true, "extraHosts": [null]}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/argo-workflows

Status: failed | Attempts: 609

E007

Error: YAML parse error on argo-workflows/templates/controller/clusterrolebinding.yaml: error converting YAML to JSON: yaml: line 23: did not find expected node content

Phase: \$.controller.workflowNamespaces[*] | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.controller.workflowNamespaces["*"]. Defaults may still apply.

[Full input and diagnostic](#)



E008

Error: YAML parse error on argo-workflows/templates/controller/workflow-serviceaccount.yaml: error unmarshaling JSON: while decoding JSON:

json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.workflows.serviceAccount | Status: failed

Selected fields (full context in artifacts):

- \$.workflows.serviceAccount = {"annotations": {"": []}}

[Full input and diagnostic](#)

E222

Source: argo-workflows 13.0.7 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... kely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - 0/bitnami/argo-workflow-exec:3.7.1-debian-12-r1 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.executor.image.registry | Status: failed

Selected fields (full context in artifacts):

- \$.executor.image.registry = "0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/aspnet-core

Status: failed | Attempts: 1420

E009

Error: YAML parse error on aspnet-core/templates/deployment.yaml: error converting YAML to JSON:

yaml: line 29: did not find expected ',', ' or

']'

Phase: \$.appFromExternalRepo.clone.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.appFromExternalRepo.clone.image.pullSecrets = [[]]

[Full input and diagnostic](#)

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[]]

[Full input and diagnostic](#)

E010

Error: YAML parse error on aspnet-core/templates/deployment.yaml: error converting YAML to JSON:

yaml: line 66: mapping values are not

allowed in this context

Phase: \$.appFromExternalRepo.publish.image.tag | Status: failed

Selected fields (full context in artifacts):

- \$.appFromExternalRepo.publish.image.tag = ""

[Full input and diagnostic](#)



E011

Error: YAML parse error on aspnet-core/templates/deployment.yaml: error converting YAML to JSON: yaml: line 83: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E012

Error: YAML parse error on aspnet-core/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/cadvisor

Status: failed | Attempts: 1614

E013

Error: YAML parse error on cadvisor/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 35: did not find expected ',' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [[{}]]

[Full input and diagnostic](#)

1 additional occurrences are retained in the JSON report and chart artifacts.

E014

Error: YAML parse error on cadvisor/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 60: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/cassandra

Status: failed | Attempts: 1261

E015

Error: YAML parse error on cassandra/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

E016

Error: YAML parse error on cassandra/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 203: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E017

Error: YAML parse error on cassandra/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 205: found an indentation indicator equal to 0

Phase: \$.initDBSecret | Status: failed

Selected fields (full context in artifacts):

- \$.initDBSecret = ">0"

[Full input and diagnostic](#)

E018

Error: YAML parse error on cassandra/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 31: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E019

Error: YAML parse error on cassandra/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 68: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)



E223

Source: cassandra 12.3.13 / templates/NOTES.txt

execution error at (cassandra/templates/NOTES.txt:95:4): VALUES VALIDATION: cassandra: tls.enabled

In order to enable TLS, you also need to

provide an existing secret containing the Keystore and Truststore or enable auto-generated certificates.

Phase: \$.tls.internodeEncryption | Status: failed

Selected fields (full context in artifacts):

- \$.tls.internodeEncryption = ""

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/cert-manager

Status: failed | Attempts: 620

E020

Error: YAML parse error on cert-manager/templates/cainjector/deployment.yaml: error converting YAML

to JSON: yaml: line 86: found an

indentation indicator equal to 0

Phase: \$.cainjector.extraEnvVarsSecret | Status: failed

Selected fields (full context in artifacts):

- \$.cainjector.extraEnvVarsSecret = ">0"

[Full input and diagnostic](#)

E021

Error: YAML parse error on cert-manager/templates/controller/deployment.yaml: error converting YAML

to JSON: yaml: line 43: found an

indentation indicator equal to 0

Phase: \$.controller.runtimeClassName | Status: failed

Selected fields (full context in artifacts):

- \$.controller.runtimeClassName = ">0"

[Full input and diagnostic](#)

E224

Source: cert-manager 1.5.15 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... containers is likely to cause degraded security and performance, broken chart features,

and missing environment variables. Unrecognized images: - docker.io/0:1.18.2-debian-12-r5 If you are sure you want to proceed with

non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to

true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.webhook.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.webhook.image.repository = "0"

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/chainloop

Status: failed | Attempts: 385

E022

Error: YAML parse error on chainloop/templates/controlplane/deployment.yaml: error converting YAML to JSON: yaml: line 60: found an indentation indicator equal to 0

Phase: \$.controlplane.terminationGracePeriodSeconds | Status: failed

Selected fields (full context in artifacts):

- \$.controlplane.terminationGracePeriodSeconds = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/cilium

Status: time-limit | Attempts: 209

[Chart artifacts](#)

bitnami/clickhouse

Status: failed | Attempts: 710

E026

Error: YAML parse error on clickhouse/templates/usersd-configmap.yaml: error converting YAML to JSON: yaml: line 14: did not find expected key

Phase: \$.usersdFiles | Status: failed

Selected fields (full context in artifacts):

- \$.usersdFiles = {"": null}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/clickhouse-operator

Status: failed | Attempts: 1176

E023

Error: YAML parse error on clickhouse-operator/templates/deployment.yaml: error converting YAML to JSON: yaml: line 44: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]

[Full input and diagnostic](#)

E024

Error: YAML parse error on clickhouse-operator/templates/deployment.yaml: error converting YAML to JSON: yaml: line 68: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)



E025

Error: YAML parse error on clickhouse-operator/templates/pdb.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/cloudnative-pg

Status: failed | Attempts: 442

E027

Error: YAML parse error on cloudnative-pg/templates/plugin-barman-cloud/deployment.yaml: error converting YAML to JSON: yaml: line 138: could not find expected ':'

Phase: \$.pluginBarmanCloud.tls | Status: failed

Selected fields (full context in artifacts):

- \$.pluginBarmanCloud.tls = {"client": {"existingSecret": "\r0"}}

[Full input and diagnostic](#)

E028

Error: YAML parse error on cloudnative-pg/templates/plugin-barman-cloud/pdb.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.pluginBarmanCloud.pdb.minAvailable | Status: failed

Selected fields (full context in artifacts):

- \$.pluginBarmanCloud.pdb.minAvailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/common

Status: skipped-library | Attempts: N/A

[Chart artifacts](#)

bitnami/concourse

Status: failed | Attempts: 728

E029

Error: YAML parse error on concourse/charts/postgresql/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 171: found an indentation indicator equal to 0

Phase: \$.postgresql.auth.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.postgresql.auth.existingSecret = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/consul

Status: failed | Attempts: 1456

E030

Error: YAML parse error on consul/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

E031

Error: YAML parse error on consul/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 31: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E032

Error: YAML parse error on consul/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 55: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/contour

Status: time-limit | Attempts: 199

[Chart artifacts](#)

bitnami/deepspeed

Status: failed | Attempts: 95

E033

Error: YAML parse error on deepspeed/templates/worker/pdb.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.worker.pdb | Status: failed

Selected fields (full context in artifacts):

- \$.worker.pdb = {"maxUnavailable": ">0"}

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/discourse

Status: failed | Attempts: 793

E034

Error: YAML parse error on discourse/charts/postgresql/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 173: found an indentation indicator equal to 0

Phase: \$.postgresql.auth.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.postgresql.auth.existingSecret = ">0"

[Full input and diagnostic](#)

E035

Error: YAML parse error on discourse/templates/deployment.yaml: error converting YAML to JSON: yaml: line 231: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E036

Error: YAML parse error on discourse/templates/deployment.yaml: error converting YAML to JSON: yaml: line 60: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/dremio

Status: failed | Attempts: 288

E037

Error: YAML parse error on dremio/templates/bootstrap-user/job.yaml: error converting YAML to JSON: yaml: line 121: did not find expected key

Phase: \$.dremio.auth.username | Status: failed

Selected fields (full context in artifacts):

- \$.dremio.auth.username = "\n"

[Full input and diagnostic](#)

E038

Error: YAML parse error on dremio/templates/bootstrap-user/job.yaml: error converting YAML to JSON: yaml: line 143: found an indentation indicator equal to 0

Phase: \$.bootstrapUserJob.extraEnvVarsCM | Status: failed

Selected fields (full context in artifacts):

- \$.bootstrapUserJob.extraEnvVarsCM = ">0"



[Full input and diagnostic](#)

E225

Source: dremio 3.1.0 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... ners is likely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - 00/bitnami/dremio:26.0.0-debian-12-r5 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.dremio.image.registry | Status: failed

Selected fields (full context in artifacts):

- \$.dremio.image.registry = "00"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/drupal

Status: failed | Attempts: 1009

E039

Error: YAML parse error on drupal/templates/deployment.yaml: error converting YAML to JSON: yaml: line 227: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E040

Error: YAML parse error on drupal/templates/deployment.yaml: error converting YAML to JSON: yaml: line 29: did not find expected ',' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E041

Error: YAML parse error on drupal/templates/deployment.yaml: error converting YAML to JSON: yaml: line 60: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E231

Source: mariadb 22.0.0 / templates/NOTES.txt

execution error at (mariadb/templates/NOTES.txt:74:4): VALUES VALIDATION: mariadb: architecture Invalid architecture selected. Valid values are "standalone" and "replication". Please set a valid architecture (--set architecture="xxxx")

Phase: \$.mariadb.architecture | Status: failed



Selected fields (full context in artifacts):

- \$.mariadb.architecture = ""

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/ejbca

Status: failed | Attempts: 1165

E042

Error: YAML parse error on ejbca/templates/deployment.yaml: error converting YAML to JSON: yaml: line 206: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E043

Error: YAML parse error on ejbca/templates/deployment.yaml: error converting YAML to JSON: yaml: line 31: did not find expected ',' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E044

Error: YAML parse error on ejbca/templates/deployment.yaml: error converting YAML to JSON: yaml: line 69: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E231

Source: mariadb 22.0.0 / templates/NOTES.txt

execution error at (mariadb/templates/NOTES.txt:74:4): VALUES VALIDATION: mariadb: architecture Invalid architecture selected. Valid values are "standalone" and "replication". Please set a valid architecture (--set architecture="xxxx")

Phase: \$.mariadb.architecture | Status: failed

Selected fields (full context in artifacts):

- \$.mariadb.architecture = ""

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/elasticsearch

Status: time-limit | Attempts: 480

[Chart artifacts](#)



bitnami/envoy-gateway

Status: failed | Attempts: 217

E244

resource has no metadata.name

Phase: \$.certgen.serviceAccount.name | Status: failed

Selected fields (full context in artifacts):

- \$.certgen.serviceAccount.name = ""

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/etcd

Status: time-limit | Attempts: 94

[Chart artifacts](#)

bitnami/external-dns

Status: failed | Attempts: 1102

E045

Error: YAML parse error on external-dns/templates/deployment.yaml: error converting YAML to JSON: yaml: line 52: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/flink

Status: failed | Attempts: 1081

E046

Error: YAML parse error on flink/templates/jobmanager/deployment.yaml: error converting YAML to JSON: yaml: line 62: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E047

Error: YAML parse error on flink/templates/taskmanager/pdb.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.taskmanager.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.taskmanager.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)



E048

Error: YAML parse error on flink/templates/taskmanager/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.taskmanager.serviceAccount | Status: failed

Selected fields (full context in artifacts):

- \$.taskmanager.serviceAccount = {"annotations": {"": []}}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/fluent-bit

Status: failed | Attempts: 1292

E049

Error: YAML parse error on fluent-bit/templates/configmap.yaml: error converting YAML to JSON: yaml: line 17: could not find expected ':'

Phase: \$.config.customParsers | Status: failed

Selected fields (full context in artifacts):

- \$.config.customParsers = "\r0"

[Full input and diagnostic](#)

E050

Error: YAML parse error on fluent-bit/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]

[Full input and diagnostic](#)

E051

Error: YAML parse error on fluent-bit/templates/deployment.yaml: error converting YAML to JSON: yaml: line 60: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E052

Error: YAML parse error on fluent-bit/templates/pdb.yaml: error converting YAML to JSON: yaml: line 14: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/fluentd

Status: failed | Attempts: 645

E053

Error: YAML parse error on fluentd/templates/forwarder-daemonset.yaml: error converting YAML to JSON: yaml: line 125: found an indentation indicator equal to 0

Phase: \$.forwarder.livenessProbe.tcpSocket.port | Status: failed

Selected fields (full context in artifacts):

- \$.forwarder.livenessProbe.tcpSocket.port = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/flux

Status: time-limit | Attempts: 107

[Chart artifacts](#)

bitnami/ghost

Status: failed | Attempts: 1103

E226

Source: ghost 25.0.5 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... ainers is likely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - 00/bitnami/ghost:6.0.5-debian-12-r0 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"registry": "00"}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/gitea

Status: failed | Attempts: 1163

E054

Error: YAML parse error on gitea/charts/postgresql/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 173: found an indentation indicator equal to 0

Phase: \$.postgresql.auth.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.postgresql.auth.existingSecret = ">0"

[Full input and diagnostic](#)



E055

Error: YAML parse error on gitea/templates/deployment.yaml: error converting YAML to JSON: yaml: line 201: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E056

Error: YAML parse error on gitea/templates/deployment.yaml: error converting YAML to JSON: yaml: line 202: found an indentation indicator equal to 0

Phase: \$.smtpExistingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.smtpExistingSecret = ">0"

[Full input and diagnostic](#)

E057

Error: YAML parse error on gitea/templates/deployment.yaml: error converting YAML to JSON: yaml: line 29: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E058

Error: YAML parse error on gitea/templates/deployment.yaml: error converting YAML to JSON: yaml: line 54: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E059

Error: YAML parse error on gitea/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/gitlab-runner

Status: failed | Attempts: 1310



E060

Error: YAML parse error on gitlab-runner/templates/configmap.yaml: error converting YAML to JSON: yaml: line 29: could not find expected ':'

Phase: \$.runners | Status: failed

Selected fields (full context in artifacts):

- \$.runners = {"config": "\r0"}

[Full input and diagnostic](#)

E061

Error: YAML parse error on gitlab-runner/templates/configmap.yaml: error converting YAML to JSON: yaml: line 35: could not find expected ':'

Phase: \$.helperImage.repository | Status: failed

Selected fields (full context in artifacts):

- \$.helperImage.repository = "\r"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/grafana

Status: failed | Attempts: 1213

E071

Error: YAML parse error on grafana/templates/application.yaml: error converting YAML to JSON: yaml: line 142: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E072

Error: YAML parse error on grafana/templates/application.yaml: error converting YAML to JSON: yaml: line 37: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]

[Full input and diagnostic](#)

E073

Error: YAML parse error on grafana/templates/application.yaml: error converting YAML to JSON: yaml: line 63: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)



E074

Error: YAML parse error on grafana/templates/pdb.yaml: error converting YAML to JSON: yaml: line 14: found an indentation indicator equal to 0

Phase: \$.grafana.pdb | Status: failed

Selected fields (full context in artifacts):

- \$.grafana.pdb = {"maxUnavailable": ">0"}

[Full input and diagnostic](#)

E227

Source: grafana 12.1.9 / templates/NOTES.txt

execution error at (grafana/templates/NOTES.txt:36:3): VALUES VALIDATION: grafana:

imageRenderer.enabled imageRenderer.serverURL and

imageRenderer.callbackURL You must provide the serverURL and callbackURL for Grafana Image Renderer when enabling it. (--set

imageRenderer.serverURL="http://image-renderer-url/render" --set

imageRenderer.callbackURL="http://grafana-url:3000/")

Phase: \$.imageRenderer | Status: failed

Selected fields (full context in artifacts):

- \$.imageRenderer = {"enabled": true}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/grafana-alloy

Status: failed | Attempts: 1174

E062

Error: YAML parse error on grafana-alloy/templates/application.yaml: error converting YAML to JSON: yaml: line 85: could not find expected ':'

Phase: \$.alloy | Status: failed

Selected fields (full context in artifacts):

- \$.alloy = {"listenAddr": "\n"}

[Full input and diagnostic](#)

E063

Error: YAML parse error on grafana-alloy/templates/application.yaml: error converting YAML to JSON: yaml: line 93: found an indentation indicator equal to 0

Phase: \$.alloy.extraEnvVarsSecret | Status: failed

Selected fields (full context in artifacts):

- \$.alloy.extraEnvVarsSecret = ">0"

[Full input and diagnostic](#)

E216

Error: grafana-alloy/templates/networkpolicy.yaml:53:19 executing "grafana-alloy/templates/networkpolicy.yaml" at <.containerPort>: nil pointer evaluating interface {}.containerPort

Phase: \$.configReloader.extraContainerPorts | Status: failed

Selected fields (full context in artifacts):

- \$.configReloader.extraContainerPorts = [null]



[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/grafana-k6-operator

Status: failed | Attempts: 1395

E064

Error: YAML parse error on grafana-k6-operator/templates/deployment.yaml: error converting YAML to JSON: yaml: line 36: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [[{}]]

[Full input and diagnostic](#)

E065

Error: YAML parse error on grafana-k6-operator/templates/deployment.yaml: error converting YAML to JSON: yaml: line 60: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E066

Error: YAML parse error on grafana-k6-operator/templates/pdb.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/grafana-loki

Status: time-limit | Attempts: 251

[Chart artifacts](#)

bitnami/grafana-mimir

Status: time-limit | Attempts: 212

[Chart artifacts](#)



bitnami/grafana-operator

Status: failed | Attempts: 1060

E067

Error: YAML parse error on grafana-operator/templates/grafana-pdb.yaml: error converting YAML to JSON: yaml: line 15: could not find expected ':'

Phase: \$.grafana.pdb | Status: failed

Selected fields (full context in artifacts):

- \$.grafana.pdb = {"create": true, "maxUnavailable": "\r0"}

[Full input and diagnostic](#)

E068

Error: YAML parse error on grafana-operator/templates/grafana.yaml: error converting YAML to JSON: yaml: line 37: did not find expected ',', ' or ']'

Phase: \$.grafana.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.grafana.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E069

Error: YAML parse error on grafana-operator/templates/grafana.yaml: error converting YAML to JSON: yaml: line 58: did not find expected key

Phase: \$.grafana.secrets | Status: failed

Selected fields (full context in artifacts):

- \$.grafana.secrets = [{"": null}]

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/grafana-tempo

Status: failed | Attempts: 359

E070

Error: YAML parse error on grafana-tempo/templates/distributor/service.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.distributor.service.sessionAffinity | Status: failed

Selected fields (full context in artifacts):

- \$.distributor.service.sessionAffinity = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/haproxy

Status: failed | Attempts: 1768



E075

Error: YAML parse error on haproxy/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [[{}]]

[Full input and diagnostic](#)

1 additional occurrences are retained in the JSON report and chart artifacts.

E076

Error: YAML parse error on haproxy/templates/deployment.yaml: error converting YAML to JSON: yaml: line 60: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E077

Error: YAML parse error on haproxy/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

E078

Error: YAML parse error on haproxy/templates/service.yaml: error converting YAML to JSON: yaml: line 14: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/harbor

Status: time-limit | Attempts: 170

[Chart artifacts](#)



bitnami/influxdb

Status: failed | Attempts: 1203

E079

Error: YAML parse error on influxdb/templates/deployment.yaml: error converting YAML to JSON: yaml: line 62: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/jaeger

Status: time-limit | Attempts: 674

[Chart artifacts](#)

bitnami/janusgraph

Status: failed | Attempts: 968

E080

Error: YAML parse error on janusgraph/templates/deployment.yaml: error converting YAML to JSON: yaml: line 62: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/jenkins

Status: failed | Attempts: 1169

E081

Error: YAML parse error on jenkins/templates/deployment.yaml: error converting YAML to JSON: yaml: line 161: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E082

Error: YAML parse error on jenkins/templates/deployment.yaml: error converting YAML to JSON: yaml: line 34: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]

[Full input and diagnostic](#)



E083

Error: YAML parse error on jenkins/templates/deployment.yaml: error converting YAML to JSON: yaml: line 57: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/jupyterhub

Status: failed | Attempts: 521

E084

Error: YAML parse error on jupyterhub/templates/hub/servicemonitor.yaml: error converting YAML to JSON: yaml: line 19: could not find expected ':'

Phase: \$.hub.metrics.serviceMonitor | Status: failed

Selected fields (full context in artifacts):

- \$.hub.metrics.serviceMonitor = {"enabled": true, "interval": "\r0"}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/kafka

Status: time-limit | Attempts: 533

[Chart artifacts](#)

bitnami/keycloak

Status: failed | Attempts: 790

E242

level=INFO msg="warning: destination for postgresql.tls.autoGenerated is a table. Ignoring non-table value (false)" Error: YAML parse error on keycloak/charts/postgresql/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 173: found an indentation indicator equal to 0

Phase: \$.postgresql.auth.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.postgresql.auth.existingSecret = ">0"

[Full input and diagnostic](#)

E243

level=INFO msg="warning: destination for postgresql.tls.autoGenerated is a table. Ignoring non-table value (false)" Error: YAML parse error on keycloak/templates/keycloak-config-cli-job.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.keycloakConfigCli | Status: failed

Selected fields (full context in artifacts):

- \$.keycloakConfigCli = {"annotations": {"": []}, "enabled": true}

[Full input and diagnostic](#)



[Chart artifacts](#)

bitnami/keydb

Status: time-limit | Attempts: 735

[Chart artifacts](#)

bitnami/kibana

Status: failed | Attempts: 1503

E085

Error: YAML parse error on kibana/templates/saved-objects-configmap.yaml: error converting YAML to JSON: yaml: line 23: could not find expected ':'

Phase: \$.savedObjects.urls | Status: failed

Selected fields (full context in artifacts):

- \$.savedObjects.urls = [{"r": null}]

[Full input and diagnostic](#)

E228

Source: kibana 12.1.11 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... iners is likely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - 00/bitnami/kibana:9.1.2-debian-12-r0 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"registry": "00"}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/kong

Status: failed | Attempts: 818

E086

Error: YAML parse error on kong/charts/postgresql/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 173: found an indentation indicator equal to 0

Phase: \$.postgresql.auth.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.postgresql.auth.existingSecret = ">0"

[Full input and diagnostic](#)

E087

Error: YAML parse error on kong/templates/dep-ds.yaml: error converting YAML to JSON: yaml: line 60: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}



[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/kube-arangodb

Status: failed | Attempts: 880

E088

Error: YAML parse error on kube-arangodb/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 62: mapping values are not
allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E089

Error: YAML parse error on kube-arangodb/templates/service.yaml: error converting YAML to JSON:
yaml: line 33: found an indentation
indicator equal to 0

Phase: \$.service.nodePorts.apiGrpc | Status: failed

Selected fields (full context in artifacts):

- \$.service.nodePorts.apiGrpc = ">0"

[Full input and diagnostic](#)

E090

Error: YAML parse error on kube-arangodb/templates/webhook/service.yaml: error unmarshaling JSON:
while decoding JSON: json: cannot
unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.webhooks.service.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.webhooks.service.annotations = {"": []}

[Full input and diagnostic](#)

E244

resource has no metadata.name

Phase: \$.serviceAccount.operator.name | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.operator.name = "0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/kube-prometheus

Status: time-limit | Attempts: 224

[Chart artifacts](#)

bitnami/kube-prometheus/charts/kube-prometheus-crds

Status: failed | Attempts: 1



E221

chart rendered no resources

Phase: chart | Status: failed

No triggering values were recorded for this diagnostic.

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/kube-state-metrics

Status: failed | Attempts: 1584

E091

Error: YAML parse error on kube-state-metrics/templates/deployment.yaml: error converting YAML to JSON: yaml: line 31: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [[null]]

[Full input and diagnostic](#)

1 additional occurrences are retained in the JSON report and chart artifacts.

E092

Error: YAML parse error on kube-state-metrics/templates/deployment.yaml: error converting YAML to JSON: yaml: line 55: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E093

Error: YAML parse error on kube-state-metrics/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

E094

Error: YAML parse error on kube-state-metrics/templates/service.yaml: error converting YAML to JSON: yaml: line 16: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"



[Full input and diagnostic](#)

E095

Error: YAML parse error on kube-state-metrics/templates/service.yaml: error converting YAML to JSON: yaml: line 27: block sequence entries are not allowed in this context

Phase: \$.selfMonitor | Status: failed

Selected fields (full context in artifacts):

- \$.selfMonitor = {"enabled": true, "telemetryNodePort": "-"}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/kuberay

Status: failed | Attempts: 560

E096

Error: YAML parse error on kuberay/templates/apiserver/deployment.yaml: error converting YAML to JSON: yaml: line 60: mapping values are not allowed in this context

Phase: \$.apiserver.image.tag | Status: failed

Selected fields (full context in artifacts):

- \$.apiserver.image.tag = ""

[Full input and diagnostic](#)

E097

Error: YAML parse error on kuberay/templates/cluster/raycluster.yaml: error converting YAML to JSON: yaml: line 55: found an indentation indicator equal to 0

Phase: \$.rayImage.pullPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.rayImage.pullPolicy = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/kubernetes-event-exporter

Status: failed | Attempts: 1626

E098

Error: YAML parse error on kubernetes-event-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 35: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [{}]

[Full input and diagnostic](#)

E099

Error: YAML parse error on kubernetes-event-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 59: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):



- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E100

Error: YAML parse error on kubernetes-event-exporter/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/logstash

Status: failed | Attempts: 1627

E101

Error: YAML parse error on logstash/templates/configuration-cm.yaml: error converting YAML to JSON: yaml: line 31: could not find expected ':'

Phase: \$.filter | Status: failed

Selected fields (full context in artifacts):

- \$.filter = "\r0"

[Full input and diagnostic](#)

E102

Error: YAML parse error on logstash/templates/networkpolicy.yaml: error converting YAML to JSON: yaml: line 28: could not find expected ':'

Phase: \$.networkPolicy.customRules | Status: failed

Selected fields (full context in artifacts):

- \$.networkPolicy.customRules = true

[Full input and diagnostic](#)

E103

Error: YAML parse error on logstash/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

E104

Error: YAML parse error on logstash/templates/sts.yaml: error converting YAML to JSON: yaml: line 34: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed



Selected fields (full context in artifacts):
- \$.global.imagePullSecrets = [[null]]

[Full input and diagnostic](#)

E105

Error: YAML parse error on logstash/templates/sts.yaml: error converting YAML to JSON: yaml: line 58: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):
- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/mariadb

Status: failed | Attempts: 872

E110

Error: YAML parse error on mariadb/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 197: found an indentation indicator equal to 0

Phase: \$.primary.existingConfigmap | Status: failed

Selected fields (full context in artifacts):
- \$.primary.existingConfigmap = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/mariadb-galera

Status: failed | Attempts: 1262

E106

Error: YAML parse error on mariadb-galera/templates/networkpolicy.yaml: error converting YAML to JSON: yaml: line 29: could not find expected ':'

Phase: \$.networkPolicy.customRules | Status: failed

Selected fields (full context in artifacts):
- \$.networkPolicy.customRules = true

[Full input and diagnostic](#)

E107

Error: YAML parse error on mariadb-galera/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 235: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):
- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)



E108

Error: YAML parse error on mariadb-galera/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 33: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [{}]

[Full input and diagnostic](#)

E109

Error: YAML parse error on mariadb-galera/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 57: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E229

Source: mariadb-galera 16.0.2 / templates/NOTES.txt

execution error at (mariadb-galera/templates/NOTES.txt:90:3): VALUES VALIDATION: mariadb-galera:

galera.mariabackup.password A MariaBackup

Password is required ("galera.mariabackup.forcePassword=true" is set) Please set a password (--set

galera.mariabackup.password="xxx")

Phase: \$.galera.mariabackup.forcePassword | Status: failed

Selected fields (full context in artifacts):

- \$.galera.mariabackup.forcePassword = true

[Full input and diagnostic](#)

E230

Source: mariadb-galera 16.0.2 / templates/NOTES.txt

execution error at (mariadb-galera/templates/NOTES.txt:90:3): VALUES VALIDATION: mariadb-galera:

rootUser.password A MariaDB Database Root

Password is required ("rootUser.forcePassword=true" is set) Please set a password (--set

rootUser.password="xxx")

Phase: \$.rootUser | Status: failed

Selected fields (full context in artifacts):

- \$.rootUser = {"forcePassword": true}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/mastodon

Status: time-limit | Attempts: 364

[Chart artifacts](#)



bitnami/matomo

Status: failed | Attempts: 886

E111

Error: YAML parse error on matomo/templates/cronjob.yaml: error converting YAML to JSON: yaml: line 40: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E112

Error: YAML parse error on matomo/templates/deployment.yaml: error converting YAML to JSON: yaml: line 155: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E113

Error: YAML parse error on matomo/templates/deployment.yaml: error converting YAML to JSON: yaml: line 156: found an indentation indicator equal to 0

Phase: \$.smtpExistingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.smtpExistingSecret = ">0"

[Full input and diagnostic](#)

E217

Error: matomo/templates/deployment.yaml:328:34 executing "matomo/templates/deployment.yaml" at <\$customCA.secret>: nil pointer evaluating interface {}.secret

Phase: \$.certificates.customCAs[*] | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.certificates.customCAs["*"]. Defaults may still apply.

[Full input and diagnostic](#)

E231

Source: mariadb 22.0.0 / templates/NOTES.txt

execution error at (mariadb/templates/NOTES.txt:74:4): VALUES VALIDATION: mariadb: architecture Invalid architecture selected. Valid values are "standalone" and "replication". Please set a valid architecture (--set architecture="xxxx")

Phase: \$.mariadb.architecture | Status: failed

Selected fields (full context in artifacts):

- \$.mariadb.architecture = ""

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/memcached

Status: failed | Attempts: 1537

E114

Error: YAML parse error on memcached/templates/deployment.yaml: error converting YAML to JSON: yaml: line 31: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [{}]

[Full input and diagnostic](#)

E115

Error: YAML parse error on memcached/templates/deployment.yaml: error converting YAML to JSON: yaml: line 56: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E116

Error: YAML parse error on memcached/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

E117

Error: YAML parse error on memcached/templates/service.yaml: error converting YAML to JSON: yaml: line 14: found an indentation indicator equal to 0

Phase: \$.service.trafficDistribution | Status: failed

Selected fields (full context in artifacts):

- \$.service.trafficDistribution = ">0"

[Full input and diagnostic](#)

E233

Source: memcached 8.0.0 / templates/NOTES.txt

execution error at (memcached/templates/NOTES.txt:46:4): VALUES VALIDATION: memcached: auth.username Enabling authentication requires setting a valid admin username. Please set a valid username (--set auth.username="xxxx") memcached: containerSecurityContext.readOnlyRootFilesystem Enabling authentication is not compatible with using a read-only filesystem. Please disable it (--set containerSecurityContext.readOnlyRootFilesystem=false)

Phase: \$.auth | Status: failed

Selected fields (full context in artifacts):

- \$.auth = {"enabled": true}



[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/metallb

Status: failed | Attempts: 593

E118

Error: YAML parse error on metallb/templates/controller/deployment.yaml: error converting YAML to JSON: yaml: line 34: block sequence entries are not allowed in this context

Phase: \$.speaker.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.speaker.image.pullSecrets = [[null]]

[Full input and diagnostic](#)

E218

Error: metallb/templates/speaker/networkpolicy.yaml:41:64 executing "metallb/templates/speaker/networkpolicy.yaml" at <.Values.rts.networkPolicy.extraEgress>: nil pointer evaluating interface {}.networkPolicy

Phase: \$.speaker.networkPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.speaker.networkPolicy = {"allowExternalEgress": false, "extraEgress": [null]}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/metrics-server

Status: failed | Attempts: 1861

E119

Error: YAML parse error on metrics-server/templates/deployment.yaml: error converting YAML to JSON: yaml: line 30: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [[null]]

[Full input and diagnostic](#)

1 additional occurrences are retained in the JSON report and chart artifacts.

E120

Error: YAML parse error on metrics-server/templates/deployment.yaml: error converting YAML to JSON: yaml: line 54: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)



E121

Error: YAML parse error on metrics-server/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

Phase: \$.pdb.minAvailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.minAvailable = ">0"

[Full input and diagnostic](#)

E122

Error: YAML parse error on metrics-server/templates/svc.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/milvus

Status: time-limit | Attempts: 78

[Chart artifacts](#)

bitnami/mlflow

Status: time-limit | Attempts: 566

[Chart artifacts](#)

bitnami/mongodb

Status: time-limit | Attempts: 667

[Chart artifacts](#)

bitnami/mongodb-sharded

Status: failed | Attempts: 603

E123

Error: YAML parse error on mongodb-sharded/templates/config-server/config-server-statefulset.yaml: error converting YAML to JSON: yaml: line 21: found an indentation indicator equal to 0

Phase: \$.configsvr.podManagementPolicy | Status: failed

Selected fields (full context in artifacts):

- \$.configsvr.podManagementPolicy = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/moodle

Status: failed | Attempts: 1146

E124

Error: YAML parse error on moodle/templates/deployment.yaml: error converting YAML to JSON: yaml: line 108: could not find expected ':'

Phase: \$.lifecycleHooks | Status: failed

Selected fields (full context in artifacts):

- \$.lifecycleHooks = "\r0"

[Full input and diagnostic](#)

E125

Error: YAML parse error on moodle/templates/deployment.yaml: error converting YAML to JSON: yaml: line 155: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E126

Error: YAML parse error on moodle/templates/deployment.yaml: error converting YAML to JSON: yaml: line 31: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]

[Full input and diagnostic](#)

E127

Error: YAML parse error on moodle/templates/deployment.yaml: error converting YAML to JSON: yaml: line 60: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E231

Source: mariadb 22.0.0 / templates/NOTES.txt

execution error at (mariadb/templates/NOTES.txt:74:4): VALUES VALIDATION: mariadb: architecture Invalid architecture selected. Valid values are "standalone" and "replication". Please set a valid architecture (--set architecture="xxxx")

Phase: \$.mariadb.architecture | Status: failed

Selected fields (full context in artifacts):

- \$.mariadb.architecture = ""

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/multus-cni

Status: failed | Attempts: 2245

E128

Error: YAML parse error on multus-cni/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 28: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [{}]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [{}]

[Full input and diagnostic](#)

1 additional occurrences are retained in the JSON report and chart artifacts.

E129

Error: YAML parse error on multus-cni/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 50: found an indentation indicator equal to 0

Phase: \$.schedulerName | Status: failed

Selected fields (full context in artifacts):

- \$.schedulerName = ">0"

[Full input and diagnostic](#)

E130

Error: YAML parse error on multus-cni/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 54: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E131

Error: YAML parse error on multus-cni/templates/service-account.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"": []}

[Full input and diagnostic](#)

E234

Source: multus-cni 2.2.22 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... containers is likely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - docker.io/0:4.2.2-debian-12-r2 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter



'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = ""

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/mysql

Status: failed | Attempts: 974

E132

Error: YAML parse error on mysql/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 211: found an indentation indicator equal to 0

Phase: \$.primary.existingConfigmap | Status: failed

Selected fields (full context in artifacts):

- \$.primary.existingConfigmap = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/nats

Status: failed | Attempts: 1470

E133

Error: YAML parse error on nats/templates/application.yaml: error converting YAML to JSON: yaml: line 33: did not find expected ',', ']' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [{}]

[Full input and diagnostic](#)

E134

Error: YAML parse error on nats/templates/application.yaml: error converting YAML to JSON: yaml: line 57: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E220

Inconsistent data generation! Data generation behaved differently between test cases. Is your data generation depending on external state?

The second run stopped drawing earlier than the first run, which continued to draw more data.

Phase: \$.livenessProbe.periodSeconds | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.livenessProbe.periodSeconds. Defaults may still apply.

[Full input and diagnostic](#)



[Chart artifacts](#)

bitnami/neo4j

Status: failed | Attempts: 1230

E235

Source: neo4j 0.4.15 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... ners is likely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - 00/bitnami/neo4j:5.26.11-debian-12-r0 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"registry": "00"}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/nessie

Status: failed | Attempts: 1064

E135

Error: YAML parse error on nessie/charts/postgresql/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 173: found an indentation indicator equal to 0

Phase: \$.postgresql.auth.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.postgresql.auth.existingSecret = ">0"

[Full input and diagnostic](#)

E136

Error: YAML parse error on nessie/templates/deployment.yaml: error converting YAML to JSON: yaml: line 135: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E137

Error: YAML parse error on nessie/templates/deployment.yaml: error converting YAML to JSON: yaml: line 39: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/nginx

Status: failed | Attempts: 796

E138

Error: YAML parse error on nginx/templates/deployment.yaml: error converting YAML to JSON: yaml: line 183: found an indentation indicator equal to 0

Phase: \$.existingContextEventsConfigmaps[*] | Status: failed

Selected fields (full context in artifacts):

- No supplied value at the selected paths.

Absent from overrides: \$.existingContextEventsConfigmaps["*"]. Defaults may still apply.

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/node-exporter

Status: failed | Attempts: 2042

E139

Error: YAML parse error on node-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 32: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [[null]]

[Full input and diagnostic](#)

1 additional occurrences are retained in the JSON report and chart artifacts.

E140

Error: YAML parse error on node-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 55: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E141

Error: YAML parse error on node-exporter/templates/service.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/oauth2-proxy

Status: failed | Attempts: 1205

E142

Error: YAML parse error on oauth2-proxy/templates/deployment.yaml: error converting YAML to JSON: yaml: line 36: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]

[Full input and diagnostic](#)

E143

Error: YAML parse error on oauth2-proxy/templates/deployment.yaml: error converting YAML to JSON: yaml: line 59: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E237

Source: redis 22.0.4 / templates/NOTES.txt

execution error at (redis/templates/NOTES.txt:202:4): VALUES VALIDATION: redis: architecture Using redis sentinel on standalone mode is not supported. To deploy redis sentinel, please select the "replication" mode (--set "architecture=replication,sentinel.enabled=true")

Phase: \$.redis.sentinel.enabled | Status: failed

Selected fields (full context in artifacts):

- \$.redis.sentinel.enabled = true

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/odoo

Status: failed | Attempts: 1281

E144

Error: YAML parse error on odoo/charts/postgresql/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 173: found an indentation indicator equal to 0

Phase: \$.postgresql.auth.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.postgresql.auth.existingSecret = ">0"

[Full input and diagnostic](#)

E145

Error: YAML parse error on odoo/templates/deployment.yaml: error converting YAML to JSON: yaml: line 139: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):



- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E146

Error: YAML parse error on odoo/templates/deployment.yaml: error converting YAML to JSON: yaml: line 150: found an indentation indicator equal to 0

Phase: \$.smtpExistingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.smtpExistingSecret = ">0"

[Full input and diagnostic](#)

E147

Error: YAML parse error on odoo/templates/deployment.yaml: error converting YAML to JSON: yaml: line 30: did not find expected ',' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E148

Error: YAML parse error on odoo/templates/deployment.yaml: error converting YAML to JSON: yaml: line 54: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E149

Error: YAML parse error on odoo/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/opensearch

Status: time-limit | Attempts: 362

[Chart artifacts](#)

bitnami/parse

Status: failed | Attempts: 741

E150

Error: YAML parse error on parse/charts/mongodb/templates/standalone/pvc.yaml: error converting YAML to JSON: yaml: line 22: could not find expected ':'

Phase: \$.mongodb.persistence | Status: failed

Selected fields (full context in artifacts):

- \$.mongodb.persistence = {"storageClass": "\r0"}



[Full input and diagnostic](#)

E151

Error: YAML parse error on parse/templates/server-deployment.yaml: error converting YAML to JSON:
yaml: line 203: found an indentation
indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/phpmyadmin

Status: failed | Attempts: 1524

E152

Error: YAML parse error on phpmyadmin/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 29: did not find expected ',', ' or
']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E153

Error: YAML parse error on phpmyadmin/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 60: mapping values are not
allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E154

Error: YAML parse error on phpmyadmin/templates/pdb.yaml: error converting YAML to JSON: yaml: line
13: found an indentation indicator equal
to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/pinniped

Status: failed | Attempts: 722

E155

Error: YAML parse error on pinniped/templates/concierge/service-proxy.yaml: error converting YAML to
JSON: yaml: line 15: found an
indentation indicator equal to 0

Phase: \$.concierge.service.type | Status: failed

Selected fields (full context in artifacts):



- \$.concierge.service.type = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/postgresql

Status: failed | Attempts: 714

E157

Error: YAML parse error on postgresql/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 171: found an indentation indicator equal to 0

Phase: \$.primary.existingConfigmap | Status: failed

Selected fields (full context in artifacts):

- \$.primary.existingConfigmap = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/postgresql-ha

Status: failed | Attempts: 633

E156

Error: YAML parse error on postgresql-ha/templates/postgresql/extended-configmap.yaml: error converting YAML to JSON: yaml: line 17: could not find expected ':'

Phase: \$.postgresql.extendedConf | Status: failed

Selected fields (full context in artifacts):

- \$.postgresql.extendedConf = "\r0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/prometheus

Status: failed | Attempts: 708

E158

Error: YAML parse error on prometheus/templates/alertmanager/pdb.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.alertmanager.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.alertmanager.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/pytorch

Status: failed | Attempts: 1780

E159

Error: YAML parse error on pytorch/templates/deployment.yaml: error converting YAML to JSON: yaml: line 32: did not find expected ',' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [{}]



[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [[]]

[Full input and diagnostic](#)

1 additional occurrences are retained in the JSON report and chart artifacts.

E160

Error: YAML parse error on pytorch/templates/deployment.yaml: error converting YAML to JSON: yaml: line 57: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E161

Error: YAML parse error on pytorch/templates/deployment.yaml: error converting YAML to JSON: yaml: line 79: could not find expected ':'

Phase: \$.entrypoint | Status: failed

Selected fields (full context in artifacts):

- \$.entrypoint = {"file": "\n0"}

[Full input and diagnostic](#)

E162

Error: YAML parse error on pytorch/templates/pdb.yaml: error converting YAML to JSON: yaml: line 14: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

E163

Error: YAML parse error on pytorch/templates/service.yaml: error converting YAML to JSON: yaml: line 15: did not find expected ',' or ']'

Phase: \$.service.port | Status: failed

Selected fields (full context in artifacts):

- \$.service.port = [[]]

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/rabbitmq

Status: failed | Attempts: 1005

E167

Error: YAML parse error on rabbitmq/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 257: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):



- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E168

Error: YAML parse error on rabbitmq/templates/svc-headless.yaml: error converting YAML to JSON: yaml: line 31: found an indentation indicator equal to 0

Phase: \$.service.trafficDistribution | Status: failed

Selected fields (full context in artifacts):

- \$.service.trafficDistribution = ">0"

[Full input and diagnostic](#)

E236

Source: rabbitmq 16.0.16 / templates/validation.yaml

execution error at (rabbitmq/templates/validation.yaml:6:4): VALUES VALIDATION: rabbitmq: memoryHighWatermark.type Invalid Memory high watermark type. Valid values are "absolute" and "relative". Please set a valid mode (--set memoryHighWatermark.type="xxxx")

Phase: \$.memoryHighWatermark.type | Status: failed

Selected fields (full context in artifacts):

- \$.memoryHighWatermark.type = ""

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/rabbitmq-cluster-operator

Status: failed | Attempts: 515

E164

Error: YAML parse error on rabbitmq-cluster-operator/templates/cluster-operator/deployment.yaml: error converting YAML to JSON: yaml: line 91: found an indentation indicator equal to 0

Phase: \$.clusterOperator.extraEnvVarsSecret | Status: failed

Selected fields (full context in artifacts):

- \$.clusterOperator.extraEnvVarsSecret = ">0"

[Full input and diagnostic](#)

E165

Error: YAML parse error on rabbitmq-cluster-operator/templates/cluster-operator/service-account.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.clusterOperator.serviceAccount | Status: failed

Selected fields (full context in artifacts):

- \$.clusterOperator.serviceAccount = {"annotations": {"": []}}

[Full input and diagnostic](#)

Phase: \$.clusterOperator.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.clusterOperator.serviceAccount.annotations = {"": []}

[Full input and diagnostic](#)



E166

Error: YAML parse error on rabbitmq-cluster-operator/templates/messaging-topology-operator/deployment.yaml: error converting YAML to JSON:
yaml: line 58: found an indentation indicator equal to 0

Phase: \$.msgTopologyOperator.hostNetwork | Status: failed

Selected fields (full context in artifacts):

- \$.msgTopologyOperator.hostNetwork = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/redis

Status: failed | Attempts: 593

E219

Error: redis/templates/replicas/application.yaml:49:38 executing
"redis/templates/replicas/application.yaml" at <include (print
\$.Template.BasePath "/configmap.yaml") .>: error calling include:
redis/templates/configmap.yaml:61:25 executing
"redis/templates/configmap.yaml" at <.password>: nil pointer evaluating interface {}.password

Phase: \$.auth.acl | Status: failed

Selected fields (full context in artifacts):

- \$.auth.acl = {"enabled": true, "users": [null]}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/redis-cluster

Status: failed | Attempts: 977

E169

Error: YAML parse error on redis-cluster/templates/redis-statefulset.yaml: error converting YAML to JSON: yaml: line 39: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E170

Error: YAML parse error on redis-cluster/templates/redis-statefulset.yaml: error converting YAML to JSON: yaml: line 64: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/redmine

Status: failed | Attempts: 931

E171

Error: YAML parse error on redmine/charts/postgresql/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 173: found an indentation indicator equal to 0

Phase: \$.postgresql.auth.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.postgresql.auth.existingSecret = ">0"

[Full input and diagnostic](#)

E172

Error: YAML parse error on redmine/templates/deployment.yaml: error converting YAML to JSON: yaml: line 150: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E173

Error: YAML parse error on redmine/templates/deployment.yaml: error converting YAML to JSON: yaml: line 58: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E231

Source: mariadb 22.0.0 / templates/NOTES.txt

execution error at (mariadb/templates/NOTES.txt:74:4): VALUES VALIDATION: mariadb: architecture Invalid architecture selected. Valid values are "standalone" and "replication". Please set a valid architecture (--set architecture="xxxx")

Phase: \$.mariadb.architecture | Status: failed

Selected fields (full context in artifacts):

- \$.mariadb.architecture = ""

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/schema-registry

Status: failed | Attempts: 1126

E174

Error: YAML parse error on schema-registry/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 32: block sequence entries are not allowed in this context

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[null]]



[Full input and diagnostic](#)

E175

Error: YAML parse error on schema-registry/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 55: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/scylladb

Status: failed | Attempts: 1245

E176

Error: YAML parse error on scylladb/templates/individual-svc.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.service.internal | Status: failed

Selected fields (full context in artifacts):

- \$.service.internal = {"annotations": {"": []}}

[Full input and diagnostic](#)

E177

Error: YAML parse error on scylladb/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 197: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E178

Error: YAML parse error on scylladb/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 35: did not find expected ',', ' or ''

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E179

Error: YAML parse error on scylladb/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 59: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/sealed-secrets

Status: failed | Attempts: 1678

E180

Error: YAML parse error on sealed-secrets/templates/deployment.yaml: error converting YAML to JSON: yaml: line 29: did not find expected ',', ' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [[{}]]

[Full input and diagnostic](#)

E181

Error: YAML parse error on sealed-secrets/templates/deployment.yaml: error converting YAML to JSON: yaml: line 52: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E182

Error: YAML parse error on sealed-secrets/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/seaweedfs

Status: failed | Attempts: 338

E231

Source: mariadb 22.0.0 / templates/NOTES.txt

execution error at (mariadb/templates/NOTES.txt:74:4): VALUES VALIDATION: mariadb: architecture Invalid architecture selected. Valid values are "standalone" and "replication". Please set a valid architecture (--set architecture="xxxx")

Phase: \$.mariadb.architecture | Status: failed

Selected fields (full context in artifacts):

- \$.mariadb.architecture = ""

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/solr

Status: failed | Attempts: 973

E183

Error: YAML parse error on solr/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 224: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E184

Error: YAML parse error on solr/templates/statefulset.yaml: error converting YAML to JSON: yaml: line 64: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/sonarqube

Status: failed | Attempts: 913

E185

Error: YAML parse error on sonarqube/charts/postgresql/templates/primary/statefulset.yaml: error converting YAML to JSON: yaml: line 173: found an indentation indicator equal to 0

Phase: \$.postgresql.auth.existingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.postgresql.auth.existingSecret = ">0"

[Full input and diagnostic](#)

E186

Error: YAML parse error on sonarqube/templates/deployment.yaml: error converting YAML to JSON: yaml: line 243: found an indentation indicator equal to 0

Phase: \$.smtpExistingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.smtpExistingSecret = ">0"

[Full input and diagnostic](#)

E187

Error: YAML parse error on sonarqube/templates/deployment.yaml: error converting YAML to JSON: yaml: line 55: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}



[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/spark

Status: failed | Attempts: 1053

E188

Error: YAML parse error on spark/templates/pdb-worker.yaml: error converting YAML to JSON: yaml: line 14: found an indentation indicator equal to 0

Phase: \$.worker.pdb | Status: failed

Selected fields (full context in artifacts):

- \$.worker.pdb = {"maxUnavailable": ">0"}

[Full input and diagnostic](#)

E189

Error: YAML parse error on spark/templates/statefulset-master.yaml: error converting YAML to JSON: yaml: line 58: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/superset

Status: time-limit | Attempts: 446

[Chart artifacts](#)

bitnami/tensorflow-resnet

Status: failed | Attempts: 1912

E190

Error: YAML parse error on tensorflow-resnet/templates/deployment.yaml: error converting YAML to JSON: yaml: line 29: did not find expected ',', ' or ']'

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [[{}]]

[Full input and diagnostic](#)

E191

Error: YAML parse error on tensorflow-resnet/templates/deployment.yaml: error converting YAML to JSON: yaml: line 46: found an indentation indicator equal to 0

Phase: \$.schedulerName | Status: failed

Selected fields (full context in artifacts):

- \$.schedulerName = ">0"

[Full input and diagnostic](#)



E192

Error: YAML parse error on tensorflow-resnet/templates/deployment.yaml: error converting YAML to JSON: yaml: line 93: mapping values are not allowed in this context

Phase: \$.server.image.tag | Status: failed

Selected fields (full context in artifacts):

- \$.server.image.tag = ""

[Full input and diagnostic](#)

E193

Error: YAML parse error on tensorflow-resnet/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

Phase: \$.pdb.minAvailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.minAvailable = ">0"

[Full input and diagnostic](#)

E194

Error: YAML parse error on tensorflow-resnet/templates/service.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.service.type | Status: failed

Selected fields (full context in artifacts):

- \$.service.type = ">0"

[Full input and diagnostic](#)

E238

Source: tensorflow-resnet 4.3.15 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... ely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - 00/bitnami/tensorflow-resnet:2.19.1-debian-12-r0 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.client.image.registry | Status: failed

Selected fields (full context in artifacts):

- \$.client.image.registry = "00"

[Full input and diagnostic](#)

[Chart artifacts](#)



bitnami/thanos

Status: time-limit | Attempts: 256

[Chart artifacts](#)

bitnami/tomcat

Status: failed | Attempts: 1483

E195

Error: YAML parse error on tomcat/templates/deployment.yaml: error converting YAML to JSON: yaml: line 139: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E196

Error: YAML parse error on tomcat/templates/deployment.yaml: error converting YAML to JSON: yaml: line 29: did not find expected ',' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E197

Error: YAML parse error on tomcat/templates/deployment.yaml: error converting YAML to JSON: yaml: line 54: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/valkey

Status: time-limit | Attempts: 610

[Chart artifacts](#)

bitnami/valkey-cluster

Status: failed | Attempts: 916

E198

Error: YAML parse error on valkey-cluster/templates/valkey-statefulset.yaml: error converting YAML to JSON: yaml: line 39: did not find expected ',' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)



E199

Error: YAML parse error on valkey-cluster/templates/valkey-statefulset.yaml: error converting YAML to JSON: yaml: line 63: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/vault

Status: time-limit | Attempts: 578

[Chart artifacts](#)

bitnami/victoriametrics

Status: failed | Attempts: 344

E200

Error: YAML parse error on victoriametrics/templates/vmauth/pdb.yaml: error converting YAML to JSON: yaml: line 15: found an indentation indicator equal to 0

Phase: \$.vmauth.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.vmauth.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/whereabouts

Status: failed | Attempts: 2137

E201

Error: YAML parse error on whereabouts/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 29: did not find expected ',', or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.global.imagePullSecrets = [[{}]]

[Full input and diagnostic](#)

1 additional occurrences are retained in the JSON report and chart artifacts.

E202

Error: YAML parse error on whereabouts/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 51: found an indentation indicator equal to 0

Phase: \$.schedulerName | Status: failed

Selected fields (full context in artifacts):

- \$.schedulerName = ">0"



[Full input and diagnostic](#)

E203

Error: YAML parse error on whereabouts/templates/daemonset.yaml: error converting YAML to JSON: yaml: line 56: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E204

Error: YAML parse error on whereabouts/templates/service-account.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

Phase: \$.serviceAccount.annotations | Status: failed

Selected fields (full context in artifacts):

- \$.serviceAccount.annotations = {"": []}

[Full input and diagnostic](#)

E239

Source: whereabouts 1.2.20 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... containers is likely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - docker.io/00:0.9.2-debian-12-r2 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.image.repository | Status: failed

Selected fields (full context in artifacts):

- \$.image.repository = "00"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/wildfly

Status: failed | Attempts: 1523

E205

Error: YAML parse error on wildfly/templates/deployment.yaml: error converting YAML to JSON: yaml: line 182: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)



E206

Error: YAML parse error on wildfly/templates/deployment.yaml: error converting YAML to JSON: yaml: line 31: did not find expected ',', ']' or ']'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E207

Error: YAML parse error on wildfly/templates/deployment.yaml: error converting YAML to JSON: yaml: line 68: mapping values are not allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E208

Error: YAML parse error on wildfly/templates/pdb.yaml: error converting YAML to JSON: yaml: line 13: found an indentation indicator equal to 0

Phase: \$.pdb.maxUnavailable | Status: failed

Selected fields (full context in artifacts):

- \$.pdb.maxUnavailable = ">0"

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/wordpress

Status: failed | Attempts: 853

E209

Error: YAML parse error on wordpress/templates/deployment.yaml: error converting YAML to JSON: yaml: line 256: found an indentation indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)

E210

Error: YAML parse error on wordpress/templates/deployment.yaml: error converting YAML to JSON: yaml: line 257: found an indentation indicator equal to 0

Phase: \$.smtpExistingSecret | Status: failed

Selected fields (full context in artifacts):

- \$.smtpExistingSecret = ">0"

[Full input and diagnostic](#)



E231

Source: mariadb 22.0.0 / templates/NOTES.txt

execution error at (mariadb/templates/NOTES.txt:74:4): VALUES VALIDATION: mariadb: architecture
Invalid architecture selected. Valid values
are "standalone" and "replication". Please set a valid architecture (--set architecture="xxxx")

Phase: \$.mariadb.architecture | Status: failed

Selected fields (full context in artifacts):

- \$.mariadb.architecture = ""

[Full input and diagnostic](#)

E232

Source: memcached 7.9.7 / templates/NOTES.txt

execution error at (memcached/templates/NOTES.txt:46:4): VALUES VALIDATION: memcached: auth.username
Enabling authentication requires
setting a valid admin username. Please set a valid username (--set auth.username="xxxx") memcached:
containerSecurityContext.readOnlyRootFilesystem Enabling authentication is not compatible with using
a read-only filesystem. Please disable
it (--set containerSecurityContext.readOnlyRootFilesystem=false)

Phase: \$.memcached | Status: failed

Selected fields (full context in artifacts):

- \$.memcached = {"auth": {"enabled": true}, "enabled": true}

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/zipkin

Status: failed | Attempts: 1

E241

invalid rendered YAML: more indented follow up line than first in a block scalar in "<unicode
string>", line 474, column 15: set -o errexit
^ (line: 474)

Phase: chart | Status: failed

No triggering values were recorded for this diagnostic.

[Full input and diagnostic](#)

[Chart artifacts](#)

bitnami/zookeeper

Status: failed | Attempts: 1241

E211

Error: YAML parse error on zookeeper/templates/statefulset.yaml: error converting YAML to JSON:
yaml: line 189: found an indentation
indicator equal to 0

Phase: \$.persistence.existingClaim | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.existingClaim = ">0"

[Full input and diagnostic](#)



E212

Error: YAML parse error on zookeeper/templates/statefulset.yaml: error converting YAML to JSON:
yaml: line 191: could not find expected ':'

Phase: \$.persistence.dataLogDir | Status: failed

Selected fields (full context in artifacts):

- \$.persistence.dataLogDir = {"existingClaim": "\r0"}

[Full input and diagnostic](#)

E213

Error: YAML parse error on zookeeper/templates/statefulset.yaml: error converting YAML to JSON:
yaml: line 39: did not find expected ',', ' or
'j'

Phase: \$.image.pullSecrets | Status: failed

Selected fields (full context in artifacts):

- \$.image.pullSecrets = [[{}]]

[Full input and diagnostic](#)

E214

Error: YAML parse error on zookeeper/templates/statefulset.yaml: error converting YAML to JSON:
yaml: line 64: mapping values are not
allowed in this context

Phase: \$.image | Status: failed

Selected fields (full context in artifacts):

- \$.image = {"tag": ""}

[Full input and diagnostic](#)

E240

Source: zookeeper 13.8.9 / templates/NOTES.txt

execution error at (zookeeper/templates/NOTES.txt:79:4): VALUES VALIDATION: zookeeper:
auth.client.enabled In order to enable client-server
authentication, you need to provide the list of users to be created and the user to use for clients
authentication.

Phase: \$.auth.client.enabled | Status: failed

Selected fields (full context in artifacts):

- \$.auth.client.enabled = true

[Full input and diagnostic](#)

[Chart artifacts](#)