

Temporal Discontinuity: A Quantitative Analysis of Numerology and Vedic Astrology Planetary Strength Correlation

Demonstrating Fundamental Differences in Temporal Dynamics Between Discrete and Continuous Astrological Systems

Computational Astrology Research Group

October 24, 2024

Abstract

This study represents a rigorous quantitative investigation into the temporal relationship between two ancient predictive systems: Vedic Numerology (Anka Jyotish) and Vedic Astrology (Parashari Jyotish). Despite sharing a common mythological lineage where numbers are mapped to planetary deities (e.g., 1 = Sun/Surya), our computational analysis of five years of high-precision astronomical data reveals a fundamental temporal discontinuity. Using the Swiss Ephemeris for 0.001-arcsecond precision, we demonstrate that while Numerology operates on a discrete, low-frequency temporal grid (changing ~73 times/year), Astrology functions as a high-frequency continuous system (Moon changes Nakshatra ~27 times/month). We introduce a novel “Nakshatra-Day Mapping” analysis, showing that the ruling planet of the day (Numerology) matches the ruling planet of the Moon’s constellation (Astrology) less than 15% of the time, effectively debunking the assumption of synchronous operation. This paper provides the mathematical algorithms, mythological context, and statistical evidence necessary to treat these systems as distinct, non-interchangeable predictive frameworks.

Table of contents

1	Master Structure	1
2	Introduction	1
2.1	Mythological & Archetypal Foundations	2
2.2	The Research Problem	2
2.3	Literature Review	2
2.4	Research Questions & Hypotheses	3
3	Mathematical & Computational Methodology	3
3.1	Data Sources & Experimental Design	3
3.2	Athlete Name + Birthdate Dataset	3
3.3	Numerology Algorithm: Modulo-9 Arithmetic	4
3.4	Astrology Algorithm: Continuous Celestial Mechanics	4
3.4.1	The Moon’s Vital Role: Nakshatras	4
3.5	Derived Variables	4
3.6	Methodology Pipeline & Algorithm	5
4	Data Analysis & Results	6
4.1	1. The Temporal Mismatch	6

4.2	2. Distribution of Numerological vs Astrological Lords	6
4.3	3. Statistical Probability of Alignment	7
4.4	4. Confusion Matrix: Numerology vs Nakshatra Lord	7
4.5	5. Statistical Association Metrics	8
4.6	6. Alignment Over Time (Monthly)	8
4.7	7. Detailed Moon Phase Variation	9
4.8	8. Frequency-Domain Signature (Spectral Analysis)	9
5	The Illusion of Strength: Pattern Repetition vs. Celestial Reality	10
5.1	Methodology	10
5.2	Case Studies of Divergence	10
5.2.1	Analysis of Findings	11
6	Robustness Checks	11
7	Ethical & Practical Considerations	11
8	Limitations	12
9	Reproducibility & Availability	12
10	Reproducibility	12
11	Conclusion	12
12	References	12
13	Numerology Principles Catalog	13
14	Vedic Principles Coverage (Master Catalog)	14
15	Algorithms & Worked Examples	16
15.1	Digital Root (Core Reduction)	16
15.2	Universal Day Number (UDN)	16
15.3	Universal Month Number (UMN)	16
15.4	Universal Year Number (UYN)	17
15.5	Missing Number Analysis (Lo Shu)	17
15.6	Pythagorean Name Numerology (Expression, Soul Urge, Personality)	17
15.7	Chaldean Name Numerology	17
15.8	Master Numbers	17
15.9	Karmic Debt Numbers	18
15.10	Life Path Number (Birth Date)	18
15.11	Pinnacles & Challenges	18
16	Frequency & Distribution Graphs	18
17	Alignment & Window Graphs	20
18	Legacy Content (Migrated)	23

List of Figures

1	Temporal Discontinuity: Numerology (Blue) vs Astrology (Red) over 2 months	6
2	Distribution of Numerology Lords vs Nakshatra Lords (2024)	7
3	Confusion Matrix of Numerology vs Nakshatra Lords	8
4	Monthly Alignment Rate (2024)	9
5	The Continuous Wave: Moon's Journey through the Zodiac	9
6	Frequency Domain: Numerology vs Nakshatra Lords	10
7	Vedic Principles Catalog: Counts by Family	15
8	Universal Day Number (UDN) Frequency	18
9	Life Path Distribution (Birth Dataset)	19
10	Name-Based Expression Number Distribution (Pythagorean)	19
11	Missing Number Frequency (Lo Shu)	20
12		21
13	Name-Based Soul Urge Distribution (Pythagorean vs Chaldean)	21
14	Pinnacle Distributions (Birth Dataset)	22
15	Name vs Birth Numerology Correlation (Athletes Sample)	22
16	Missing Number Heatmap by Month	23

List of Tables

2	Critical Divergence Dates: High Repetition vs Low Strength	10
3	Robustness Checks: Match Rates Across Locations & Times	11
5	Principle Counts by Category	13
6	Coverage Matrix for Numerology Report	15
6	Coverage Matrix for Numerology Report	16
7	Master Vedic Principles Catalog (Core + Extended)	16

1 Master Structure

Note

This report is assembled from modular sections for maintainability.

2 Introduction

The intersection of mathematics and mythology forms the backbone of ancient predictive sciences. In the Vedic tradition, the cosmos is viewed not as a random assembly of matter but as a conscious, interconnected system governed by **Grahas** (planets) which act as agents of karma. Two primary systems evolved to interpret these influences: **Vedic Astrology (Jyotish)**, which relies on the continuous astronomical position of celestial bodies, and **Numerology (Anka Jyotish)**, which abstracts these movements into discrete integer values based on calendar dates.

2.1 Mythological & Archetypal Foundations

To understand why these systems are often conflated, one must examine their shared mythological roots. Each number in Vedic numerology is not merely a quantity but a symbol for a planetary deity’s energy pattern:

- **1 - The Sun (Surya):** The soul (*Atman*), the king, the ego. Just as the Sun is the center of the solar system, the number 1 represents unity, leadership, and the self. Mythologically, Surya rides a chariot of seven horses (colors of light), representing the source of all vitality.
- **2 - The Moon (Chandra):** The mind (*Manas*), emotions, and fluidity. Chandra is the queen, reflecting the light of the Sun. As the Moon waxes and wanes, so does the mind fluctuate.
- **3 - Jupiter (Brihaspati):** The Guru of the Devas. Represents wisdom, expansion, and ether (*Akasha*).
- **4 - Rahu (North Node):** The head of the demon, representing illusion (*Maya*), innovation, and unorthodoxy.
- **5 - Mercury (Budha):** The prince, representing intellect (*Buddhi*), communication, and trade.
- **6 - Venus (Shukra):** The Guru of the Asuras. Represents desire (*Kama*), beauty, and relationships.
- **7 - Ketu (South Node):** The headless body, representing spiritual liberation (*Moksha*), detachment, and mystery.
- **8 - Saturn (Shani):** The judge (*Karmakaraka*), representing discipline, delay, and truth (*Satya*).
- **9 - Mars (Mangal):** The commander, representing energy (*Shakti*), logic, and aggression.

2.2 The Research Problem

Practitioners often assume that if a person is in a “Sun period” in numerology (e.g., a date summing to 1), the astrological Sun must also be strong or prominent. **This study challenges that assumption.** We propose that the *algorithms* driving these systems are fundamentally mismatched in the time domain, leading to a “Temporal Discontinuity” where a planet can be numerologically “King” while astrologically “Debilitated.”

2.3 Literature Review

Historical and cultural discussions of numerology emphasize symbolic meaning and cross-cultural number mysticism, framing numbers as archetypal carriers of meaning rather than empirically testable signals (Schimmel, 1975). Sociological work has examined numerological associations in everyday life and how people integrate numeric symbolism into personal decision-making (Benigeri & Pluye, 1992). Media and cultural studies have documented numerology and related occult practices as durable features of popular culture, reinforcing persistent narratives of meaningful numeric patterns (Berger, 2006; McClelland, 2009).

From a psychological perspective, superstition and belief can measurably influence behavior and performance, suggesting that numeric belief systems can create real-world behavioral effects even when causal mechanisms are symbolic (Damisch et al., 2010). Statistical history and philosophy highlight the human tendency to impose structure on randomness, underscoring the importance of rigor when interpreting pattern-like signals (Hacking, 1990; Stigler, 1986).

Methodologically, computational pattern analysis and signal comparison draw on modern statistical learning and data science foundations (Bishop, 2006). The analysis pipeline in this study leverages standard scientific computing

tools for reproducibility and visualization (Hunter, 2007; McKinney et al., 2010; Pedregosa et al., 2011), and follows a literate, transparent reporting approach for replicable research workflows (Knuth, 1984).

This paper extends prior interpretive narratives by framing numerology and astrology as **distinct time-domain signals**, subject to the same alignment and frequency tests used in empirical time-series analysis.

2.4 Research Questions & Hypotheses

We formalize the investigation into testable hypotheses:

- **RQ1:** How often does the numerological ruling planet match the Moon’s Nakshatra lord on the same day?
- **RQ2:** Are any months or seasons more aligned than others?
- **RQ3:** Do numerology and astrology exhibit similar frequency signatures in the time domain?

H1 (Null): Numerology-astrology alignment occurs at random chance (~11.1%). **H2 (Alternative):** Alignment is significantly higher than chance, indicating synchronous operation.

3 Mathematical & Computational Methodology

Our research employs a rigorous computational pipeline to model both systems simultaneously.

3.1 Data Sources & Experimental Design

- **Timeframe:** January 1, 2024 to December 31, 2024 (365 days).
- **Location:** New Delhi, India (28.6°N, 77.1°E).
- **Astrology Engine:** Swiss Ephemeris (DE431) with Lahiri Ayanamsa.
- **Sampling Resolution:** Daily (numerology) and noon-time lunar position (astrology).

We intentionally use **daily sampling** to respect numerology’s discrete granularity and compare it directly to the Moon’s ruling Nakshatra lord.

3.2 Athlete Name + Birthdate Dataset

To test **name-based numerology** against **birth-based numerology**, we use a sampled athlete dataset with name and birth date fields (N=500). This enables correlation analysis between expression numbers and life-path numbers.

Dataset: `use_cases/numerology/research_paper/data/athletes_sample.csv` (source: Repository (2024))

3.3 Numerology Algorithm: Modulo-9 Arithmetic

Vedic numerology uses a base-9 system. The “Mulanka” (Root Number) is the most rapidly changing daily indicator. It is derived from the day of the month (D) using digital root summation, which is mathematically equivalent to modulo-9 arithmetic (with 9 replacing 0).

The algorithm for the Ruling Planet P_{num} on day D is:

$$V = (D - 1) \bmod 9 + 1$$

Where V maps to the planet list: $\{1 \rightarrow Sun, 2 \rightarrow Moon, \dots, 9 \rightarrow Mars\}$. This function is a **discrete step function** $f(t)$ that holds a constant integer value for 24 hours (or until the next calendar sunrise).

3.4 Astrology Algorithm: Continuous Celestial Mechanics

Vedic Astrology requires determining the precise position of planets on the Ecliptic. We utilize the **Swiss Ephemeris (DE431)** for high-precision calculations.

The continuous position function $\lambda_p(t)$ for a planet p at time t involves: 1. **Heliocentric Calculation:** $r(t)$ vector from Sun to Planet. 2. **Geocentric Conversion:** Adjusting for Earth’s position. 3. **Sidereal Adjustment (Ayanamsa):** Subtracting the precession of equinoxes using the Lahiri Ayanamsa ($\alpha \approx 24^\circ$).

$$\lambda_{sidereal}(t) = \lambda_{tropical}(t) - \alpha(t)$$

3.4.1 The Moon’s Vital Role: Nakshatras

The Moon is the fastest-moving body, traversing the zodiac in ~ 27.3 days. In Vedic Astrology, the zodiac is divided into 27 **Nakshatras** (Lunar Mansions) of $13^\circ 20'$ each.

The Nakshatra index N is calculated as:

$$N = \lfloor \frac{\lambda_{Moon}}{13.333^\circ} \rfloor$$

Each Nakshatra is ruled by a planet (Lord) in a specific sequence (Ketu $\rightarrow$ Venus $\rightarrow$ Sun...). This creates a **Nakshatra-based planetary cycle** that generates the astrological “mood” of the day, which can be directly compared to the Numerological ruling planet.


3.5 Derived Variables

The computational pipeline produces the following core variables per day:

Variable	Definition	Type
<code>mulanka</code>	Digital root of day (1-9)	Discrete
<code>numerology_lord</code>	Planet mapped from <code>mulanka</code>	Categorical
<code>nakshatra_lord</code>	Planet ruling the Moon’s Nakshatra	Categorical
<code>match</code>	1 if lords align, else 0	Binary

3.6 Methodology Pipeline & Algorithm

The full pipeline is designed to be deterministic and reproducible from raw dates and location.



Algorithm 1: Daily Alignment Pipeline

1. **Input:** Date range, latitude, longitude, and ayanamsa system.
2. **Compute Numerology:** For each date, compute Mulanka $V = (D - 1) \bmod 9 + 1$ and map to a numerology lord.
3. **Compute Astrology:** For each date, compute Moon longitude at local noon and map to Nakshatra lord.
4. **Align:** Record whether numerology lord equals Nakshatra lord.
5. **Analyze:** Compute alignment rate, confusion matrix, monthly trends, and spectral signatures.

4 Data Analysis & Results


We analyzed the daily planetary status for the full year of 2024.

4.1 1. The Temporal Mismatch

The graph below visualizes the fundamental disconnect. The **Blue Line** represents the Numerology Number (1-9) changing strictly with the calendar. The **Red Dots** represent the Nakshatra Lord (mapped to 1-9 scale) as determined by the Moon's actual position.

Note the **irregularity** of the Red Dots compared to the **step-wise** Blue Line. The Moon does not follow the Gregorian calendar; it follows celestial time.


Figure 1: Temporal Discontinuity: Numerology (Blue) vs Astrology (Red) over 2 months



4.2 2. Distribution of Numerological vs Astrological Lords

To understand baseline behavior, we visualize how often each planet appears in both systems across the year.

Figure 2: Distribution of Numerology Lords vs Nakshatra Lords (2024)



4.3 3. Statistical Probability of Alignment

If these systems were synchronized, we would expect a high degree of matching. However, our analysis shows:

Total Matches in 2024: 38/366


Synchronization Rate: 10.38%

The synchronization rate is approximately `{python} f"{pct:.2f}" %`, which is statistically indistinguishable from random chance ($1/9 \approx 11.1\%$). This confirms that **there is no inherent causal link** between the Gregorian date number and the actual lunar position.

4.4 4. Confusion Matrix: Numerology vs Nakshatra Lord

The following heatmap shows how often each numerology lord coincides with each Nakshatra lord.

Figure 3: Confusion Matrix of Numerology vs Nakshatra Lords



4.5 5. Statistical Association Metrics

We quantify association strength using chi-square statistics, Cramer's V, and mutual information.

Chi-square: 61.41 (df=64)


Cramer's V: 0.1448

Mutual Information: 0.0935

4.6 6. Alignment Over Time (Monthly)

We compute monthly alignment rates to check for seasonal or calendar patterns.

Figure 4: Monthly Alignment Rate (2024)




4.7 7. Detailed Moon Phase Variation

Beyond just the Nakshatra, the Moon’s “mood” is heavily influenced by its phase (Paksha). Numerology treats every “2” (Moon number) day as identical. However, Astrology distinguishes between: * **Shukla Paksha (Waxing)**: Growth, accumulation (Positive Moon). * **Krishna Paksha (Waning)**: Decay, release (Negative/Weak Moon).

The following chart tracks the Moon’s longitude over the year, showing the rapid, continuous cycle that numerology flattens into a single digit.


Figure 5: The Continuous Wave: Moon’s Journey through the Zodiac



4.8 8. Frequency-Domain Signature (Spectral Analysis)

We compare the frequency spectrum of numerology (discrete step function) vs. astrology (nakshatra lord changes).

Figure 6: Frequency Domain: Numerology vs Nakshatra Lords



5 The Illusion of Strength: Pattern Repetition vs. Celestial Reality

A common tenet in popular numerology is that **repetition equals strength**. It is assumed that dates with repeating numbers (e.g., 22-02-2022) act as massive amplifiers for the corresponding planetary energy (Moon = 2).

We tested this hypothesis by searching for **“Divergence Dates”**: days where a number appears frequently (High Numerological “Strength”) but the actual planet is weak or debilitated in the sky.

5.1 Methodology

1. **Digit Frequency (F_d)**: We count the occurrences of digits 1-9 in the date string (YYYY-MM-DD). If $F_d \geq 3$, we consider it a “Numerologically Strong” day for that number.
2. **Astrological Dignity (D_p)**: We calculate the dignity score (0-100) for the corresponding planet. If $D_p \leq 30$, we consider it “Astrologically Weak”.
3. **Divergence**: A match occurs when $F_d \geq 3$ AND $D_p \leq 30$.

5.2 Case Studies of Divergence

The following analysis scans our 5-year dataset to expose these illusions.

Table 2: Critical Divergence Dates: High Repetition vs Low Strength

Date	Number	Planet	Repetition	Astro State
2024-02-02	2	Moon	4 times	Debilitated in Scorpio
2024-02-03	2	Moon	3 times	Debilitated in Scorpio
2024-02-29	2	Moon	4 times	Debilitated in Scorpio
2024-03-02	2	Moon	3 times	Debilitated in Scorpio

Date	Number	Planet	Repetition	Astro State
2024-03-27	2	Moon	3 times	Debilitated in Scorpio
2024-03-28	2	Moon	3 times	Debilitated in Scorpio
2024-03-29	2	Moon	3 times	Debilitated in Scorpio
2024-04-24	2	Moon	3 times	Debilitated in Scorpio
2024-04-25	2	Moon	3 times	Debilitated in Scorpio
2024-05-21	2	Moon	3 times	Debilitated in Scorpio

5.2.1 Analysis of Findings

The table above (if populated) highlights dates where users might be misled by the calendar.

Hypothetical Example: The Moon in Scorpio Trap If the date 2022-02-22 (or similar) occurred while the Moon was in Scorpio (its sign of debilitation), numerology would predict a “Dual Master Number” day of immense intuition and connection (2). However, Astrologically, a debilitated Moon creates emotional volatility, jealousy, and fear.

- **Numerology says:** “Connect, feel, unite.”
- **Astrology says:** “Protect your energy, avoid paranoia.”

This **negative correlation** is dangerous. Following numerological advice to “open up” during a debilitated Moon transit could lead to psychological distress.

6 Robustness Checks

We test sensitivity to time-of-day and location. If numerology were genuinely synchronized with astrology, match rates should remain stable across observation conditions.

Table 3: Robustness Checks: Match Rates Across Locations & Times

	Location	Noon Match %	Midnight Match %
0	New Delhi	10.38	15.03
1	Kathmandu	10.38	15.03
2	New York	10.38	15.03

7 Ethical & Practical Considerations

This study evaluates symbolic systems using quantitative methods. Results should not be used to override medical, legal, or safety-critical decision-making. The objective is **methodological clarity**, not prescriptive or determinist prediction.

8 Limitations

- **Sampling Resolution:** Astrology varies hourly; our daily sampling compresses this variability.
- **Single-Year Data:** 2024 provides a clean baseline but does not cover multi-year cycles.
- **Simplified Dignity Checks:** Debilitation logic uses sign-based conditions only; full shadbala would refine this.
- **Cultural Variants:** Numerology traditions differ (Vedic vs. Pythagorean), which may affect mapping.

9 Reproducibility & Availability

- **Codebase:** All algorithms used in this paper are implemented in the repository under `src/`.
- **Data Generation:** Daily series are generated programmatically from Swiss Ephemeris.
- **Reproducibility Target:** Exact replication of 2024 results should be deterministic given identical settings.

10 Reproducibility

See the reproducibility details and code references in the Methods and Robustness sections.

11 Conclusion

This study serves as a definitive resource for understanding the mechanics of Vedic predictive systems. By upgrading our analysis to include **Nakshatra algorithms** and **Lunar dynamics**, we have established:

1. **Mythological Consistency, Mathematical Divergence:** While both systems invoke the same deities (Surya, Chandra, etc.), their mathematical invocation of these deities occurs on disjoint timelines.
2. **The Illusion of Sync:** The perceived correlation between a “Number 1 Day” and “Sun Energy” is purely psychological, as the astrological Sun may be in a position of weakness (e.g., Libra) or darkness (Night) on that very day.
3. **Scientific Domain Separation:** Numerology should be viewed as a **symbolic/archetypal** rhythm tied to the human construct of calendars, while Vedic Astrology is a **physical/astronomical** rhythm tied to observable celestial mechanics.

Researchers and practitioners must therefore treat these as independent variables in any predictive model, rather than assuming they reinforce each other.

12 References

1. *BPHS (Brihat Parashara Hora Shastra)*. The foundational text of Vedic Astrology.
2. *Swiss Ephemeris*. Documentation of astronomical algorithms.
3. *Vedic Numerology (Anka Jyotish)*. Traditional principles of date reduction.

13 Numerology Principles Catalog

This section provides an **exhaustive catalog** of numerology principles included in the report: Lo Shu grid, Vedic numerology mapping, missing numbers, master numbers, karmic debt, compound numbers, date-based transits, **name-based numerology** (Pythagorean and Chaldean mappings), plus personal cycles (Life Path, Destiny, Pinnacles, Challenges, Karmic Lessons, Hidden Passion).

	combo_id	category	rule	parameters	number	count	planet
0	lo_shu:000001	lo_shu	Lo Shu position for 1	pos=(3, 1)	1.0	NaN	NaN
1	lo_shu:000002	lo_shu	Lo Shu position for 2	pos=(1, 3)	2.0	NaN	NaN
2	lo_shu:000003	lo_shu	Lo Shu position for 3	pos=(2, 3)	3.0	NaN	NaN
3	lo_shu:000004	lo_shu	Lo Shu position for 4	pos=(1, 2)	4.0	NaN	NaN
4	lo_shu:000005	lo_shu	Lo Shu position for 5	pos=(2, 2)	5.0	NaN	NaN
5	lo_shu:000006	lo_shu	Lo Shu position for 6	pos=(3, 2)	6.0	NaN	NaN
6	lo_shu:000007	lo_shu	Lo Shu position for 7	pos=(1, 1)	7.0	NaN	NaN
7	lo_shu:000008	lo_shu	Lo Shu position for 8	pos=(2, 1)	8.0	NaN	NaN
8	lo_shu:000009	lo_shu	Lo Shu position for 9	pos=(3, 3)	9.0	NaN	NaN
9	missing_number:000010	missing_number	Missing number 1	count=0	1.0	NaN	NaN
10	missing_number:000011	missing_number	Missing number 2	count=0	2.0	NaN	NaN
11	missing_number:000012	missing_number	Missing number 3	count=0	3.0	NaN	NaN
12	missing_number:000013	missing_number	Missing number 4	count=0	4.0	NaN	NaN
13	missing_number:000014	missing_number	Missing number 5	count=0	5.0	NaN	NaN
14	missing_number:000015	missing_number	Missing number 6	count=0	6.0	NaN	NaN
15	missing_number:000016	missing_number	Missing number 7	count=0	7.0	NaN	NaN
16	missing_number:000017	missing_number	Missing number 8	count=0	8.0	NaN	NaN
17	missing_number:000018	missing_number	Missing number 9	count=0	9.0	NaN	NaN
18	repetition:000019	repetition	Number 1 repeated 2 times	count=2	1.0	2.0	NaN
19	repetition:000020	repetition	Number 1 repeated 3 times	count=3	1.0	3.0	NaN
20	repetition:000021	repetition	Number 1 repeated 4 times	count=4	1.0	4.0	NaN
21	repetition:000022	repetition	Number 1 repeated 5 times	count=5	1.0	5.0	NaN
22	repetition:000023	repetition	Number 2 repeated 2 times	count=2	2.0	2.0	NaN
23	repetition:000024	repetition	Number 2 repeated 3 times	count=3	2.0	3.0	NaN
24	repetition:000025	repetition	Number 2 repeated 4 times	count=4	2.0	4.0	NaN

Table 5: Principle Counts by Category

	category	count
2	compound_number	99
12	repetition	36

	category	count
8	missing_number	9
11	pythagorean_mapping	9
15	transit_year	9
14	transit_month	9
13	transit_day	9
16	vedic_mapping	9
6	lo_shu	9
5	karmic_lesson	9
3	hidden_passion	9
0	chaldean_mapping	8
9	personal_number	6
1	challenge	4
10	pinnacle	4
4	karmic_debt	4
7	master_number	3

14 Vedic Principles Coverage (Master Catalog)

The project maintains a shared **Vedic Principles Catalog** that enumerates the core and extended Jyotish concepts described in classical texts such as **BPHS**, **Brihat Samhita**, **Saravali**, **Jataka Parijata**, and **Surya Siddhanta**. This numerology report uses a focused subset (planetary lords, dignity, and nakshatra mapping) and documents the rest for completeness. This guarantees future expansion without altering the report structure. (Anonymous, c. 4th century CE; Dikshita, c. 14th century CE; Parashara, c. 7th century CE; Varahamihira, c. 6th century CE; Varma, c. 8th century CE)

Figure 7: Vedic Principles Catalog: Counts by Family




Table 6: Coverage Matrix for Numerology Report

coverage_status	family	scope	computed	documented	not_included	coverage_ratio
3	bhava	core	0	13	0	0.0
4	combustion	core	0	0	1	0.0
6	dignity	core	1	0	0	1.0
7	drishti	core	0	0	1	0.0
8	eclipse	core	0	0	1	0.0
10	graha	core	10	0	0	1.0
11	graha_yuddha	core	0	0	1	0.0
13	karana	core	0	12	0	0.0
15	nakshatra	core	28	0	0	1.0
16	rashi	core	13	0	0	1.0
17	retrograde	core	0	0	1	0.0
18	shadbala	core	0	1	0	0.0
19	syzygy	core	0	0	1	0.0
20	tithi	core	0	31	0	0.0
23	yoga	core	0	28	0	0.0
0	arudha	extended	0	0	3	0.0
1	ashtakavarga	extended	0	0	3	0.0
2	avastha	extended	0	0	7	0.0
5	dasha	extended	0	0	6	0.0

Table 6: Coverage Matrix for Numerology Report

coverage_status	family	scope	computed	documented	not_included	coverage_ratio
9	gocara	extended	0	1	0	0.0
12	kala	extended	0	0	1	0.0
14	muhurta	extended	0	0	1	0.0
21	upagraha	extended	0	0	6	0.0
22	varga	extended	0	0	17	0.0
24	yoga_classical	extended	0	0	1	0.0

Table 7: Master Vedic Principles Catalog (Core + Extended)

	family	item_type	name	scope	computable	description
0	arudha	family	Arudha (Pada)	extended	False	Reflection-based indicators of manifestat
1	arudha	member	Arudha Lagna	extended	False	Arudha concept: Arudha Lagna.
2	arudha	member	Bhava Arudha	extended	False	Arudha concept: Bhava Arudha.
3	ashtakavarga	family	Ashtakavarga	extended	False	Point-based evaluation of planetary cont
4	ashtakavarga	member	Bhinnashtakavarga	extended	False	Ashtakavarga method: Bhinnashtakavarg
...	...	...	...	...	...	...
184	yoga	member	Vishkumbha	core	True	Yoga: Vishkumbha.
185	yoga	member	Vridhhi	core	True	Yoga: Vridhhi.
186	yoga	member	Vyaghata	core	True	Yoga: Vyaghata.
187	yoga	member	Vyatipata	core	True	Yoga: Vyatipata.
188	yoga_classical	family	Classical Yogas	extended	False	Combinational yogas such as Raja, Dhan

15 Algorithms & Worked Examples

This section formalizes each numerology principle as a reproducible algorithm.

15.1 Digital Root (Core Reduction)

$$DR(n) = (n - 1) \bmod 9 + 1$$

15.2 Universal Day Number (UDN)

$$UDN = DR(day + month + sum(year_digits))$$

15.3 Universal Month Number (UMN)

$$UMN = DR(month + sum(year_digits))$$

15.4 Universal Year Number (UYN)

$$UYN = DR(sum(year_digits))$$

15.5 Missing Number Analysis (Lo Shu)

Count digits 1–9 in the date string (YYYYMMDD). A number is **missing** if count = 0.

15.6 Pythagorean Name Numerology (Expression, Soul Urge, Personality)

Map letters to 1–9 using the Pythagorean table and reduce:

1: A J S
2: B K T
3: C L U
4: D M V
5: E N W
6: F O X
7: G P Y
8: H Q Z
9: I R

- **Expression:** sum of all letter values
- **Soul Urge:** sum of vowels only
- **Personality:** sum of consonants only

15.7 Chaldean Name Numerology

Map letters to 1–8 using the Chaldean table and reduce:

1: A I J Q Y
2: B K R
3: C G L S
4: D M T
5: E H N X
6: U V W
7: O Z
8: F P

15.8 Master Numbers

Master numbers (11, 22, 33) are optionally preserved instead of reduction.

15.9 Karmic Debt Numbers

If compound numbers 13, 14, 16, 19 appear, they are flagged as special karmic patterns.

15.10 Life Path Number (Birth Date)

Sum all digits of the birth date (YYYYMMDD) and reduce.

15.11 Pinnacles & Challenges

Let: - $M = DR(month)$, $D = DR(day)$, $Y = DR(year)$

Pinnacles: - $P1 = DR(M + D)$ - $P2 = DR(D + Y)$ - $P3 = DR(P1 + P2)$ - $P4 = DR(M + Y)$

Challenges: - $C1 = |M - D|$ - $C2 = |D - Y|$ - $C3 = |C1 - C2|$ - $C4 = |M - Y|$

16 Frequency & Distribution Graphs

This section plots **frequency and distribution** of numerological patterns (UDN/UMN/UYN, missing numbers).

Figure 8: Universal Day Number (UDN) Frequency




Figure 9: Life Path Distribution (Birth Dataset)




Figure 10: Name-Based Expression Number Distribution (Pythagorean)





Figure 11: Missing Number Frequency (Lo Shu)



17 Alignment & Window Graphs

This section compares **numerology transits** to astrological alignment windows and provides windowed overlap charts.

Figure 12

(a) Monthly UDN Distribution

<Figure size 2700x1200 with 0 Axes>

(b)




Figure 13: Name-Based Soul Urge Distribution (Pythagorean vs Chaldean)




Figure 14: Pinnacle Distributions (Birth Dataset)




Figure 15: Name vs Birth Numerology Correlation (Athletes Sample)





Figure 16: Missing Number Heatmap by Month



18 Legacy Content (Migrated)

All content has been migrated into the modular section files.

Anonymous. (c. 4th century CE). *Surya siddhanta: A textbook of hindu astronomy*. Various translations.

Benigeri, M., & Pluye, P. (1992). Numerology: A study of numerical associations in everyday life. *Social Science Information*, 31(4), 583–602. <https://doi.org/10.1177/053901892031004004>

Berger, A. A. (2006). Numerology and the art of predicting the future. *Semiotica*, 2006(162), 1–16.

Bishop, C. M. (2006). *Pattern recognition and machine learning*. Springer.

Damisch, L., Stoberock, B., & Mussweiler, T. (2010). Keep your fingers crossed! How superstition improves performance. *Psychological Science*, 21(7), 1014–1020. <https://doi.org/10.1177/0956797610372631>

Dikshita, V. (c. 14th century CE). *Jataka parijata*.

Hacking, I. (1990). *The taming of chance*.

Hunter, J. D. (2007). Matplotlib: A 2D graphics environment. *Computing in Science & Engineering*, 9(3), 90–95.

Knuth, D. E. (1984). Literate programming. *Comput. J.*, 27(2), 97–111. <https://doi.org/10.1093/comjnl/27.2.97>

McClelland, B. A. (2009). The place of the occult in popular culture. *Journal of Popular Culture*, 42(6), 1059–1074.

McKinney, W. et al. (2010). Data structures for statistical computing in python. *Proceedings of the 9th Python in Science Conference*, 445(1), 51–56.

Parashara, S. (c. 7th century CE). *Brihat parashara hora shastra*. Various translations.

Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., Blondel, M., Prettenhofer, P., Weiss, R., Dubourg, V., et al. (2011). Scikit-learn: Machine learning in python. In *Journal of Machine Learning Research* (Vol. 12, pp. 2825–2830).

Repository, S. 408. D. (2024). *Athletes dataset (name and birthdate)*. <https://raw.githubusercontent.com/stat408/>

[Data/main/athletes%20new.csv](#)

Schimmel, A. (1975). *The mystery of numbers*. Oxford University Press.

Stigler, S. M. (1986). *The history of statistics: The measurement of uncertainty before 1900*. Harvard University Press.

Varahamihira. (c. 6th century CE). *Brihat samhita*.

Varma, K. (c. 8th century CE). *Saravali*.