

LLM Behavioral Metrics Report



Generated from `log_metrics.json` on `2026-03-21T17:15:24.792808+00:00`.

Executive Summary

- The corpus covers 6 logs and 655 actions, with a global repetition rate of 0.394 and an exploration ratio of 0.606.
- The most repetitive run is `log_20260321_083404.txt` at 0.576, while `log_20260321_085622.txt` shows the highest retry-after-failure rate at 0.375.
- `log_20260321_162804.txt` has the highest parser rejection rate at 0.382, and the dominant action globally is `CLIMB LADDER` with 69 occurrences.
- Among semantic backends, `qwen3-embedding` yields the highest mean thought/action alignment (0.580), and `qwen3-embedding` gives the lowest drift over time (0.285).

Corpus Overview



Log	Steps	Repetition	Exploration	Retry after failure	Parser rejection	Loops	Dead-ends
log_20260321_083404.txt	92	0.576	0.424	0.200	0.011	0	0
log_20260321_085622.txt	92	0.554	0.446	0.375	0.011	0	0
log_20260321_105614.txt	99	0.394	0.606	0.214	0.051	0	0
log_20260321_111351.txt	118	0.390	0.610	0.286	0.144	1	0
log_20260321_113636.txt	97	0.278	0.722	0.136	0.062	0	0
log_20260321_162804.txt	157	0.268	0.732	0.214	0.382	1	1



Semantic Analysis


Backend	Status	Avg similarity	Divergence	Drift
lexical-fallback	ready	0.249	0.751	0.724
embeddinggemma	ready	0.410	0.590	0.350
qwen3-embedding	ready	0.580	0.420	0.285

The semantic comparison uses cosine similarity for the lexical fallback and for the two Ollama embedding models. UMAP projections below are computed independently for each embedding space, so axes are only meaningful within a given model.




Embedding Space Projections

embeddinggemma



qwen3-embedding




Per-Log Timelines

Dead-end spans are shaded in red, loop spans in blue, and the lower panel tracks thought/action similarity through time for each semantic backend.


log_20260321_083404.txt

log_20260321_083404.txt contains 92 parsed steps. Repetition is 0.576, exploration is 0.424, and retry-after-failure is 0.200. It contains 0 detected loops and 0 dead-end zones. The most frequent action is OPEN WINDOW (15 times).




log_20260321_085622.txt

log_20260321_085622.txt contains 92 parsed steps. Repetition is 0.554, exploration is 0.446, and retry-after-failure is 0.375. It contains 0 detected loops and 0 dead-end zones. The most frequent action is OPEN WINDOW (13 times).




log_20260321_105614.txt

log_20260321_105614.txt contains 99 parsed steps. Repetition is 0.394, exploration is 0.606, and retry-after-failure is 0.214. It contains 0 detected loops and 0 dead-end zones. The most frequent action is CLIMB LADDER (14 times).




log_20260321_111351.txt

log_20260321_111351.txt contains 118 parsed steps. Repetition is 0.390, exploration is 0.610, and retry-after-failure is 0.286. It contains 1 detected loops and 0 dead-end zones. The most frequent action is CLIMB LADDER (12 times).




log_20260321_113636.txt

log_20260321_113636.txt contains 97 parsed steps. Repetition is 0.278, exploration is 0.722, and retry-after-failure is 0.136. It contains 0 detected loops and 0 dead-end zones. The most frequent action is CLIMB LADDER (7 times).



log_20260321_162804.txt

log_20260321_162804.txt contains 157 parsed steps. Repetition is 0.268, exploration is 0.732, and retry-after-failure is 0.214. It contains 1 detected loops and 1 dead-end zones. The most frequent action is CLIMB LADDER (9 times).



Artifacts

- Embedding metadata: logs-analysis/output/log_metrics_embedding_records.json
- Embedding matrices: logs-analysis/output/log_metrics_embedding_vectors.npz
- Embedding dimensions: embeddinggemma=768, qwen3-embedding=4096