

Luxury Real Estate

Build a single-page React + TypeScript + Tailwind CSS + Vite landing page for a luxury real estate brand named "Velar.". Use only `lucide-react` for icons. The app is in `src/App.tsx`. Use the exact specifications below.

Global Setup

- Page background: `#f5f0ea` (warm off-white).
- Body wrapper: `overflow-x: clip`.
- Fonts (loaded via `@import` inside an inline `<style>` block):
 - Primary: `Syne` weights 400, 700, 800, 900 from Google Fonts.
 - Secondary: `Inter` weights 300, 400, 500, 600 from Google Fonts.
- Constants:
 - `GRASS_GREEN = '#213138'` (deep teal — used for preloader background and default logo color).
 - `FULL_TEXT = 'Velar.'`
 - `HOUSE_IMG =`
`'https://res.cloudinary.com/dsdhxhhqh/image/upload/v1780471903/building_bzziky.png'`
 - `BG_IMG = 'https://images.higgs.ai/?`
`default=1&output=webp&url=https%3A%2F%2Fd8j0ntlcm91z4.cloudfront.net%2Fuser_38xzZboKViGWJ0ttwIXH07lWA1P%2Fhf_20260603_073200_7082add5-f1f8-4873-8696-d6f78a44089b.png&w=1920&q=85`
- Gallery videos (5, in order):
 - `https://d8j0ntlcm91z4.cloudfront.net/user_38xzZboKViGWJ0ttwIXH07lWA1P/hf_20260528_154759_4cdc8175-8261-497c-b688-9477c76545d4.mp4`
 - `https://d8j0ntlcm91z4.cloudfront.net/user_38xzZboKViGWJ0ttwIXH07lWA1P/hf_20260528_154751_39b1b9bb-2708-4211-b6a2-d39f93309e52.mp4`
 - `https://d8j0ntlcm91z4.cloudfront.net/user_38xzZboKViGWJ0ttwIXH07lWA1P/hf_20260528_154737_eba7900c-0313-483c-a30a-632c747ccc42.mp4`

- d. https://d8j0ntlcm91z4.cloudfront.net/user_38xzZboKViGWJ0ttwIXH07lWA1P/hf_20260602_144009_4348fe33-f885-4345-8e92-3fe1c2625d32.mp4
- e. https://d8j0ntlcm91z4.cloudfront.net/user_38xzZboKViGWJ0ttwIXH07lWA1P/hf_20260602_145337_e44eaa8c-6bb1-4a6e-a70f-ed0231cbaccb.mp4

Section 1 — Preloader / Intro Overlay

- Fixed full-viewport overlay (`z-index: 100`) filled with `#213138` , centered flex.
- Renders an animated typewriter of the word `Velar.` in Syne, font-size `2.6rem` , color white, letter-spacing `-0.02em` . Letters use weight 700 except `.` which is weight 900.
- A blinking white cursor (3px × 1.1em rounded bar, animation `blink 0.7s step-end infinite` toggling opacity 0/1) follows the last typed letter.
- Timings (using `setTimeout`):
 - `CHAR_INTERVAL = 140ms` , `TYPE_START = 600ms` .
 - Reveal letters one at a time at `TYPE_START + i * CHAR_INTERVAL` .
 - `LIFT_AT = TYPE_START + 6 * CHAR_INTERVAL + 700ms` .
 - Hide cursor at `LIFT_AT - 150ms` .
 - Start "lifting" the overlay upward at `LIFT_AT` : `transform: translateY(-100%)` with transition `transform 1.5s cubic-bezier(0.45, 0, 0.15, 1)` .
 - At `LIFT_AT + 1300ms` , fade in the hero text (`opacity 0 → 1` , `translateY(-28px) → 0` , transition `0.7s cubic-bezier(0.22, 1, 0.36, 1) 0.1s`).
 - At `LIFT_AT + 2100ms` , set `liftDone` true and disable the overlay's transition (so it stays parked off-screen).

Section 2 — Fixed Navigation

- Fixed top nav `z-50` , padding `px-6 md:px-10 lg:px-16` , `py-5 md:py-6` , flex justify-between.
- Left: word `Velar.` in Syne, `text-xl` , weight 700 for letters and 900 for `.` . Color = `navColor` (see scroll behavior).
- Right: hamburger toggle button. Two stacked 28px-wide × 1px lines, top one shrinks to `w-5` on hover. When open, swap to a Lucide `X` icon, size 24.

- Scroll behavior: track whether any "dark section" (refs to Section 4 and Section 5) currently overlaps the viewport top (`rect.top <= 0 && rect.bottom > 0`). If so, `navOnDark = true` and `navColor = '#ffffff'` . Otherwise `navColor = '#213138'` . Color transitions: `color 0.35s ease` .
- Mobile menu: when open, full-screen `#f5f0ea` overlay (`z-40`) centered with 4 vertically stacked links: `Residences` , `Story` , `Listings` , `Inquire` . Each link is Syne, `text-4xl` , `font-light` , `tracking-widest` , uppercase, black with hover `text-gray-500` . Click closes menu.

Section 3 — Hero

- `<section>` `position: relative` , `min-height: 100vh` , `overflow: visible` .
- Background: `BG_IMG` as `background-image` , `background-size: cover` , `background-position: center center` , `background-repeat: no-repeat` .
- Hero text block (`.hero-text-block`) inside, `z-index: 10` , hidden initially, fades+slides in (see preloader timings).
- Top row (`.hero-heading-top` , padded `px-6 md:px-10 lg:px-16` , flex `items-end justify-between` , `margin-bottom: -0.04em`):
 - Left: `LIVE IN` — Syne 800, uppercase, black, `letter-spacing: -0.03em` , `line-height: 1` . Size via CSS class `.hero-own-the` .
 - Right (desktop only $\geq 1024\text{px}$, `.hero-subtitle-desktop`): two-line right-aligned paragraph in Syne 700, `clamp(10px, 0.95vw, 14px)` , max-width 300px, opacity 0.7, line-height 1.6, margin-bottom `0.2em` , letter-spacing `0.02em` :

> Stately homes built with vision,

> scope, and architectural finesse.

- Headline row (wrapped in `overflow: hidden`):
 - `IRREPLACEABLE` — Syne 800, uppercase, black, `letter-spacing: -0.03em` , padded `px-6 md:px-10 lg:px-16` . Size via `.hero-extraordinary` .
- Mobile/tablet subtitle (`.hero-subtitle-mobile` , padded `px-6`), Syne 600, `clamp(12px, 3vw, 15px)` , opacity 0.65, margin-top `0.9em` :

> Premium real estate with vision,

> depth, and architectural clarity.

Hero Responsive Type Sizes

代码块

```
1  @media (max-width: 639px) {
2    .hero-subtitle-desktop { display: none !important; }
3    .hero-subtitle-mobile { display: block !important; }
4    .hero-text-block { padding-top: 90px !important; }
5    .hero-heading-top { justify-content: flex-start !important; }
6    .hero-own-the { font-size: 7.5vw !important; }
7    .hero-extraordinary { font-size: 14.5vw !important; white-space: normal
!important; word-break: break-word !important; line-height: 0.9 !important; }
8  }
9  @media (min-width: 640px) and (max-width: 1023px) {
10   .hero-subtitle-desktop { display: none !important; }
11   .hero-subtitle-mobile { display: block !important; }
12   .hero-text-block { padding-top: 110px !important; }
13   .hero-heading-top { justify-content: flex-start !important; }
14   .hero-own-the { font-size: 5.5vw !important; }
15   .hero-extraordinary { font-size: 11vw !important; white-space: normal
!important; word-break: break-word !important; line-height: 0.9 !important; }
16 }
17 @media (min-width: 1024px) {
18   .hero-subtitle-desktop { display: block !important; }
19   .hero-subtitle-mobile { display: none !important; }
20   .hero-text-block { padding-top: calc(28vh - 50px) !important; }
21   .hero-own-the { font-size: 3vw !important; }
22   .hero-extraordinary { font-size: clamp(52px, 6.5vw, 9vw) !important; white-
space: nowrap !important; line-height: 0.88 !important; }
23 }
```

Section 4 — Scroll-Driven House Animation (the centerpiece)

- A `position: fixed` wrapper at `z-index: 22`, `pointer-events: none`, `will-change: transform`, default `bottom: 0; left: 50%; transform: translateX(-50%); width: 100%; min-width: 1400px;`.
- Inside, an inner div performs the initial "rise from below" entrance: starts at `translateY(102vh)`, transitions to `translateY(0)` with `transform 1.5s cubic-bezier(0.45, 0, 0.15, 1) 0.4s`, triggered when `lifting` becomes true. Once `liftDone` true the transition is removed so the scroll handler can take over.
- Renders `` at width 100%, aria-hidden.

- After `liftDone`, a scroll/resize listener (`updateHousePosition`) computes:
 - `baseW = max(window.innerWidth, 1400)`.
 - `triggerPoint = -(heroH * 0.30)` — animation starts when 30% of hero has scrolled off.
 - `endPoint = heroRect.top - (darkRect.bottom - vh)` — ends when the bottom of Section 5 reaches viewport bottom.
 - `progress = clamp((heroRect.top - triggerPoint) / (endPoint - triggerPoint), 0, 1)`.
 - `t = smoothstep(smoothstep(progress))` where `smoothstep(t) = tt(3-2t)` (applied twice).
 - `startX = (vw - baseW) / 2`, `startY = vh - imgH` (bottom-centered).
 - `finalScale = 1.45`, `finalX = (vw - baseW * finalScale) / 2` (bottom-centered), `mobileOffset = vw < 1024 ? -250 : 4`, `finalY = darkRect.bottom - imgH * finalScale + 500 + mobileOffset`.
 - Interpolates `currentX`, `currentY`, `currentScale` linearly via `t`.
- At `progress <= 0` resets to resting (bottom-centered, scale 1). Otherwise sets `top: 0; left: 0; transform: translate(currentX, currentY) scale(currentScale); transform-origin: top left;`.

Section 5 — Dark Statement + Stats (sticky)

- Outer wrapper: `position: relative; height: 200vh; z-index: 20`.
- Inner `

`( s2-section )`: `position: sticky; top: 0; height: 100vh; background: #1a1a1a; overflow: hidden`. Above it is a tiny `4vh` `#1a1a1a`` scroll spacer.

- Content wrapper `.s2-content`: `flex column, padding px-6 md:px-10 lg:px-16, padding-top: clamp(30px, 4vw, 60px), padding-bottom: clamp(60px, 8vw, 120px)`.
- Statement text (`.s2-statement`), Inter 300, color `#e8e4df`, letter-spacing `-0.02em`, `line-height: 1.35`, `white-space: nowrap`, font-size `clamp(22px, 2.6vw, 42px)`. Wrapper has `max-width: 1200px`, centered, `padding-left: 25%`. Lines (with hard `

`s):

- > Every estate we present is hand-chosen
- > through a frame of permanence, refinement,
- > and timeless detail. Standards are not
- > a flourish. It is our discipline.

- Stats row (`.s2-stats-row`): same max-width/centered/padding-left 25%, `margin-top: clamp(48px, 6vw, 80px)`. Three columns in a flex row, each `flex:1`, with a left border (`1px solid rgba(255,255,255,0.2)`) between items and `padding-left: clamp(20px, 2.5vw, 40px)` on items 2-3:
 - a. `120+` — `Portfolio Holdings`
 - b. `12` — `Global Locations`
 - c. `98%` — `Patron Loyalty Rate`
 - Numbers: Inter 300, white, font-size `clamp(36px, 4.5vw, 72px)`, line-height 1.1. Use a `CountUp` component that, when the element first crosses 30% into the viewport (IntersectionObserver), animates from 0 to `end` over 2000ms with easing `1 - (1 - t)^3`, rendering `Math.round(eased * end) + suffix`.
 - Labels: Inter 400, `rgba(255,255,255,0.6)`, font-size `clamp(12px, 1.1vw, 16px)`, `margin-top: clamp(4px, 0.5vw, 8px)`, letter-spacing `0.01em`.
- Tablet/mobile rules:
 - `≤767px`: remove the 25% left padding entirely (set to 0).
 - `768-1023px`: reduce padding-left to 15%, set `min-height: 70vh` and adjust paddings.

Section 6 — Hover-Expand Gallery (slides over Section 5)

• `

(`s3-gallery-section`) `position: relative; z-index: 25; margin-top: -100vh; background: #1a1a1a; height: 100vh; overflow: hidden``. This makes it slide up over Section 5 as the user scrolls.

- Background ticker (`.s3-ticker-wrap`): absolutely positioned `inset:0`, flex center, `overflow: hidden`, `z-index: 0`, `pointer-events: none`. Contains a `.ticker-track` with two copies of a giant repeating string:

> Velar. Velar. Velar. Velar. Velar. Velar. Velar.
Velar. (with separators)

- Each span: Syne 800, `clamp(100px, 14vw, 220px)`, white, `white-space: nowrap`, letter-spacing `-0.02em`, `user-select: none`, `padding-right: 0.3em`. (The ticker can also be animated with a horizontal scroll keyframe — left as a static layered word-mark behind the gallery here.)
- Gallery content (`.s3-gallery-content`): z-index 1, flex center, full height, padding `clamp(24px, 4vw, 60px)`.
- Row (`.gallery-expand-row`): flex with `gap: 6px`, height 70%, max-width 1200px. Each item (`.gallery-expand-item`): `flex: 1 1 0%`, full height, `border-radius: 12px`, `overflow: hidden`, `cursor: pointer`, transition `flex 0.5s cubic-bezier(0.4, 0, 0.2, 1)`. On hover, the hovered item grows to `flex: 4`, others shrink — classic accordion expand.
- Each item contains the corresponding video (autoplay, loop, muted, playsInline) covering the tile (`object-fit: cover`).

Gallery Mobile/Tablet Rules ($\leq 1023\text{px}$)

代码块

```
1 .s3-gallery-section { height: auto; min-height: 100vh; overflow: visible; }
2 .s3-ticker-wrap { position: sticky; top: 0; height: 100vh; width: 100%; margin-bottom: -100vh; }
3 .s3-gallery-content { height: auto; align-items: flex-start; padding: 80px 16px 60px; }
4 .gallery-expand-row { display: grid; grid-template-columns: 1fr 1fr; gap: 8px; height: auto; width: 100%; max-width: 700px; }
5 .gallery-expand-item { flex: none; height: auto; aspect-ratio: 4/5; border-radius: 10px; transition: transform 0.3s ease; }
6 .gallery-expand-item:hover { flex: none; transform: scale(1.02); }
7 .gallery-expand-item:last-child:nth-child(odd) { grid-column: 1 / -1; max-width: calc(50% - 4px); justify-self: center; }
8 @media (max-width: 479px) {
9   .s3-gallery-content { padding: 60px 12px 48px; }
10  .gallery-expand-row { gap: 6px; }
11 }
```

Behavior Recap

- Preloader types `Velar` then slides up out of view, simultaneously revealing the hero text and rising the house image from below the viewport.
- The house image stays bottom-centered behind the hero text on initial load.
- As the user scrolls past 30% of the hero, the house begins drifting upward and scaling up to $1.45\times$, remaining horizontally centered, while pinning toward the bottom of the dark statement section.
- The nav logo color cross-fades to white whenever a dark section sits at the viewport top.
- Section 5 stays sticky as Section 6 (gallery) slides up over it thanks to negative `margin-top: -100vh` and higher `z-index`.
- Stat numbers count up once on scroll into view.
- Gallery tiles accordion-expand on hover (desktop) or 2-column grid (mobile/tablet).

Tech Notes

- Use only `react`, `react-dom`, `lucide-react`, Tailwind, and Vite. No additional libraries.
- All animation logic lives inside a single `App.tsx` using `useState`, `useEffect`, `useRef`, `useCallback`, and `IntersectionObserver`.
- Use Supabase if any persistence is later needed; this page itself has no data layer.