

Dreamcore Landing

Build a single-page immersive parallax landing page in React + TypeScript + Tailwind CSS using Vite. The page has two scroll-driven scenes inside a sticky viewport. Everything lives in a single `src/App.tsx` file. Use Google Fonts: **Viaoda Libre** (serif headings) and **Imprima** (sans-serif body). No external UI libraries. Use `lucide-react` only as a dependency (it is not used in this page). Use Tailwind for responsive layout breakpoints only; all other styling is inline React `CSSProperties`.

GLOBAL SETUP

`tailwind.config.js` -- Override the `xl` breakpoint to `1100px`:

代码块

```
1 screens: { xl: '1100px' }
```

`index.css` -- Include Tailwind directives, global reset, dark background `#0a0608`, `font-family: 'Imprima', sans-serif`, `scrollbar-gutter: stable`, and a `@keyframes bobUp` animation that translates Y by `-6px` at 50%.

`index.html` -- Load Google Fonts via `<link>`:

代码块

```
1 https://fonts.googleapis.com/css2?
  family=Viaoda+Libre&family=Imprima&display=swap
```

Title: "Step Into Wonder"

IMAGE ASSETS (use these exact URLs)

代码块

```
1  PORTAL_BG      =  
  "https://res.cloudinary.com/dy5er7kv5/image/upload/q_auto/f_auto/v1779707217/im  
  age_1_vdzwae.png"  
2  CURTAIN_LEFT  =  
  "https://res.cloudinary.com/dy5er7kv5/image/upload/q_auto/f_auto/v1779706559/cu  
  rtain_left_znkmva.png"  
3  CURTAIN_RIGHT=  
  "https://res.cloudinary.com/dy5er7kv5/image/upload/q_auto/f_auto/v1779706564/cu  
  rtain_right_paeyym.png"  
4  WORLD_BG      =  
  "https://res.cloudinary.com/dy5er7kv5/image/upload/q_auto/f_auto/v1779706392/im  
  age_2_gkcdlx.png"  
5  BOTTOM_CLOUDS=  
  "https://res.cloudinary.com/dy5er7kv5/image/upload/q_auto/f_auto/v1779706555/bo  
  ttom_clouds_xskut6.png"  
6  
7  CARD_IMAGES[0] = "https://images.higgs.ai/?  
  default=1&output=webp&url=https%3A%2F%2Fd8j0ntlcm91z4.cloudfront.net%2Fuser_38x  
  zZboKViGWJ0ttwIXH07LWA1P%2Fhf_20260525_160507_2ccbb4eb-1469-484f-af25-  
  59168ad9a233.png&w=1280&q=85"  
8  CARD_IMAGES[1] = "https://images.higgs.ai/?  
  default=1&output=webp&url=https%3A%2F%2Fd8j0ntlcm91z4.cloudfront.net%2Fuser_38x  
  zZboKViGWJ0ttwIXH07LWA1P%2Fhf_20260525_160644_072a7f68-a101-4ded-a332-  
  7d37707dbdd1.png&w=1280&q=85"  
9  CARD_IMAGES[2] = "https://images.higgs.ai/?  
  default=1&output=webp&url=https%3A%2F%2Fd8j0ntlcm91z4.cloudfront.net%2Fuser_38x  
  zZboKViGWJ0ttwIXH07LWA1P%2Fhf_20260525_160706_1c153d04-0dfb-4ac9-a4ef-  
  e74f301c329c.png&w=1280&q=85"
```

SCENE 2 CARD DATA (9 cards for the arc slider)

代码块

```
1 { title: 'Hidden Realms', desc: 'Luminous sanctuaries unseen by wandering
  eyes', color: '#f3cdd6' }
2 { title: 'Wild Solitudes', desc: 'Dissolve into untamed horizons and deep
  calm', color: '#dcedc2' }
3 { title: 'Silent Havens', desc: 'Remote escapes far beyond ordinary reach',
  color: '#c3e3f4' }
4 { title: 'Bespoke Quests', desc: 'Journeys shaped around your vision and
  soul', color: '#f0e4c0' }
5 { title: 'Vivid Drifts', desc: 'Surreal passages through breathtaking
  terrain', color: '#dcd2f2' }
6 { title: 'Mystic Crests', desc: 'Timeless ridgelines wrapped in cloud and
  myth', color: '#f3cdd6' }
7 { title: 'Deep Currents', desc: 'Glowing depths alive with uncharted
  wonder', color: '#c3e3f4' }
8 { title: 'Gilded Dusk', desc: 'Amber horizons that stretch past all
  reason', color: '#f0e4c0' }
9 { title: 'Glassy Tides', desc: 'Calm waters holding skies of pure
  stillness', color: '#dcedc2' }
```

ARCHITECTURE

The outer container is `height: 480vh; position: relative`. Inside it is a `position: sticky; top: 0; height: 100vh; overflow: hidden; background: #0a0608` viewport. All layers stack via absolute positioning and z-index.

Scroll progress = `window.scrollY / (container.scrollHeight - window.innerHeight)`, clamped 0-1.

Helper functions:

- `easeInOut(t)`: quadratic ease `t < 0.5 ? 2*t*t : -1 + (4 - 2*t)*t`
- `lerp(a, b, t)`: linear interpolation
- `clamp(val, min, max)`

`useIsMobile()` hook: `matchMedia('(max-width: 767px)')` -- returns boolean.

LAYER STACK (bottom to top by z-index)

Layer 1: World Background (z-index: auto/0)

- `ref={worldRef}`, `absolute inset 0`, `transformOrigin: '50% 50%'`
- `WORLD_BG` image, `object-fit: cover`
- Parallax: `scale(lerp(1, 1.18, ep))`, mouse offset `MAG.world = 6`

Layer 2: Bottom Clouds (z-index: 10)

- `ref={cloudsRef}`, `absolute bottom:0, left:0, right:0`, `transformOrigin: '50%`
- `BOTTOM_CLOUDS` image, `width: 100%, height: auto`
- Parallax: `scale(lerp(1, 1.4, ep))`, mouse offset `MAG.clouds = 9` (Y dampened to `0.4x`)
- Opacity: fades from 0.7 to 1 in the first 5% of scroll

Layer 2.5: Arc Card Slider (z-index: 9)

- Absolute, `bottom: 60px (mobile) / 80px (desktop)`, centered horizontally
- Opacity = `scene20capacity`
- Contains `<ArcCardSlider>` component (details below)

Layer 3: Portal Frame (z-index: 15)

- `ref={portalRef}`, `absolute inset 0`, `transformOrigin: '52% 38%'`
- `PORTAL_BG` image, `object-fit: cover`
- Parallax: `scale(lerp(1, 7.5, ep))`, mouse offset `MAG.portal = 7`
- Opacity: 1 until scroll 0.65, then fades to 0 by scroll 0.85

Layer 3.5: Bottom Fade (z-index: 16)

- Absolute bottom, `height: 40%`, `linear-gradient(to top, rgba(0,0,0,0.45) 0%, transparent 100%)`, `pointer-events: none`

Layer 4L: Curtain Left (z-index: 16)

- `ref={curtainLRef}`, `absolute inset 0`, `transformOrigin: 'left center'`
- `CURTAIN_LEFT` image, `object-fit: cover`, `object-position: right center`
- On mount (after 100ms), shifts left by `translateX(-62%)` with `transition: transform 1.8s cubic-bezier(0.16, 1, 0.3, 1)`
- On scroll: additional `translateX` via `lerp(0, 150, ep)%`, scale `lerp(1, 1.3, ep)`
- Mouse offset: `MAG.curtainL = 14` (Y dampened to `0.3x`)
- After entrance animation (2200ms), transition switches to `none` for responsive parallax

Layer 4R: Curtain Right (z-index: 16)

- Mirror of Layer 4L but `transformOrigin: 'right center'`, `object-position: left center`
- Shifts right instead of left, `MAG.curtainR = 14`

Top Fade Gradient (z-index: 45)

- Absolute top, `height: 42vh`, `linear-gradient(to bottom, rgba(0,0,0,0.45) 0%, transparent 100%)`, `pointer-events: none`

NAVIGATION (z-index: 50)

Absolute top, full width, `display: flex, justify-content: space-between, align-items: center`.

Nav link style: `font-family: 'Imprima', sans-serif`, `font-size: 12px`, `letter-spacing: 0.12em`, `text-transform: uppercase`, `color: #fff`, `opacity: 0.9`, no text decoration.

Mobile (`padding: 18px 20px`): Three items -- "Explore" (11px) | StarLogo SVG | "Connect" (11px)

Desktop (`padding: 22px 48px`): Left group ["Worlds", "Atelier", "Immersions"] with `gap: 36px` | StarLogo SVG center | Right group ["Craft", "Codex", "Connect"] with `gap: 36px`

StarLogo -- inline SVG, 28x28, white star path + 3 small circles:

代码块

```
1 <path d="M14 2l2.09 6.42H23l-5.45 3.96 2.09 6.42L14 14.84l-5.64 4.06 2.09-6.42L4.96 8.42h6.95L14 2z" fill="white" opacity="0.9" />
2 <circle cx="14" cy="24" r="1.5" fill="white" opacity="0.6" />
3 <circle cx="6" cy="6" r="1" fill="white" opacity="0.4" />
4 <circle cx="22" cy="6" r="1" fill="white" opacity="0.4" />
```

SCENE 1 UI (z-index: 20)

Opacity = `clamp(1 - scrollProgress / 0.22, 0, 1)`. Fades out in first ~22% of scroll.

Uses **three separate Tailwind-responsive layout blocks** (not JS branching for layout):

Mobile layout (`md:hidden`)

- Centered column, `padding: 80px 24px 100px`
- Fade-in: `opacity 0.9s ease, transform 0.9s ease`, delay `0.3s`, triggers on `uiVisible`
- **Heading** (Viaoda Libre): "FALL > INTO" line (`clamp(26px, 7vw, 42px)`, `tracking-widest`, color `#3b1a0a`) then "REVERIE" (`clamp(52px, 16vw, 80px)`, `tracking-tight`, `leading-none`, color `#3b1a0a`). The ">" is a `>` character in color `#6b2e0e` at `0.8em`. "INTO" is italic.

- **Subtext** (Imprima): "Crafting boundless digital worlds where the edge between AI, vision, and living myth dissolves." -- 15px, leading-relaxed, color #5c2d0e, max-width: 280px
- **Single card**: 140x140px, border-radius: 22px, CARD_IMAGES[0] as background-cover, box-shadow: 0 8px 32px rgba(0,0,0,0.5). Bottom gradient overlay (60% height). Bottom-left overlay: white circle (26px) with play triangle SVG + "View Reel" text (13px, white).

Tablet layout (hidden md:flex xl:hidden)

- Centered column, gap: 28px, padding: 80px 32px 96px
- Same fade-in animation as mobile
- **Heading**: same structure as mobile but dark brown text (#3b1a0a), sizes clamp(28px, 5vw, 44px) / clamp(60px, 12vw, 86px)
- **Subtext**: same text, 16px, color #5c2d0e, max-width: 400px
- **Three cards in a row** (flex gap-3.5): each 140x140px, border-radius: 22px. Each has:
 - Background gradient overlay (60% height, multi-stop)
 - Backdrop blur layer (44% height, masked gradient)
 - Card 1: play button + "View Reel"
 - Card 2: number "32" (Viaoda Libre, 28px, white) + "World Patrons"
 - Card 3: play button + "View Reel"

Desktop layout (hidden xl:block / hidden xl:flex)

- **Heading block**: absolute, top: 46%, left: 60px, maxWidth: 440px, translateY(-50%) centered
 - White text with heavy text-shadow: 0 2px 24px rgba(0,0,0,0.7), 0 1px 4px rgba(0,0,0,0.9)
 - "FALL > INTO": clamp(32px, 4.5vw, 54px), line-height: 1.1, letter-spacing: 0.04em. The > is rgba(255,220,180,0.7).
 - "REVERIE": clamp(50px, 7.5vw, 88px), line-height: 0.9, letter-spacing: -0.02em

- Subtext: `18px`, `line-height: 1.7`, color `rgba(255,245,235,0.88)`, `max-width: 300px`, `text-shadow: 0 1px 12px rgba(0,0,0,0.8)`
- Fade-in: opacity+transform, delay `0.3s`
- **Cards block:** absolute, `right: 40px`, `top: 50%`, `translateY(-50%)`, `flex gap: 12px`
 - Three cards, each 158x158px, `border-radius: 28px`, `box-shadow: 0 8px 32px rgba(0,0,0,0.45)`
 - Each has: gradient overlay, backdrop blur layer (same as tablet), bottom content area at 12px inset
 - Play cards: 30px white circle + 18px "View Reel"
 - Number card: "32" at 36px Viaoda Libre + 18px "World Patrons"
 - Fade-in delay: `0.55s`

Slider Dots (bottom of Scene 1)

- Absolute, bottom `28px` (mobile, centered) / `40px` (desktop, left: 60px)
- 4 dots: first is `28px` wide, rest `14px`, all `4px` tall, `border-radius: 2px`
- Active dot: `rgba(255,255,255,0.9)`, inactive: `rgba(255,255,255,0.35)`
- Fade-in delay: `0.8s`

Scroll Cue (desktop only)

- Absolute `bottom: 36px`, centered
- "DESCEND" text: `10px`, `letter-spacing: 0.22em`, uppercase, `rgba(255,255,255,0.6)`
- Below: `ScrollChevron` -- 34px circle with 1.5px border `rgba(255,255,255,0.5)`, chevron SVG inside, `animation: bobUp 1.8s ease-in-out infinite`
- Fade-in delay: `0.9s`

SCENE 2 UI (z-index: 46)

Opacity = `clamp((scrollProgress - 0.68) / 0.16, 0, 1)`. Fades in between scroll 68%-84%.

- Centered column
 - **Heading** (Viaoda Libre): "FORGE BEYOND THE REAL" -- `clamp(28px, 8vw, 44px) mobile / clamp(38px, 6.5vw, 78px) desktop`, white, `letter-spacing: 0.03em`, `line-height: 1.05`, `text-shadow: 0 2px 20px rgba(0,0,0,0.4)`
 - **Subtext** (Imprima): "Singular voyages to astonishing destinations, shaped for those who seek beauty beyond the ordinary and the known." -- `14px mobile / 20px desktop`, `line-height: 1.6`, `letter-spacing: -0.01em`, `max-width: 260px mobile / 480px desktop`, color `rgba(255,255,255,0.82)`
 - Margin-top: `8vh mobile / 12vh desktop`
-

ARC CARD SLIDER COMPONENT

Props: `cards[]`, `rotationOffset: number`, `isMobile: boolean`

Layout math:

- `cardSpacingDeg`: 12 (mobile) / 9 (desktop) degrees between cards
- `centerIndex`: `Math.floor(totalCards / 2)`
- `arcRadius`: 700 (mobile) / 1100 (desktop) px
- `cardW`: 160 (mobile) / 220 (desktop) px
- `cardH`: 175 (mobile) / 230 (desktop) px
- `sliderH`: 260 (mobile) / 360 (desktop) px

`rotationOffset` is driven by scroll: `lerp(0, arcSweepDeg, clamp((scrollProgress - 0.70) / 0.30, 0, 1))` where `arcSweepDeg = (totalCards - 1) * 10`.

Per card positioning:

代码块

```
1  baseDeg = (i - centerIndex) * cardSpacingDeg
2  deg      = baseDeg - rotationOffset + (centerIndex * cardSpacingDeg)
3  rad      = deg * PI / 180
4  x        = sin(rad) * arcRadius
5  y        = arcRadius - cos(rad) * arcRadius
```

Each card is absolutely positioned at `bottom: -y + (140 mobile / 200 desktop)px`, `left: calc(50% + x - halfW)`, `transform: rotate(deg)`, `transformOrigin: halfW arcRadius`.

Card appearance:

- Rounded rect (`18px mobile / 26px desktop`), background = `card.color` (pastel)
- `box-shadow: 0 8px 40px rgba(80,40,60,0.18)`
- Top-right: numbered circle (24px, `1.5px border rgba(80,50,60,0.3)`, text `rgba(80,50,60,0.6)`, 10px Imprima) showing zero-padded index
- Bottom: card title in Viaoda Libre (`22px mobile / 30px`, color `#3a2530`) + description in Imprima (`12px mobile / 15px`, color `rgba(58,37,48,0.65)`)

ENTRANCE ANIMATION SEQUENCE

1. **t=100ms**: Curtains open -- `curtainsOpenRef` flips to true, causing 62% horizontal shift on each curtain with `1.8s cubic-bezier(0.16, 1, 0.3, 1)` transition
 2. **t=600ms**: `uiVisible` = true -- all Scene 1 UI elements fade/slide in with staggered delays (0.3s heading, 0.55s cards, 0.8s dots, 0.9s scroll cue)
 3. **t=2200ms**: `entranceDone` = true -- curtain CSS transition switches to `none` so parallax is instant
-

MOUSE PARALLAX (desktop)

`requestAnimationFrame` loop smooths raw mouse position at `speed = 0.07` (lerp). Each layer is offset by its `MAG` value in the reverse direction of the mouse. The transforms combine mouse offset with scroll-driven scale/translate.

MAG values: world=6, clouds=9, portal=7, curtainL=14, curtainR=14