

Solar Energy Hero

Build a single-page React + TypeScript + Vite hero section for a solar energy brand called "reposit." The page features a fullscreen background image that transitions between a daytime (Morning) photo and a nighttime (Night) photo using a custom pull-down animation. The entire page uses vanilla CSS (no CSS modules) with Tailwind installed but only used minimally (the design is almost entirely custom CSS). Google Font "Outfit" is loaded. The icon library is lucide-react (only the Zap icon is used).

TECH STACK AND CONFIG:

- Vite 5.4.2 with @vitejs/plugin-react, React 18.3.1, TypeScript 5.5.3
 - Tailwind CSS 3.4.1 via PostCSS + Autoprefixer
 - lucide-react 0.344.0
 - @supabase/supabase-js 2.57.4 (installed but unused in this page)
 - vite.config.ts: optimizeDeps.exclude includes 'lucide-react'
 - tailwind.config.js: content array is ['./index.html', './src/**/*.{js,ts,jsx,tsx}'], no theme extensions, no plugins
 - postcss.config.js: plugins are tailwindcss and autoprefixer
-

INDEX.HTML (verbatim):

代码块

```
1 <!doctype html>
2 <html lang="en">
3   <head>
4     <meta charset="UTF-8" />
```

```
5    <link rel="icon" type="image/svg+xml" href="/vite.svg" />
6    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7    <title>Reposit Zero Electricity Bills Page</title>
8    <link rel="preconnect" href="https://fonts.googleapis.com" />
9    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
10   <link href="https://fonts.googleapis.com/css2?
    family=Outfit:wght@300;400;500;600;700&display=swap" rel="stylesheet" />
11   </head>
12   <body>
13     <div id="root"></div>
14     <script type="module" src="/src/main.tsx"></script>
15   </body>
16 </html>
```

IMAGES:

Two images stored locally in `/public/images/`:

- `/images/hero-light.webp` — the daytime/morning photo. Source URL:
https://res.cloudinary.com/dsdhxxhhqh/image/upload/v1778837456/hf_20260515_092045_b654224c-4741-458f-8596-fa5bfeffabbc_1_oyfhme.jpg
- `/images/hero-dark.webp` — the nighttime photo. Source URL:
https://res.cloudinary.com/dsdhxxhhqh/image/upload/v1778837447/hf_20260515_092102_24e30358-d694-4b70-8a56-a4f0887cf8ae_1_ry5dvs.jpg

Download both at build time so they serve locally (no external fetching at runtime).

MAIN.TSX (verbatim):

代码块

```
1  import { StrictMode } from 'react';
2  import { createRoot } from 'react-dom/client';
```

```
3 import App from './App.tsx';
4 import './index.css';
5
6 createRoot(document.getElementById('root')).render(
7   <StrictMode>
8     <App />
9   </StrictMode>
10 );
```

APP.TSX (verbatim):

Single component, no router, no external state. Uses `useState`, `useEffect`, `useRef` from React. Imports only `{ Zap }` from `lucide-react`.

Constants:

- `LIGHT_IMG = '/images/hero-light.webp'`
- `DARK_IMG = '/images/hero-dark.webp'`

State:

- `isDark` (boolean, default `true`) — controls theme
- `menuOpen` (boolean, default `false`) — mobile drawer

Refs:

- `bgFrontRef` (HTMLDivElement) — the foreground background layer
- `bgBackRef` (HTMLDivElement) — the blurred background layer behind it
- `animatingRef` (boolean) — prevents double-clicks during transition

Effects:

1. When `isDark` changes: add/remove class `light-theme` on `document.body`
2. On mount: set both `bgFrontRef` and `bgBackRef` `backgroundImage` to `url(`${DARK_IMG})`

Toggle logic (`toggleTheme(toDark: boolean)`):

1. If already in target state or animating, return early
2. Set animatingRef true
3. Set bgBack's backgroundImage to the target image
4. Add class `pull-down` to bgFront (triggers the pull-down CSS animation)
5. After 300ms timeout: set isDark state, set bgFront's backgroundImage to target image
6. After another 30ms timeout: remove `pull-down` class, set animatingRef false

JSX structure (exact nesting):

代码块

```
1  div.hero
2    div.blur-overlay.blur-overlay-top
3    div.blur-overlay.blur-overlay-bottom
4    div.hero-bg-wrapper
5      div[ref=bgBackRef].hero-bg.bg-back
6      div[ref=bgFrontRef].hero-bg.bg-front
7    nav.navbar
8      div.logo-container
9        <Zap className="logo" size={32} strokeWidth={2} />
10      span.brand-name "reposit"
11    div.nav-links (add class "active" when menuOpen)
12      a[href="#"] "How It Works"
13      a[href="#"] "Our Cases"
14      a[href="#"] "About Us"
15      a[href="#"] "Careers"
16      a[href="#"] "Resources"
17      a[href="#"] "Customers"
18      button.cta-button.drawer-cta "Get an Instant Quote"
19      button.cta-button.nav-cta "Get an Instant Quote"
20    div.hamburger (add class "active" when menuOpen, onClick toggles menuOpen)
21      span
22      span
23      span
24    div.hero-content
25      h1.hero-title
26        "$0 Electricity Bills"
27      <br/>
28      span.title-accent "for the next"
29      " 7 years"
```

```

30     div.theme-toggle
31     div.toggle-indicator [inline style: transform is 'translateX(calc(100% +
4px))' when isDark, 'translateX(0)' when light]
32     button.toggle-btn (add class "active" when !isDark), onClick =>
toggleTheme(false)
33     span.label "Morning"
34     span.subtext "$0 for Electricity"
35     button.toggle-btn (add class "active" when isDark), onClick =>
toggleTheme(true)
36     span.label "Night"
37     span.subtext "$0 for Electricity"
38     p.hero-footer
39     "Forget the energy market, weather conditions and seasons; our Smart
Controller guarantees you get no electricity bill for seven years."

```

INDEX.CSS (verbatim, every rule):

CSS Custom Properties on :root:

- `--bg-light: #ffffff`
- `--bg-dark: #000000`
- `--text-light: #3E3424`
- `--text-dark: #E5DEC9`
- `--active-toggle: #f5f8ea`
- `--transition-speed: 0.9s`
- `--pull-easing: cubic-bezier(0.32, 0, 0.67, 0)`
- `--return-easing: cubic-bezier(0.175, 0.885, 0.32, 1.4)`

Universal reset: `* { margin:0; padding:0; box-sizing:border-box; font-family:'Outfit',sans-serif; }`

body:

- `background-color: var(--bg-dark), color: var(--text-dark), overflow:hidden, transition: background-color 0.5s ease`

body.light-theme:

- background-color: var(--bg-light), color: var(--text-light)

.blur-overlay:

- position:absolute, left:0, width:100%, height:10vh, z-index:2, pointer-events:none
- backdrop-filter: blur(25px) saturate(1.5), -webkit-backdrop-filter: blur(25px) saturate(1.5)

.blur-overlay-top:

- top:0
- mask-image: linear-gradient(to bottom, black 70%, transparent 100%)
- -webkit-mask-image: same

.blur-overlay-bottom:

- bottom:0
- mask-image: linear-gradient(to top, black 70%, transparent 100%)
- -webkit-mask-image: same

.hero:

- position:relative, width:100%, height:100vh, display:flex, flex-direction:column, align-items:center, justify-content:space-between, overflow:hidden
- background-image: radial-gradient(circle at center, rgba(255,255,255,0.05) 0%, transparent 100%)

body.light-theme .hero:

- background-image: radial-gradient(circle at center, rgba(0,0,0,0.02) 0%, transparent 100%)

.hero-bg-wrapper:

- position:absolute, top:0, left:0, width:100%, height:100%, z-index:1, overflow:hidden

.hero-bg:

- position:absolute, top:0, left:0, width:100%, height:100%
- background-size:cover, background-position: center 40%, background-repeat:no-repeat
- transform: scale(1.1)

.bg-front:

- z-index:2
- transition: transform 0.5s var(--return-easing), opacity 0.5s ease

.bg-back:

- z-index:1, filter: blur(40px), transform: scale(1.2)

.hero-bg::after (pseudo-element overlay):

- content:'', position:absolute, top:0, left:0, width:100%, height:100%, pointer-events:none
- background: radial-gradient(circle at center, transparent 0%, rgba(0,0,0,0.4) 100%), linear-gradient(to bottom, rgba(0,0,0,0.3) 0%, transparent 30%, transparent 70%, rgba(0,0,0,0.8) 100%)

body.light-theme .hero-bg::after:

- background: radial-gradient(circle at center, transparent 0%, rgba(255,255,255,0.2) 100%), linear-gradient(to bottom, rgba(255,255,255,0.3) 0%, transparent 30%, transparent 70%, rgba(255,255,255,0.8) 100%)

.navbar:

- width:100%, max-width:100%, padding:24px 30px, display:flex, justify-content:space-between, align-items:center, z-index:110

.hamburger:

- display:none, flex-direction:column, gap:6px, cursor:pointer, z-index:120

.hamburger span:

- display:block, width:28px, height:2px, background:currentColor, border-radius:2px, transition:0.3s

.hamburger.active span:nth-child(1): transform: translateY(8px) rotate(45deg)

.hamburger.active span:nth-child(2): opacity:0

.hamburger.active span:nth-child(3): transform: translateY(-8px) rotate(-45deg)

.logo-container: display:flex, align-items:center, gap:12px

.logo: height:32px, color:#ffffff, transition: color 0.5s ease

body.light-theme .logo: color:#000000

.brand-name: font-size:24px, font-weight:400, letter-spacing:-0.5px, color:#ffffff, transition: color 0.5s ease

body.light-theme .brand-name: color:#000000

.nav-links: display:flex, gap:32px

.nav-links a: color:inherit, text-decoration:none, font-size:14px, font-weight:500, opacity:0.7, transition: opacity 0.3s

.nav-links a:hover: opacity:1

.cta-button: background:#ffffff, color:#000000, border:none, padding:12px 24px, border-radius:8px, font-weight:600, font-size:14px, cursor:pointer, transition: transform 0.3s, background 0.3s

.drawer-cta: display:none

body.light-theme .cta-button: background:#000000, color:#ffffff

.cta-button:hover: transform: translateY(-2px), box-shadow: 0 10px 20px rgba(0,0,0,0.1)

.hero-content: flex-grow:1, display:flex, flex-direction:column, align-items:center, justify-content:flex-start, text-align:center, padding:30px 20px 0, z-index:5

.hero-title: font-size:56px, font-weight:500, line-height:1.0, max-width:1000px, margin-bottom:40px, letter-spacing:-1px, color:var(--text-dark), opacity:0.95

.title-accent: transition: color 0.5s ease

body:not(.light-theme) .title-accent: color:#10100F

body.light-theme .title-accent: color:white

body.light-theme .hero-title: color:var(--text-light), opacity:0.95

.theme-toggle: background: rgba(210,198,171,0.15), backdrop-filter: blur(20px), border:none, padding:2px 1px, border-radius:8px, display:flex, gap:4px, margin-top:auto, margin-bottom:8px, position:relative

body.light-theme .theme-toggle: background: rgba(210,198,171,0.25), border:none

.toggle-btn: padding:6px 40px, border-radius:4px, border:none, background:transparent, color:#ffffff, cursor:pointer, z-index:1, transition: color 0.3s, display:flex, flex-direction:column, align-items:center, gap:4px

.toggle-btn .label: font-weight:500, font-size:18px

.toggle-btn .subtext: font-size:11px, opacity:0.6

.toggle-indicator: position:absolute, top:2px, left:1px, width:calc(50% - 3px), height:calc(100% - 4px), background:var(--active-toggle), border-radius:4px, transition: transform 0.5s cubic-bezier(0.175, 0.885, 0.32, 1.275), z-index:0, box-shadow: 0 4px 12px rgba(0,0,0,0.1)

body:not(.light-theme) .toggle-indicator: transform: translateX(calc(100% + 4px))

.toggle-btn.active: color:#3E3424 !important

.toggle-btn.active .subtext: opacity:0.8

.hero-footer: max-width:600px, margin-bottom:60px, margin-top:0, color:var(--text-dark), opacity:1, font-size:16px, font-weight:300, line-height:1.6, z-index:5

body.light-theme .hero-footer: color:var(--text-light)

.pull-down: transform: translateY(20vh) scale(1.1) !important, opacity:0.8 !important, transition: transform 0.3s var(--pull-easing), opacity 0.3s ease !important

@keyframes fadeIn: from { opacity:0; transform:translateY(20px) } to { opacity:1; transform:translateY(0) }

.hero-content > *: animation: fadeIn 1s ease forwards

.hero-title: animation-delay:0.2s

.theme-toggle: animation-delay:0.4s

.hero-footer: animation-delay:0.6s

MOBILE BREAKPOINT (@media max-width:768px):

- .hero-title: font-size:42px, margin-bottom:30px
 - .navbar: padding:16px 20px
 - .hero-bg: background-position: center 40%, transform: scale(1.2)
 - .pull-down: transform: translateY(20vh) scale(1.2) !important
 - .nav-links: display:none, position:fixed, top:0, right:0, width:100%, height:100vh, background:var(--bg-dark), flex-direction:column, justify-content:center, align-items:center, z-index:100, gap:40px, transition: transform 0.4s cubic-bezier(0.77,0,0.175,1), transform:translateX(100%)
 - body.light-theme .nav-links: background:var(--bg-light)
 - .nav-links.active: display:flex, transform:translateX(0)
 - .nav-links a: font-size:24px, font-weight:600
 - .cta-button.nav-cta: display:none
 - .drawer-cta: display:block, width:200px, margin-top:20px, padding:16px
 - .hamburger: display:flex !important
 - .theme-toggle: flex-direction:row, width:calc(100% - 40px), max-width:400px
 - .toggle-btn: padding:12px 20px, flex:1
-

ANIMATION AND TRANSITION SUMMARY:

1. Page load fadeIn: each hero-content child fades in with `animation: fadeIn 1s ease forwards`. Staggered delays: title 0.2s, toggle 0.4s, footer 0.6s. Keyframes go from opacity:0 + translateY(20px) to opacity:1 + translateY(0).

2. Theme toggle pull-down: When switching themes, the front background div gets class `pull-down` which applies `transform: translateY(20vh) scale(1.1)` with `transition: transform 0.3s cubic-bezier(0.32, 0, 0.67, 0)` and `opacity: 0.8`. After 300ms, the image source swaps and pull-down is removed. The return uses the bg-front's own transition: `transform 0.5s cubic-bezier(0.175, 0.885, 0.32, 1.4)` (overshoot/bounce easing).
3. Toggle indicator slide: `transition: transform 0.5s cubic-bezier(0.175, 0.885, 0.32, 1.275)` — slides left/right between the two buttons with a slight overshoot.
4. Body background color: `transition: background-color 0.5s ease`
5. Logo and brand name color: `transition: color 0.5s ease`
6. CTA button hover: `transform: translateY(-2px)` with `transition: transform 0.3s`
7. Nav links opacity hover: `transition: opacity 0.3s`
8. Mobile nav drawer: `transition: transform 0.4s cubic-bezier(0.77, 0, 0.175, 1)` from `translateX(100%)` to `translateX(0)`
9. Hamburger spans: `transition: 0.3s` for the X animation