I'M LOOKING FOR RESEARCH ON ...

Choose Research

PTSD

Studies

Download Research Summary PDF

Hospitalization cost of conventional psychiatric care compared to broad-spectrum micronutrient treatment: literature review and case study of adult psychosis

Background: Healthcare costs are skyrocketing, with mental health treatment amongst the most expensive, especially when hospitalization is involved. According to the Mental Health Commission of Canada, one in five Canadians is living with a mental disorder in any given year, at an annual cost of $50 billion. In light of this societal burden, alternative approaches are being evaluated, such as brief psychotherapy by phone, peer support, and, as part of the emerging field of nutritional mental health, treatment with micronutrients (minerals and vitamins). Effectiveness of micronutrients has been demonstrated for many types of psychiatric symptoms, in about 45 studies of formulas that are either multinutrient (e.g., several B vitamins) or broad-spectrum (usually over 20 minerals and vitamins). Although this literature demonstrates therapeutic benefits, the potential economic impact of micronutrient treatment has been evaluated in only one case study of childhood psychosis.

Methods: The current case study was initiated to evaluate mental health-related hospitalization costs from 1997 to 2003 for a female adult diagnosed with various mood and psychotic symptoms. She was treated for the first 5 years with conventional methods and then subsequently with a broad-spectrum micronutrient formula.†

Results: The patient's annual mental health hospitalization costs during conventional treatment averaged $59,864 across 5 years (1997–2001), with a peak annual cost of about $140,000. Since transitioning to broad-spectrum micronutrients, she has incurred no provincial hospitalization costs for mental health care, though her self-funded costs are currently $720/year for the micronutrients.

Conclusion: Further exploration of the treatment of mental health problems with broad-spectrum micronutrient formulas has the potential to make two significant contributions: improved mental health, and decreased costs for governments.

International Journal of Mental Health Systems

Hospitalization cost of conventional psychiatric care compared to broad-spectrum micronutrient treatment: literature review and case study of adult psychosis

Kaplan BJ, Ivananvaatchai W, Hoch JS. Int J Ment Health Syst. 2017 Jan 31;11:14.

FULL TEXT

†The micronutrient formulation studied was a pre-2013 version of *Truehope EMPowerplus* which was co-formulated by David Hardy and Anthony Stephan. *Truehope EMPowerplus* is a registered trademark of The Synergy Group of Canada Inc., which was co-founded by David Hardy and Anthony Stephan in 1999. David Hardy officially resigned as a shareholder of The Synergy Group of Canada Inc. and director of Truehope Nutritional Support Ltd. in 2013 to focus his efforts exclusively on Hardy Nutritionals®.

STUDIES MENU

1-year naturalistic follow-up of a Randomised Double-Blind, Placebo-Controlled Trial ("NuMADy"):Exploring the Effectiveness of Micronutrients in Improving Symptoms of Anxiety and Depression

Gut microbiome changes with micronutrient supplementation in children with attention-deficit/hyperactivity disorder: the MADDY study

Potential link between copy number variation and abnormal genome wide DNA methylation profile in an individual with severe ADHD and a strong response to micronutrient treatment

Investigation of a broad-spectrum micronutrient formulation as a possible precipitant of pharmacokinetic micronutrient drug interactions

Broad-Spectrum Micronutrients or Antidepressants for Antenatal Depression: Effect on Maternal and Infant Birth Outcomes in an Observational Secondary Analysis of NUTRIMUM

Efficacy and safety of a mineral and vitamin treatment on symptoms of antenatal depression: 12-week fully blinded randomised placebo-controlled trial (NUTRIMUM)

Problems most concerning to parents of children with ADHD and emotional dysregulation in a randomized controlled trial of multinutrients: MADDY secondary analysis

Treatment response to supplemental nutrients for ADHD is independent of diet quality: the MADDY RCT

Micronutrients for ADHD in youth (MADDY) study: comparison of results from RCT and open label extension.

Exploring the impact of antenatal micronutrients used as a treatment for maternal depression on infant temperament in the first year of life

Household Food Insecurity Is Associated with Symptoms of Emotional Dysregulation in Children with Attention Deficit Hyperactivity Disorder: The MADDY Study.

Effect of antenatal micronutrient or antidepressant exposure on Brazelton neonatal behavioral assessment scale (NBAS) performance within one-month of birth

Efficacy and safety of a vitamin-mineral intervention for symptoms of anxiety and depression in adults: A randomised placebo-controlled trial "NeMAD"

Non-pharmacological interventions for attention-deficit hyperactivity disorder in children and adolescents

Inflammation and Vitamin C in Women with Prenatal Depression and Anxiety: Effect of Multinutrient Supplementation.

Diet Quality as a Moderator of Response to Multinutrients for ADHD and Emotional Dysregulation: The MADDY RCT.

Micronutrients for Attention-Deficit/Hyperactivity Disorder in Youth: A Placebo-Controlled Randomized Clinical Trial

Paediatric adverse event rating scale: a measure of safety or efficacy? Novel analysis from the MADDY study

Clinician guidelines for the treatment of psychiatric disorders with nutraceuticals and phytoceuticals: The World Federation of Societies of Biological Psychiatry (WFSBP) and Canadian Network for Mood and Anxiety Treatments (CANMAT) Taskforce

Parents' priorities and preferences for treatment of children with ADHD: Qualitative inquiry in the MADDY study

Do Changes in Blood Nutrient Levels Mediate Treatment Response in Children and Adults With ADHD Consuming a Vitamin-Mineral Supplement?

Multinutrients for the Treatment of Psychiatric Symptoms in Clinical Samples: A Systematic Review and Meta-Analysis of Randomized Controlled Trials

A Holistic Self-learning Approach for Young Adult Depression and Anxiety Compared to Medication-Based Treatment-As-Usual

Resting-state networks and neurometabolites in children with ADHD after 10 weeks of treatment with micronutrients: results of a randomised placebo-controlled trial

Novel Mineral–Vitamin Treatment for Reduction in Cigarette Smoking: A Fully Blinded Randomized Placebo-Controlled Trial

Human gut microbiome changes during a 10 week Randomised Control Trial for micronutrient supplementation in children with attention deficit hyperactivity disorder

Mineral-Vitamin Treatment Associated with Remission in Attention-Deficit/Hyperactivity Disorder Symptoms and Related Problems: 1-Year Naturalistic Outcomes of a 10-Week Randomized Placebo-Controlled Trial

Multinutrients for ADHD Youth (MADDY) Trial: Preliminary Trends for Treatment

An Observational Preliminary Study on the Safety of Long-Term Consumption of Micronutrients for the Treatment of Psychiatric Symptoms

Can we predict treatment response in children with ADHD to a vitamin-mineral supplement? An investigation into pre-treatment nutrient serum levels, MTHFR status, clinical correlates and demographic variables

Methylomic changes in response to micronutrient supplementation and MTHFR genotype.

Hospitalization cost of conventional psychiatric care compared to broad-spectrum micronutrient treatment: literature review and case study of adult psychosis

Vitamin-mineral treatment improves aggression and emotional regulation in children with ADHD: a fully blinded, randomized, placebo-controlled trial.

Vitamin- Mineral Treatment of ADHD in Adults: A 1-Year Naturalistic Follow-Up of a Randomized Controlled Trial

Micronutrient Treatment of Emotional Dyscontrol Following Traumatic Brain Injury

Effect of Micronutrients on Insomnia in Adults: A Multiple-Baseline Study

A randomised trial of nutrient supplements to minimise psychological stress after a natural disaster

Clinically Significant Symptom Reduction in Children with Attention-Deficit/Hyperactivity Disorder Treated with Micronutrients: An Open-Label Reversal Design Study

Vitamin–mineral treatment of attention-deficit hyperactivity disorder in adults: double-blind randomised placebo-controlled trial.

Moderators of treatment response in adults with ADHD treated with a vitamin-mineral supplement

Psychological functioning 1 year after a brief intervention using micronutrients to treat stress and anxiety related to the 2011 Christchurch earthquakes: a naturalistic follow-up

Nutritional and Safety Outcomes from an Open-Label Micronutrient Intervention for Pediatric Bipolar Spectrum Disorders

Could yeast infections impair recovery from mental illness? A case study using micronutrients and olive leaf extract for the treatment of ADHD and depression.

Use of micronutrients attenuates cannabis and nicotine abuse as evidenced from a reversal design: a case study.

Efficacy and cost of micronutrient treatment of childhood psychosis.

Micronutrient formulation outperforms Berocca Performance in reducing depression, anxiety, and stress in 91 earthquake survivors.

Feasibility of a nutritional supplement as treatment for pediatric bipolar spectrum disorders.

Safety and tolerability of Micronutrient formulations.

Can micronutrients improve neurocognitive functioning in adults with ADHD and severe mood dysregulation? A pilot study.

Micronutrient formulation reduces depression, anxiety, and stress in 17 earthquake survivors with ADHD.

Micronutrients reduce stress and anxiety following a 7.1 earthquake in adults with Attention-Deficit/Hyperactivity Disorder

Effect of micronutrients on behaviour and mood in adults with ADHD: Evidence from an 8-week open label trial with natural extension.

Database analysis: Micronutrient formulation greatly improves bipolar and ADHD symptoms in 161 children and adolescents.

Successful treatment of bipolar disorder II and ADHD with a micronutrient formula: a case study.

Micronutrient formulation outperforms medications in 88 patients with autism.

Micronutrient formulation greatly improves brain function in rats.

Database analysis: Micronutrient formulation greatly improves bipolar symptoms in 358 adults.

Successful treatment of OCD with a micronutrient formula following partial response to Cognitive Behavioral Therapy (CBT): a case study.

Multinutrient supplement as treatment: literature review and case report of a 12-year-old boy with bipolar disorder.

Micronutrient formulation greatly improves mood, behavior, and anxiety disorders in 9 children.

Treatment of mood lability and explosive rage with minerals and vitamins: two case studies in children.

Micronutrient formulation greatly improves bipolar symptoms in 19 adults.

Micronutrient formulation greatly improves bipolar symptoms in 23 adults, adolescents, and children.

Micronutrient formulation stabilizes mood in 11 bipolar adults.