## So You Wanna Get Good At LATEX

Marcell Howard

July 27, 2022

► There are a bunch of packages we can import but which ones should we import? We'll break it up in order of decreasing importance

- ► There are a bunch of packages we can import but which ones should we import? We'll break it up in order of decreasing importance
  - amsmath, amssymb, graphicx,

- ► There are a bunch of packages we can import but which ones should we import? We'll break it up in order of decreasing importance
  - amsmath, amssymb, graphicx,
  - physics, hyperref, caption, subcaption, wrapfig, xparse, physunits

- ► There are a bunch of packages we can import but which ones should we import? We'll break it up in order of decreasing importance
  - amsmath, amssymb, graphicx,
  - physics, hyperref, caption, subcaption, wrapfig, xparse, physunits
  - inputenc, chngcntr, nccmath, tensor,

amsmath

amssymb

graphicx

- amsmath
  - Contains every environment to write equations in
  - Allows for specified alignment of objects in aforementioned environments
- amssymb

graphicx

- amsmath
  - Contains every environment to write equations in
  - Allows for specified alignment of objects in aforementioned environments
- amssymb
  - Contains just about any math symbol you've encountered in your life
- graphicx

- amsmath
  - Contains every environment to write equations in
  - Allows for specified alignment of objects in aforementioned environments
- amssymb
  - Contains just about any math symbol you've encountered in your life
- graphicx
  - Use if want to include figures

physics

hyperref

- caption/subcaption
- wrapfig
- xparse



- physics
  - Contains just about everything a physicist could want
    - Macros for special/transcendental functions, derivatives, matrices, etc.
- hyperref

- caption/subcaption
- wrapfig
- xparse



- physics
  - Contains just about everything a physicist could want
    - Macros for special/transcendental functions, derivatives, matrices, etc.
- hyperref
  - Makes the ref command hyperlinkable
- caption/subcaption
- wrapfig
- xparse



- physics
  - Contains just about everything a physicist could want
    - Macros for special/transcendental functions, derivatives, matrices, etc.
- hyperref
  - Makes the ref command hyperlinkable
  - Makes urls hyperlinkable in bibliography
- caption/subcaption
- wrapfig
- xparse



- physics
  - Contains just about everything a physicist could want
    - Macros for special/transcendental functions, derivatives, matrices, etc.
- hyperref
  - Makes the ref command hyperlinkable
  - Makes urls hyperlinkable in bibliography
- caption/subcaption
  - Provides flexibility for captioning figures and subfigures
- wrapfig
- xparse



- physics
  - Contains just about everything a physicist could want
    - Macros for special/transcendental functions, derivatives, matrices, etc.
- hyperref
  - Makes the ref command hyperlinkable
  - Makes urls hyperlinkable in bibliography
- caption/subcaption
  - Provides flexibility for captioning figures and subfigures
- wrapfig
  - Allows for figures to be wrapped around the text
- xparse



- physics
  - Contains just about everything a physicist could want
    - Macros for special/transcendental functions, derivatives, matrices, etc.
- hyperref
  - Makes the ref command hyperlinkable
  - Makes urls hyperlinkable in bibliography
- caption/subcaption
  - Provides flexibility for captioning figures and subfigures
- wrapfig
  - Allows for figures to be wrapped around the text
- xparse
  - Allows for creating new commands (using the -newcommands{}{})
- physunits



- physics
  - Contains just about everything a physicist could want
    - Macros for special/transcendental functions, derivatives, matrices, etc.
- hyperref
  - Makes the ref command hyperlinkable
  - Makes urls hyperlinkable in bibliography
- caption/subcaption
  - Provides flexibility for captioning figures and subfigures
- wrapfig
  - Allows for figures to be wrapped around the text
- xparse
  - Allows for creating new commands (using the -newcommands{}{})
- physunits
  - Nice and intuitive commands for SI units



- nccmath
- tensor

- chngctr
- inputenc

- nccmath
  - ▶ Basically the amsmath package but more
- tensor

- chngctr
- inputenc

- nccmath
  - Basically the amsmath package but more
- tensor
  - Allows for phantom indices for coding matrices i.e.  $A^{\mu}_{\ \nu}$  instead of  $A^{\mu}_{\nu}$
- chngctr
- inputenc

- nccmath
  - Basically the amsmath package but more
- tensor
  - Allows for phantom indices for coding matrices i.e.  $A^{\mu}_{\ \nu}$  instead of  $A^{\mu}_{\ \nu}$
- chngctr
  - ► Resets counter for equations/figures/tables etc.
- inputenc

- nccmath
  - Basically the amsmath package but more
- tensor
  - Allows for phantom indices for coding matrices i.e.  $A^{\mu}_{\nu}$  instead of  $A^{\mu}_{\nu}$
- chngctr
  - ► Resets counter for equations/figures/tables etc.
- inputenc
  - Sets the unicode version for LATEX but is now obsolete

physics

- physics
  - qty

- vector notation
- special functions

matrix macros

- physics
  - qty
    - Can't use when using newline in an equation environment. Must use -left and -right with -. at the beginning and end of each line break
  - vector notation
  - special functions

matrix macros

- physics
  - qty
    - Can't use when using newline in an equation environment. Must use -left and -right with -. at the beginning and end of each line break
  - vector notation
    - -vb{a}, -va{a}, -vu{a},
  - special functions

matrix macros

- physics
  - qty
    - Can't use when using newline in an equation environment. Must use -left and -right with -. at the beginning and end of each line break
  - vector notation
    - -vb{a}, -va{a}, -vu{a},
  - special functions
    - ightharpoonup -sin, -cos, -ldots,  $\rightarrow$  sin, cos, . . .
    - ightharpoonup -exp, -log, -ln, -erf, -ldots ightharpoonup exp, log, ln, erf, . . .
    - ightharpoonup -det, -Pr, -Tr, -rank, -ldots ightharpoonup det, Pr, Tr, rank, . . .
  - matrix macros

- physics
  - qty
    - Can't use when using newline in an equation environment. Must use -left and -right with -. at the beginning and end of each line break
  - vector notation

- special functions
  - ightharpoonup -sin, -cos, -ldots,  $\rightarrow$  sin, cos, . . .
  - ightharpoonup -exp, -log, -ln, -erf, -ldots ightharpoonup exp, log, ln, erf, . . .
  - ightharpoonup -det, -Pr, -Tr, -rank, -Idots ightharpoonup det, Pr, Tr, rank, . . .
- matrix macros
  - -mqty(-imat{3}), -mqty(-pmat{3}), -mqty(-zmat{2}{2})

$$\rightarrow \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}, \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}, \begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix}$$



amsmath

- amsmath
  - align
  - split

- amsmath
  - align
    - Aligns equations via placement of &
      - Updates equation counter
  - split
- physunits

- amsmath
  - align
    - Aligns equations via placement of &
      - Updates equation counter
  - split
    - Also aligns equations via placement of &
    - Does not update equation counter
- physunits

- amsmath
  - align
    - Aligns equations via placement of &
      - Updates equation counter
  - split
    - Also aligns equations via placement of &
    - Does not update equation counter
- physunits
  - ▶ Putting prefixes in front of units is very convenient i.e. kilometers becomes -m[k] to get km and gigayears becomes -y[G] to get Gy

► Can use the back slash for spacing in text and equations

- Can use the back slash for spacing in text and equations
- Using ~ for a non-breaking space (so write Marcell Howard to prevent a line break between Marcell and Howard)

- Can use the back slash for spacing in text and equations
- Using ~ for a non-breaking space (so write Marcell Howard to prevent a line break between Marcell and Howard)
- Spacing in equations (-; = thick -: = medium -, = thin, -(space) = single space, -! = negative thin space,)

- Can use the back slash for spacing in text and equations
- Using ~ for a non-breaking space (so write Marcell Howard to prevent a line break between Marcell and Howard)
- Spacing in equations (-; = thick -: = medium -, = thin, -(space) = single space, -! = negative thin space,)
- Can use a double back slash for newlines

- Can use the back slash for spacing in text and equations
- Using ~ for a non-breaking space (so write Marcell Howard to prevent a line break between Marcell and Howard)
- Spacing in equations (-; = thick -: = medium -, = thin, -(space) = single space, -! = negative thin space,)
- Can use a double back slash for newlines
- The -rm command un-italicizes letters

### For Big Projects

► We can store the preamble, chapters, etc. in different TeX files and call them!

### For Big Projects

- ▶ We can store the preamble, chapters, etc. in different TeX files and call them!
- Use the -input, -include, or -import functions