



# ACYCLE

a time-series analysis software for paleoclimate projects

version 0.2.6

## User's Guide

**Mingsong Li**

[www.mingsongli.com/acycle](http://www.mingsongli.com/acycle)  
[www.github.com/mingsongli/acycle](https://github.com/mingsongli/acycle)

Pennsylvania State University, State College, USA

January 2, 2019

# Contents

<b>1. COPYRIGHTS .....</b>	- 1 -
<b>2. REFERENCES .....</b>	- 1 -
<b>3. SOFTWARE SPECIFICATIONS .....</b>	- 2 -
<b>3.1 SYSTEM REQUIREMENTS .....</b>	- 2 -
<b>3.2 DOWNLOADING THE ACYCLE SOFTWARE .....</b>	- 3 -
<b>3.3 MATLAB VERSION.....</b>	- 4 -
<b>3.3.1 Installation .....</b>	- 4 -
<b>3.3.2 Startup .....</b>	- 4 -
<b>3.4 MAC VERSION.....</b>	- 5 -
<b>3.4.1 Introduction.....</b>	- 5 -
<b>3.4.2 Acycle0.2.6-Mac-green .....</b>	- 5 -
<b>3.4.3 Acycle0.2.6-Mac-Installer.....</b>	- 8 -
<b>3.5 WINDOWS VERSION.....</b>	- 14 -
<b>3.5.1 Introduction.....</b>	- 14 -
<b>3.5.2 Acycle0.2.6-Win-Installer.....</b>	- 14 -
<b>3.5.3 Acycle0.2.6-Win-green .....</b>	- 15 -
<b>3.6 DATA REQUIREMENT .....</b>	- 16 -
<b>4. ACYCLE GUI.....</b>	- 17 -
<b>4.1 FUNCTIONS AND GUI .....</b>	- 17 -
<b>4.2 FILE .....</b>	- 18 -
<b>4.3 EDIT .....</b>	- 19 -
<b>4.4 PLOT .....</b>	- 19 -
<b>4.5 BASIC SERIES.....</b>	- 21 -
<b><i>Insolation.....</i></b>	- 21 -
<b><i>Astronomical Solution .....</i></b>	- 21 -
<b><i>LR04 Stack .....</i></b>	- 22 -
<b><i>Sine Wave .....</i></b>	- 22 -
<b><i>White Noise .....</i></b>	- 22 -
<b><i>Red Noise.....</i></b>	- 22 -
<b>4.6 MATH .....</b>	- 23 -
<b><i>Sort/Unique/Delete-empty.....</i></b>	- 23 -
<b><i>Select Parts .....</i></b>	- 23 -
<b><i>Merge Series.....</i></b>	- 23 -
<b><i>Add Gaps .....</i></b>	- 23 -
<b><i>Remove Parts.....</i></b>	- 23 -
<b><i>Remove Peaks.....</i></b>	- 24 -
<b><i>Clipping .....</i></b>	- 24 -
<b><i>Interpolation.....</i></b>	- 24 -
<b><i>Smoothing: .....</i></b>	- 24 -
<b><i>Moving Average .....</i></b>	- 24 -
<b><i>Bootstrap .....</i></b>	- 24 -
<b><i>Changepoint .....</i></b>	- 24 -

<i>Standardize</i> .....	- 24 -
<i>Principal Component</i> .....	- 25 -
<i>Log-transform</i> .....	- 25 -
<i>Derivative</i> .....	- 25 -
<i>Simple Function</i> .....	- 25 -
<i>Utilities</i> .....	- 25 -
<i>Find max/min</i> .....	- 25 -
<i>Image</i> :.....	- 25 -
<i>Show Image</i> .....	- 25 -
<i>RGB to Grayscale</i> .....	- 25 -
<i>Image Profile</i> .....	- 25 -
<b>4.7 TIME SERIES</b> .....	- 27 -
<i>Detrending</i> .....	- 27 -
<i>Prewhitenning - First Difference</i> .....	- 27 -
<i>Spectral Analysis</i> .....	- 27 -
<i>Evolutionary Spectral Analysis</i> .....	- 28 -
<i>Wavelet transform</i> .....	- 29 -
<i>Filtering</i> .....	- 30 -
<i>Build Age Model</i> .....	- 31 -
<i>Age Scale</i> .....	- 32 -
<i>Sedimentary Rate to Age Model</i> .....	- 32 -
<i>Power Decomposition Analysis</i> .....	- 32 -
<i>Sedimentary Noise Model</i> .....	- 33 -
<i>Correlation Coefficient (COCO)</i> .....	- 33 -
<i>Evolutionary Correlation Coefficient (eCOCO)</i> .....	- 35 -
<i>Track Sedimentation Rates</i> .....	- 36 -
<b>4.8 HELP</b> .....	- 36 -
<i>Readme</i> .....	- 36 -
<i>Manuals</i> .....	- 36 -
<i>Find Updates</i> .....	- 36 -
<i>Copyright</i> .....	- 36 -
<i>Contact</i> .....	- 36 -
<b>4.9 MINI-ROBOT</b> .....	- 37 -
<b>5. DYNOT MODEL DESCRIPTION</b> .....	- 38 -
<b>5.1 STARTUP</b> .....	- 38 -
<b>5.2 IMPORT DATA</b> .....	- 39 -
<b>5.3 SETTINGS</b> .....	- 40 -
<b>5.4. RUNNING THE DYNOT MODEL</b> .....	- 42 -
<b>5.5. OUTPUT FILES</b> .....	- 43 -
<b>REFERENCES:</b> .....	- 44 -

## 1. Copyrights

Copyright (C) Mingsong Li.

This program is a free software; you can redistribute it and/or modify it under the terms of the GNU GENERAL PUBLIC LICENSE as published by the Free Software Foundation. You should have received a copy of the GNU General Public License. If not, see <https://www.gnu.org/licenses/>.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

The original author reserves the right to license this program or modified versions of this program under other licenses at the discretion.

Any questions regarding the license or the operation of this software may be directed to:

*Mingsong Li*

*Department of Geosciences, Penn State University*

*410 Deike Bldg, University Park, PA 16802, USA*

*mul450@psu.edu or limingsonglms@gmail.com*

[www.mingsongli.com/acycle](http://www.mingsongli.com/acycle)

[github.com/mingsongli/acycle/](https://github.com/mingsongli/acycle/)

## 2. References

Please acknowledge the program author on any publication of scientific results based in part on use of the program and cite the following article in which the program was described:

Mingsong Li, Linda Hinnov, Lee Kump. 2019. *Acycle*: a time-series analysis software for paleoclimate projects and education, *Computers and Geosciences*, in press

If you publish results using correlation coefficient (**COCO** or **eCOCO**) method, please **also** cite this paper:

- Li, Mingsong, Kump, Lee, Hinnov, Linda, Mann, Michael, 2018. Tracking variable sedimentation rates and astronomical forcing in Phanerozoic paleoclimate proxy series with evolutionary correlation coefficients and hypothesis testing. *Earth and Planetary Science Letters* 501, 165-179.

If you publish results using the sedimentary noise model (**DYNOT** or  $\rho_1$  methods), please **also** cite this paper:

- Li, Mingsong, Hinnov, Linda, Huang, Chunju, Ogg, James, 2018. Sedimentary noise and sea levels linked to land–ocean water exchange and obliquity forcing. *Nature communications* 9, 1004. Doi: 10.1038/s41467-018-03454-y

If you publish results using power decomposition analysis (**pda.m**), please **also** cite this paper:

- Li, Mingsong, Huang, Chunju, Hinnov, Linda, Ogg, James, Chen, Zhong-Qiang, Zhang, Yang, 2016. Obliquity-forced climate during the Early Triassic hothouse in China. *Geology* 44, 623-626. doi: 10.1130/G37970.1

If you publish results using **evolutionary fast Fourier Transform (evoFFT)** method, please **also** cite this book:

- Kodama, K.P., Hinnov, L., 2015. *Rock Magnetic Cyclostratigraphy*. Wiley-Blackwell.

If you publish results using **Wavelet analysis** method, please **also** cite this paper:

- Torrence, C., Compo, G.P., 1998. A practical guide to wavelet analysis. *Bulletin of the American Meteorological society* 79, 61-78.

If you publish results using **Bayesian Changepoint** method, please **also** cite this paper:

- Ruggieri, E., 2013. A Bayesian approach to detecting change points in climatic records. *International Journal of Climatology* 33, 520-528.

## 3. Software Specifications

### 3.1 System Requirements

This software is developed in **MatLab version 2015b and 2017a**. It was tested in Mac OS Mojave system (macOS 10.14) and Windows 7 & 10.

#### [1. MatLab version]:

The package works with both Mac OS and Windows. MatLab is essential for the *Acycle* software package. Specified MatLab toolboxes may be needed.

#### [2. Mac version]:

This software is a stand-alone program. It was tested in Mac OS Mojave system (macOS 10.14). If the Mac runs with no MatLab, MatLab runtime R2015b is essential for the *Acycle* stand-alone software.

Two versions are available:

v1. **Acycle0.2.6-Mac-green**

**No installation needed.**

Size: 98.81 Mb.

MatLab runtime **R2015b** is not included in this package and can be downloaded at: <https://www.mathworks.com/products/compiler/matlab-runtime.html>.

v2. **Acycle0.2.6-Mac-Installer**

Install Acycle and MatLab runtime **R2015b** simultaneously.

Size: 99.63 Mb

### [3. Windows version]:

This software is a stand-alone program. It was tested in Windows 10 & 7.

**Acycle0.2.6-Win-Installer**

Size: 93.8 Mb.


If the computer runs with no MatLab, MatLab runtime **R2017a** is essential for the Acycle stand-alone software.

## 3.2 Downloading the Acycle software

The Acycle software is available for download from

### MatLab version:

**GitHub** (<https://github.com/mingsongli/acycle/>),



### Mac / Win stand-alone versions:

**Dropbox** (<https://www.dropbox.com/sh/t53vjs539gmxnm/AAC0BqTR0U5xghKwuVc1Iwbma?dl=0>), or  
**Baidu Cloud** ([https://pan.baidu.com/s/14-xRzV\\_-BBrE6XfyR\\_71Nw](https://pan.baidu.com/s/14-xRzV_-BBrE6XfyR_71Nw))

## 3.3 MatLab version

### 3.3.1 Installation

Unzip the *Acycle* software package to your root directory. No installation is needed.


**Warning:** the directory contains no SPACE or no language other than ENGLISH.

### 3.3.2 Startup

Step 1: Startup MatLab.

Step 2: Change the MatLab working directory to the *Acycle* directory.

You may use the icon in blue **Box 1** or type the directory in blue **Box 2** below.




Step 3: Launch **ac.m**

Option 1: Type **ac** in MatLab's command window, then press the **Enter** key.

Option 2: Right click **ac.m** file and choose **Run**.

Then, all set!



## 3.4 Mac version

### 3.4.1 Introduction

This version of Acycle is a stand-alone program. It has been tested in Mac OS Mojave system (macOS 10.14). Two versions are available:

**Section 3.4.2 Acycle0.2.6-Mac-green**

**Section 3.4.3 Acycle0.2.6-Mac-Installer**

### 3.4.2 Acycle0.2.6-Mac-green

#### 3.4.2.1 Download Acycle0.2.6-Mac-green

**Dropbox** (<https://www.dropbox.com/sh/t53vjs539gmxnm/AAC0BqTR0U5xghKwuVc1Iwbma?dl=0>), or  
**Baidu Cloud** ([https://pan.baidu.com/s/14-xRzV\\_-BBrE6XfyR\\_71Nw](https://pan.baidu.com/s/14-xRzV_-BBrE6XfyR_71Nw)).

#### 3.4.2.2 Installation of Runtime

Step 1: Download “MCR\_R2015b\_maci64\_installer.zip” here:

<https://www.mathworks.com/products/compiler/matlab-runtime.html>

R2015b (9.0) [1.2.3](#)      32-bit / 64-bit      64-bit      Intel 64-bit

Step 2: Install for mac OS X. Double click the file blue box below (left panel).

Or right-click and select “Show Package Contents”. In the pop-up folder, double click “InstallForMacOSX”. Then it may ask permission for installation. Follow instructions of the MatLab Runtime installer, you will install Runtime.



Step 3. Setup Runtime environment (detailed in Box 1).

### Box 1 [How to set the MatLab Runtime environment variable **DYLD\_LIBRARY\_PATH**?]

Here is a nice answer by Walter Roberson on 14 Jan 2016.

<https://www.mathworks.com/matlabcentral/answers/263824-mcr-with-mac-and-environment-variable>

Step 1: Go into the Terminal app (it is under /Applications/Utilities).

While you are at the Terminal command window, command

```
ls ~/.bashrc
```

If it says that the file does not exist, then in the Terminal window, command

```
touch ~/.bashrc
```

to create the file. If the file already exists or you have now created it, then at the terminal window command

```
open ~/.bashrc
```

This will openTextEdit. InTextEdit you can add the line

```
export
DYLD_LIBRARY_PATH=/Applications/MATLAB/MATLAB_Runtime/v90/runtime/maci64:/Applications/MATLAB/MATLAB_Runtime/v90/sys/os/maci64
:/Applications/MATLAB/MATLAB_Runtime/v90/bin/maci64
```

to the end of the file, and then you can use theTextEdit File menu to Save the file.

If your SHELL showed up as `csh` or `tcsh`, or in any case if you just want to be more thorough, then you can use the same kind of steps as just above:

```
ls ~/.cshrc
```

and if it does not exist, "`touch ~/.cshrc`", and then once it exists, "`open ~/.cshrc`", and then inTextEdit, add the line they gave in the instructions,

```
setenv DYLD_LIBRARY_PATH
/Applications/MATLAB/MATLAB_Runtime/v90/runtime/maci64:/Applications/MATLAB/MATLAB_Runtime/v90/sys/os/maci64:/Applications/MATLAB/MATLAB_Runtime/v90/bin/maci64
```

and save.


These changes will not affect your current Terminal session, but they will affect the next time you start a Terminal session or anything else starts an interactive shell.

### 3.4.2.3 Startup Acycle0.2.6-Mac-green

You only need to do Steps 1–3 for the first time. Then only Step 4 below is need.

Step 1: Drag the Acycle0.2.6-Mac file to the /Applications folder.

Step 2: Go to the “/Applications” folder. Right click “Acyclev0.2.6-Mac” file, choose “Show Package Content”.




Step 3: Go to “/Contents/MacOS” folder, drag the “applauncher” file to dock (NOT the “Acycle” file).

Step 4: Click icon of “applauncher” in the dock to start the *Acycle* software.

Note the first-time run will be very bit slow.

**[Warning: NEVER close the terminal window (left panel below) when using Acycle. This will close Acycle either.]**



### 3.4.3 Acycle0.2.6-Mac-Installer


#### 3.4.3.1 Download Acycle0.2.6-Mac-Installer

**Dropbox** (<https://www.dropbox.com/sh/t53vjs539gmxnm/AAC0BqTR0U5xghKwuVc1Iwbma?dl=0>), or  
**Baidu Cloud** ([https://pan.baidu.com/s/14-xRzV\\_-BBrE6XfyR\\_71Nw](https://pan.baidu.com/s/14-xRzV_-BBrE6XfyR_71Nw)).


#### 3.4.3.2 Installation of Acycle and MatLab runtime simultaneously.

Step 1: Double click “**Acycle0.2.6-Mac-Installer**” to start the installation. The admin permission may be required.


Step 2: Following instructions of *Acycle* Installer.




Choose *Acycle* installation folder (default folder is /Applications/Acycle).




Step 3: Choose MATLAB Runtime installation folder (default folder is /Applications/MATLAB/MATLAB\_Runtime).




Step 4: License Agreement: Do you accept the terms of the license agreement? You may select Yes.



### Step 5: Install Acycle.





Step 3. Setup Runtime environment (detailed in Box 2).

**Box 2 [How to set the MatLab Runtime environment variable `DYLD_LIBRARY_PATH`?]**

Here is a nice answer by Walter Roberson on 14 Jan 2016.

<https://www.mathworks.com/matlabcentral/answers/263824-mcr-with-mac-and-environment-variable>

Step 1: Go into the Terminal app (it is under /Applications/Utilities).

While you are at the Terminal command window, command

```
ls ~/.bashrc
```

If it says that the file does not exist, then in the Terminal window, command

```
touch ~/.bashrc
```

to create the file. If the file already exists or you have now created it, then at the terminal window command

```
open ~/.bashrc
```

This will openTextEdit. InTextEdit you can add the line

```
export
DYLD_LIBRARY_PATH=/Applications/MATLAB/MATLAB_Runtime/v90/runtime/maci64:/Applications/MATLAB/MATLAB_Runtime/v90/sys/os/maci64
:/Applications/MATLAB/MATLAB_Runtime/v90/bin/maci64
```

to the end of the file, and then you can use theTextEdit File menu to Save the file.

If your SHELL showed up as `csh` or `tcsh`, or in any case if you just want to be more thorough, then you can use the same kind of steps as just above:

```
ls ~/.cshrc
```

and if it does not exist, "touch `~/.cshrc`", and then once it exists, "open `~/.cshrc`", and then inTextEdit, add the line they gave in the instructions,

```
setenv DYLD_LIBRARY_PATH
/Applications/MATLAB/MATLAB_Runtime/v90/runtime/maci64:/Applications/MATLAB/MATLAB_Runtime/v90/sys/os/maci64:/Applications/MATLAB/MATLAB_Runtime/v90/bin/maci64
```


and save.

These changes will not affect your current Terminal session, but they will affect the next time you start a Terminal session or anything else starts an interactive shell.

### 3.4.3.3 Startup Acycle0.2.6-Mac

You only need to do Steps 1–3 for the first time. Then only Step 4 below is need.

Step 1: Go to the installation folder (for example:  
 /Applications/Acycle/application).



Step 2: Right click “Acycle” file, choose “Show Package Content”


Step 3: Go to the “Contents/MacOS” folder, drag the applauncher file to dock.  
 Before that, you may want to change filename of the “applauncher” to “AC” or any other name except Acycle.



Step 4: Click icon of “applauncher” (or “AC”) above to start the Acycle software.

**[Warning: NEVER close the terminal window (left panel below) when using Acycle. This will close Acycle either. To kill Acycle software, press CTRL + C keys]**

Note the first-time run will be very slow. Please ignore various warning messages and forgive my naïve program skills.



## 3.5 Windows version

### 3.5.1 Introduction

This version of Acycle is a stand-alone program. It has been tested in Windows 10 OS. Two versions are available:

### 3.5.2 Acycle0.2.6-Win-Installer


#### 3.5.2.1 Download Acycle0.2.6-Win-Installer

**Dropbox** (<https://www.dropbox.com/sh/t53vjs539gmxnm/AAC0BqTR0U5xghKwuVc1Iwbma?dl=0>), or  
**Baidu Cloud** ([https://pan.baidu.com/s/14-xRzV\\_BBrE6XfyR\\_71Nw](https://pan.baidu.com/s/14-xRzV_BBrE6XfyR_71Nw)).

#### 3.5.2.2 Installation

Double click “**AcycleInstaller.exe**” to install *Acycle* and MatLab runtime **R2017a**. Following the instructions, you will get everything set.

Downloading MatLab runtime **R2017a** can take a lot of time. The runtime needs 1 GB space.




#### 3.5.2.3 Start-up

You could just double click the **Acycle** icon on the desktop to start or start from the Windows “All Program” menu like any other software.

However, **I strongly recommend the following start-up method**, which will enable a command window showing a lot of information about many time-consuming steps.

Step 1: Use “Win + R” short-cut keys to start the “RUN” of Windows (figure below). Then in the pop-up window, type `cmd` and click **OK** button.




Step 2: Type following two lines of command below in the command window. My software was installed under the directory “**C:\Program Files**”, so it should be:

```
cd C:\Program Files\Acycle\application\
Acycle
```

The Acycle will start.

**Warning:** the first-time start-up can be extremely slow.

**Warning:** Never close the command window when Acycle is running. The command window will keep on showing information when it runs time-consuming steps.



### 3.5.3 Acycle0.2.6-Win-green

3.5.3.1 Download Acycle0.2.6-Win-green, unzip the file.

**Dropbox** (<https://www.dropbox.com/sh/t53vjs539gmxnm/AAC0BqTR0U5xghKwuVc1Iwbma?dl=0>), or  
**Baidu Cloud** ([https://pan.baidu.com/s/14-xRzV\\_-BBrE6XfyR\\_71Nw](https://pan.baidu.com/s/14-xRzV_-BBrE6XfyR_71Nw)).

3.5.3.2 Installation of MatLab runtime 2017a

<https://www.mathworks.com/products/compiler/matlab-runtime.html>

3.5.3.3 Double click “**Acycle.exe**” to run *Acycle*.

## 3.6 Data Requirement

The input file of data series can be in a variety of formats, including comma-, table- or space-delimited text (\*.txt), and comma-separated values files (\*.csv) from an Excel-type spreadsheet. No header is permitted.

Most data files should contain two columns of series. The first column must be in depth or time, and the second column should be value in the corresponding depth or time.

??? Still have no idea, don't worry. Try this, you'll have a perfect example:

*Choose “Basic Series” menu → Insolation → Click “OK” button*


*Double click generated file “Insol-t-1-1000ka-day-80-lat-65-meandaily-La04.txt” for details.*

*Double click the  icon, you will see this new text file in the working folder.*

The data can be saved in any directory and is recommended to save in *Acycle* “data” folder. All data files, plots, and folders are displayed in the GUI list box (Fig. 1).

## 4. Acycle GUI

### 4.1 Functions and GUI



GUI of the *Acycle* program

Acycle contains the following functions.

#### File

New Folder; New Text File; Save \*.AC.fig; Open Working Directory; Extract Data

#### Edit

Refresh; Rename; Cut; Copy; Paste; Delete

#### Plot

Plot; Plot Pro; Plot Standardized; Plot Swap Axis; Stairs, Sampling Rate; Data Distribution; ECOCO Plot

#### Basic Series

Insolation; Astronomical Solution; LR04 Stack; Sine Wave; White Noise; Red Noise

#### Math

Sort/Unique/Delete-empty; Select Parts; Merge Series; Add Gaps; Remove Parts; Remove Peaks; Clipping, Interpolation; Smoothing[Moving Average, Bootstrap]; Changepoint; Sampling Rate Sensitivity; Standardize; Principal Component; Log-transform; First Difference; Derivative; Simple Function; Utilities[Find Max/Min]; Image[Show Image, RGB to Grayscale; Image Profile]


#### Time series

Detrending; Spectral Analysis; Evolutionary Spectral Analysis; Wavelet transform; Filtering; Amplitude Modulation; Build Age Model; Age Scale; Sedimentary Rate to Age Model; Power

Decomposition Analysis; Sedimentary noise model (DYNOT;  $\rho_1$  method); Correlation Coefficient; Evolutionary Correlation Coefficient; Track Sedimentation Rates

## Help

Readme; Manuals; Find Updates; Copyright; Contact



The structure of the *Acycle* program

## 4.2 File

### New Folder:

make a new empty folder with a user-defined folder name.

### New Text File:

make a new empty \*.txt file with a user-defined file name.

**Shortcut keys [Mac]:**  $\text{⌘+N}$ ; **[Windows]:**  $\text{Ctrl+N}$

**Save \* .AC .fig file:**

Save the current figure as an \*.ac.fig file. This file enable users continue a suspended project.

For example, after running the eCOCO (evolutionary correlation coefficient), users may want to plot the eCOCO results anytime. One can save the current figure as an \*.AC.fig file, then double click this \*.AC.fig file and show “ECOCO plot” anytime.

### 4.3 Edit


**Refresh:** refresh the main listbox.

**Shortcut keys [Mac]:**  $\text{⌘+R}$ ; **[Windows]:**  $\text{Ctrl+R}$

**Rename:**

Select one file, the “rename” function enable changing the name of the selected file.

**Cut/Copy/Paste/Delete:**




### 4.4 Plot

**Plot:**

A quick plot of the selected data file. **Shortcut keys [Mac]:**  $\text{⌘+D}$ ; **[Windows]:**  $\text{Ctrl+D}$

**Plot Pro:**

An advanced plot of the selected data file (GUI below). One can change plot type, line, and marker styles, and control the axis. **Shortcut keys [Mac]:**  $\text{⌘+P}$ ; **[Windows]:**  $\text{Ctrl+P}$

**Plot Standardized:**

A quick plot of the standardized data file. Useful if one wants to compare 2 or more series.

**Plot Standardized +2:**

A quick plot of the standardized data file. Useful if one wants to compare 2 or more series.

**Plot Swap Axis:**

A quick plot, swap axis.

**Stairs:**

Stairs plot.

**Sampling Rate:**

A quick plot showing the distribution of the 1<sup>st</sup> column (time/depth) of the selected data file.

**Data Distribution:**

A quick plot showing the distribution of the 2<sup>nd</sup> column (data) of the selected data file.

**ECOCO Plot:**

Plot eCOCO results from a \*.AC.fig, or after running the eCOCO (Timeseries-eCOCO).


## 4.5 Basic Series

### Insolation

A powerful GUI calculates the insolation using various astronomical solutions. Based on the MatLab code `inso.m` by Jonathan Levine (2001), UC Berkeley. This code was modified by Peter Huybers (Harvard) and edited by Mingsong Li (Penn State, 2018) for the *Acycle* software.

Only insolation series younger than 249,000 k.a. are available.

**Shortcut keys [Mac]:** `⌘+I`; **[Windows]:** `Ctrl + I`




This GUI generates mean daily insolation series on March 21 for the past 1000 kyr (1-1000) at 65°N using the Laskar et al. (2004) solutions. The calculate uses a solar constant of 1365 w/m<sup>2</sup>.

[NOTE: one has to click the Refresh button  in the main window to see the generated insolation series]

### Astronomical Solution

A GUI generates astronomical solutions of Laskar et al. (2004); Laskar et al. (2011), and Zeebe (2017). **Shortcut keys [Mac]:** `⌘+2`; **[Windows]:** `Ctrl + 2`




This GUI generates eccentricity series for the past 1 million years from 1 k.a. throughout 1000 k.a. using the La2004 solution ([Laskar et al., 2004](#)).

[NOTE: one has to click the Refresh button in the main window to see the generated insolation series]

## LR04 Stack

This function generates the classical LR04 stack of the Plio-Pleistocene benthic d<sub>18</sub>O record ([Lisiecki and Raymo, 2005](#)). The input time (below) should be within the interval of 0 and 5320 (k.a.). **Shortcut keys [Mac]:**  **$\mathcal{H} + 4$** ; **[Windows]:**  **$Ctrl + 4$**



This GUI generates LR04 stack from 0 to 5320 k.a.

## Sine Wave

Generate a sine wave using user-defined parameters and the following equation:

$$Y = A * \sin(2\pi / T * X + Ph) + bias$$


Where A is amplitude, T is period, X is a time series ranges from *t1* to *t2* and a sampling rate of dt, Ph is the phase, and bias is signal bias.

## White Noise

This function generates the white noise.

## Red Noise

This function generates the red noise using user-defined standard deviation, and autocorrelation coefficient (RHO-1, from 0 to 1). **Shortcut keys [Mac]:**  **$\mathcal{H} + 3$** ; **[Windows]:**  **$Ctrl + 3$**



This GUI generates a sine wave from 1 to 1000 unit with a sampling rate of 1 unit. Its amplitude is 1, with a period of 100 unit and zero phase shift and 0 signal bias.

## 4.6 Math

### Sort/Unique/Delete-empty

This function will sort the selected data file like MS Excel's SORT function. If a dataset contains 2 or more data points with the same time/depth, then these data points will be replaced by their mean values.

**Shortcut keys [Mac]:** **⌘ + U;** **[Windows]:** **Ctrl + U**

New file name: \*-sue.txt or \*-s.txt or \*-u.txt

### Select Parts

This function generates a new series from the selected data using user-defined 'start' and 'end' of the interval.

New file name: \*-a-b.txt, where a is the "start" and b is the "end".

### Merge Series

Two selected series may be merged if their first columns are exactly the same.

New file name: mergedseries.txt.

### Add Gaps

This function generates a new series based on the selected data file via adding a gap or gaps using user-defined location and duration of the gap(s). Format, comma delimited:

10.5, 3.2

Add a 3.2-unit gap at the depth/time of 10.5 unit, or

10.5, 3.2, 13.3, 1.5


Add a 3.2-unit gap at the depth/time of 10.5 unit and add the second 1.5-unit gap at the depth/time of 13.3 unit.

### Remove Parts

This function generates a new series based on the selected data file via removing an user-defined interval(s). Format, comma delimited

15, 3, 20.2, 4

Remove a 3-unit data at the 15 unit (remove 15-18-unit data), and remove the second interval of 20.2-24.2-unit.



## Remove Peaks

This function generates a new series based on the selected data file via converting any (2<sup>nd</sup> column) data higher than the user-defined Maximum value to that value and any data smaller than Minimum value to that value.

## Clipping

This function generates a new series based on the selected data file via clipping data higher or smaller than the user-defined threshold value.

## Interpolation

Linear interpolation using MatLab's *interp1* function.

**Shortcut keys [Mac]:**  **$\mathcal{H} + I$** ; **[Windows]:**  **$Ctrl + I$**

New file name: \*-rsp0.3.txt, where 0.3 is user-defined interpolation sampling rate.

## Smoothing:

### Moving Average

This function generates a new series based on selected data file using *n*-points smoothing, where *n* is a user-defined parameter.

New file name: \*-3ptsm.txt, means 3 points smoothing output.

### Bootstrap

This function generates two new series based on selected data file using *user-defined* smoothing window, smoothing method, and number of bootstrap sampling.

New file name: \*-WINDOW-METHOD-NUMBER-bootstp-meanstd.txt, mean and standard deviation data, and

\*-WINDOW-METHOD-NUMBER-bootstp-percentile.txt, 0.5%, 2.275%, 15.865%, 50%, 84.135%, 97.725%, and 99.5% percentiles.

## Changepoint

The Bayesian Change Point algorithm - A program to calculate the posterior probability of a change point in a time series.

Please acknowledge the program author on any publication of scientific results based in part on use of the program and cite the following article in which the program was described

E. Ruggieri (2013) "A Bayesian Approach to Detecting Change Points in Climatic Records," International Journal of Climatology, 33: 520-528. doi: 10.1002/joc.3447

Program Author: Eric Ruggieri

College of the Holy Cross

Worcester, MA 01610

Email: eruggier@holycross.edu

## Standardize

Using MatLab's *zscore* function.

$Z = (X-u)/\sigma$ , where X is the second column data, u is the mean of X, and  $\sigma$  is the standard deviation of X.

New file name: \*-stand.txt

## Principal Component

This function has different requirements of the data inputs. All column (including the first column) of data should be value, not depth or time.

### Log-transform

This function generates a new data file based on selected data file using log10 transformation of the second column of the selected data.

$$X_i = \log_{10}(X_i)$$

New file name: \*-log10.txt

### Derivative

Approximate derivatives (first, second, third, ...).


New file name: \*-1derv.txt

### Simple Function

This function is very useful. It generates a new data file based on the selected data file. Both columns (1<sup>st</sup> or X column and 2<sup>nd</sup> or Y column) can be modified. See below case study.

$$X_{(i)} = a * X_{(i)} + b$$

$$Y_{(i)} = c * Y_{(i)} + d$$



The selected data: all value in the first column data will be transformed using the equation  $X_{(i)} = 1.5 * X_{(i)} + 1$ ; and all value in the second column data will be transformed using the equation  $Y_{(i)} = 0.8 * Y_{(i)} + (-3)$ .

New file name: \*-new.txt

### Utilities

#### Find max/min

Find max/min value within a user-defined interval. Output will be displayed in command window only.

### Image:

#### Show Image

Plot selected image file.

#### RGB to Grayscale

Convert a image file in RGB format to a grayscale format, save new image .


New image name: \*-gray.tif

#### Image Profile

Get the grayscale profile from a line constrained by two user-selected dots.

New file name: \*-profile.txt  
grayscale profile

New file name: \*-controlpoints.txt % location of two control points



Step 1: Choose the image file, select "Math - Image - Image Profile" function.

Step 2: Click data cursor tool (1), press ALT key and click 2 points.

Step 3: Press Enter key. Grayscale profile data will be picked up and saved along the green line.

## 4.7 Time series


### Detrending

This detrending function generates 2 new data files based on the selected data file and user-defined parameters: window length and detrending method. Steps:

- (1) Select a data file in the Main Window
- (2) Select **Timeseries → Detrending** menu
- (3) Type a window length or a percentage or move the slider. Default value is 35% of the total length, that is, if a data length is 100 m, then a window is 35 m.
- (4) Tick one or more detrending method
- (5) Click **OK** button, wait for several seconds (up to a minute, depending on the length of the dataset and the speed of your machine). A new window will popup showing the data and its 35% trend(s).
- (6) In the “Select & Save detrending Model” panel, select the preferred trend. The trend and detrended file will be displayed in the Main Window.

**Shortcut keys [Mac]:** **[⌘ + T]**; **[Windows]:** **[Ctrl + T]**

New file names: \*-80-LOWESS.txt AND \*-80-LOWESStrend.txt



### Prewhitenning - First Difference

Differences using MatLab's diff function.

$Y = \text{diff}(X)$ , calculates differences between adjacent elements of  $X$ .

New file name: \*-1stdiff.txt

### Spectral Analysis

This function conducts spectral analysis with user-defined parameters. Steps:

- (1) Select a data file in the Main Window
- (2) Select **Timeseries → Spectral Analysis** menu

(3) Select one method for spectral analysis. Options are Multi-taper method (MTM) ([Thomson, 1982](#)), Lomb-Scargle spectrum ([Lomb, 1976](#); [Scargle, 1982](#)), and MatLab's periodogram.


(4) If Multi-taper method (MTM) is selected, then the Method panel may be changed. The default value is using  $2\pi$  MTM, with a no zero-padding.

(5) Plot panel: set the max frequency in the coming figure.

(6) Red Noise panel: AR(1) noise model using RedNoise.m by [Husson \(2014\)](#) and modified by Linda Hinnov. Robust AR(1) noise model follows ([Mann and Lees, 1996](#)).

(7) **Run** or **Run & Save** button, generates power spectrum (and save power spectrum data and AR(1) series)

**Shortcut keys [Mac]:**  **$\mathcal{H} + S$** ; **[Windows]:**  **$Ctrl + S$**



$2\pi$  MTM power spectrum of the La2004 astronomical solution (0-2 Ma)

New file name: \*-2piMTM-CL.txt, means  $2\pi$  MTM and confidence level series.

## Evolutionary Spectral Analysis

This function conducts evolutionary spectral analysis with user-defined parameters. Steps:

(1) Select a data file in the Main Window.

*Warning: The data file must be an evenly spaced depth/time series.*

(2) Select **Timeseries → Evolutionary Spectral Analysis** menu

(3) Select Method. The default method is Fast Fourier transform (LAH) by Linda A. Hinnov ([Kodama and Hinnov, 2015](#)). Other options are MatLab's Fast Fourier transform, multi-taper method (MTM) ([Thomson, 1982](#)), and Lomb-Scargle spectrum ([Lomb, 1976](#); [Scargle, 1982](#)).

(4) Input for evolutionary spectral analysis panel includes settings for plot frequencies. Default values from 0 to Nyquist ( $f_{nyq} = 1 / (N * \Delta t)$ ), where N is the total number of data, and  $\Delta t$  is the sampling rate.


(5) Step of sliding windows. The default value should be sufficient for most paleoclimate projects. The unit may be  $m$ ,  $kyr$ , etc.

(6) Sliding Window: **very important!** The length of the sliding window. The default value is 35% of the total length of the selected data.

Tips: assuming the data series is dominated by 35 m cycles, the window may be 2-4 times of 35 m, that is, 70 to 140 m. A large window can smooth out the higher frequencies signals while a small window cannot detect low-frequency signals.

- (7) Plot-dimension: 2D or 3D with rotation option.
- (8) Flip Y-axis: give me a try.
- (9) **OK** button: generates a new figure showing the evolutionary spectral analysis results. No new files generated automatically.

**Shortcut keys [Mac]:**  **$\mathcal{H} + E$** ; **[Windows]:**  **$Ctrl + E$**



*Evolutionary FFT of the La2004 astronomical solutions using a 400 kyr sliding window and 2 kyr step*

## Wavelet transform

This wavelet analysis function conducts wavelet analysis ([Torrence and Compo, 1998](#)) with user-defined parameters. Steps:


- (1) Select a data file in the Main Window.


*Warning: The data file must be an evenly spaced depth/time series.*

- (2) Select **Timeseries → Wavelet Transform** menu

- (3) Modify parameters

Period ranges from [the first line] to [the second line] unit. Default values for all lines works well with the program. Users may need to modify the period range in the 2<sup>nd</sup> line using a smaller number (e.g., halved value).





*Wavelet analysis of the Wayao gamma ray series. The series has been interpolated using a 0.3 m sampling rate.*

## Filtering

This function generates a filter output series based on the selected data file with user-defined parameters. Steps:

- (1) Select a data file in the Main Window.

*Warning: The data file must be an evenly spaced depth/time series.*

- (2) Select **Timeseries → Filtering** menu

(3) **Bandpass filter** panel: very important! Type min and center frequencies of the passband, the max frequency will be set automatically. The bandpass filters are MatLab's Butter, Cheby1, and Ellip filters and Gaussian, and Taner-Hilbert filters. The recommended filters are Gaussian filter and Taner-Hilbert filters code by Linda Hinnov ([Kodama and Hinnov, 2015](#)).

*Tips: The Taner-Hilbert filter generates both filtered output series and the amplitude modulation of the filtered output series.*


Click **Save Data** button, the filter outputs will be displayed after clicking the **refresh** button in the Main Window.

(4) **Highpass and lowpass** panel: Two options are MatLab's Butter and Ellip filter. Type cutoff frequency in the text box and select a filter.

Click **Save Data** button, the filter outputs will be displayed.


(5) Power spectrum plot: give options for display the power spectrum in the right of the GUI.

**Shortcut keys [Mac]:** **⌘+F**; **[Windows]:** **Ctrl + F**



New file name: \*-gaus-0.0243+-0.0053.csv, means filtered output series using gauss filter and a  $0.0243 \pm 0.0053$  cycles/unit bandpass.

\*-Tan-0.03+-0007.csv and \*-Tan-0.03+-0007-AM.csv, mean filtered output series using Taner-Hilbert filter and a  $0.03 \pm 0.007$  cycles/unit bandpass, with its amplitude modulation file saved.



Plot original La2004 solutions and filtered 41 kyr cycles

## Build Age Model

This function generates an age model file from a filter output data file. Steps:


(1) Assuming the filtering wavelength generates a filtered 35 m cycle series. The 35 m cycles are assumed to be 405 kyr long eccentricity cycles. This filtered data file should be selected.

(2) Select **Timeseries → Build Age Model** menu

(3) In the pop-up window, enter 405 and 1, and click OK button.  
This generates a new age model series via assigning every peak of 35 m cycles as peaks of the 405 kyr cycles.

New file name: \*-agemodel-405-max.csv,


means an age model file using filtered wavelength peaks as 405 kyr anchors.



## Age Scale

This function conducts depth-to-time transformation in a new standalone GUI. Steps:

- (1) Select 1 (ONE) age model file, click the top  $\Rightarrow$  button to record this file as an age model file.
- (2) Select 1 or more data files, click the bottom  $\Rightarrow$  button to record this file (these files) as series needs to be transformed.
- (3) Click the **OK** button. The transformed series can be displayed and saved.



New file name(s): \*-TD-name-of-agemodel-file.csv

(Tips) Change directory using  $\leftarrow$  or  $\rightarrow$  button

## Sedimentary Rate to Age Model

Assuming you want to generate an age model file from a sedimentary rates file (2 columns: depth and sedimentation rate), this function generates the age model working well with acycle software.

## Power Decomposition Analysis

This function subtracts power/variance within a user-defined frequency band. The code written by Mingsong Li and Linda Hinnov has been published in [Li et al. \(2016\)](#). Time-dependent amplitude modulations in the obliquity component were obtained from  $2\pi$  multi-taper variance (power) spectra calculated along a sliding time window using the Matlab script *pda.m* (also available at <https://doi.pangaea.de/10.1594/PANGAEA.859147>). Steps:

- (1) Select the original data file.


**Warning:** The data must be evenly spaced data in the first column. And the unit must be in kyr.

(1) Type paired frequency bands; space delimited. If a dominated frequency is 1/33, then a 1/45 1/25 frequency band is used

(2) Sliding window in kyr, a 500 kyr is used in [Li et al. \(2016\)](#)

(3) Time-bandwidth product, '2' means  $2\pi$  MTM method will be used.

(4) cutoff frequencies, min = 0, max should cover all Milankovitch frequencies.



## Sedimentary Noise Model

### *Dynamic noise after orbital tuning (DYNOT)*

Dynamic noise after orbital tuning. Detect non-orbital variances from a tuned series. See **Chapter 5. DYNOT model Description**. See [Li et al. \(2018a\)](#) for details about this method.


### *Lag-1 autocorrelation coefficient ( $\rho_1$ )*

This function conducts either single run or Monte Carlo simulations of lag-1 autocorrelation coefficient ( $\rho_1$ ) using a sliding window. It works with both depth series and time series.

The “Single run” requires the input of “window” and “interpolation sampling rate”.

The “Monte Carlo” requires several parameters: Number of Monte Carlo simulations (default is 1000), sliding window ranges from  $win1$  to  $win2$ , and a sampling rates from  $sr1$  to  $sr2$ , and plot settings (interpolation and shift grid).

See [Li et al. \(2018a\)](#) for details about the parameters and significance of this method.



## Correlation Coefficient (COCO)

This function addresses two fundamental issues in cyclostratigraphy and paleoclimatology: identification of astronomical forcing in sequences of stratigraphic cycles, and accurate evaluation of sedimentation rates. The technique considers these issues part of an inverse problem and estimates the product-moment correlation coefficient between the power spectra of astronomical solutions and paleoclimate proxy series across a range of test sedimentation rates. The number of contributing astronomical parameters in the estimate is also considered. Our estimation procedure tests the hypothesis that astronomical forcing had a significant impact on proxy

records. The null hypothesis of no astronomical forcing is evaluated using a Monte Carlo simulation approach. Details are included in ([Li et al., 2018b](#)).


### Step 1: settings for generating target power spectrum

Select a depth series (interpolated, detrended), select **Timeseries --> Correlation Coefficient** menu

**Note:** the data series must have a unit in meter.

Type the approximate age for the depth series, the unit is million years ago (Ma).

Target frequency ranges from 0 cycle/kyr to the given “MAX frequency”. Default values are recommended for the depth series with age less than 250 Ma. For the depth series older than 250 Ma, the MAX frequency may be set to 0.08. This is because the precession cycle can be very short than 16 kyr.



### Step 2: astronomical solution [optional]


If the age of the data in Ma is larger than 249 Ma, users need to select which astronomical solution should be used.

1 = Berger89 solution ([Berger et al., 1989](#)),

2 = Laskar 2004 solution ([Laskar et al., 2004](#)),

3 = user-defined solution and the second box should be filled by 7 astronomical periods.

Online resource for user-defined astronomical parameters may be found at  
<http://nm2.rhul.ac.uk/wp-content/uploads/2015/01/Milankovitch.html> ([Waltham, 2015](#)).



### Step 3: settings for generating data power spectrum

MIN sedimentation rate (cm/kyr):

MAX sedimentation rate (cm/kyr):

STEP sedimentation rate (cm/kyr): tested sedimentation rates range from *MIN* to *MAX*, with a step of *STEP* cm/kyr. In the following example, the tested sed. rates are 1, 1.5, 2, 2.5, 3, ..., 29.5, and 30 cm/kyr.

Number of simulations: 200-600 simulations are suggested for an initial run. And 2000 simulations generate publication quality results.


Remove red noise: 0 = no removing; else removing red noise:

1 = power spectrum / AR(1) series and those less than AR(1) series are set to 0;

2 = power spectrum - AR(1) series and those less than 0 are set to 0.

Split series: 1, 2, 3. The series is split into 2 or more slices.

Click the **OK** button, Monte Carlo simulation steps can be displayed in the Command Window of MatLab. A log file will be generated recording all parameters used in the correlation coefficient analysis. The user needs to decide which figure output should be saved or not.



## Evolutionary Correlation Coefficient (eCOCO)

The method is applied using a sliding stratigraphic window to track variable sedimentation rates along the proxy series, in a procedure termed “eCOCO” (evolutionary correlation coefficient) analysis. ([Li et al., 2018b](#))

**Waning:** the data series must have a unit in meter.


Step 1: same as that in COCO.

Step 2: same as that in COCO.

Step 3: most parameters are the same as those in COCO (see above). Two new parameters:

DATA: running window (m): default window is 35% of the total length of the data series.

DATA: Number of steps (#): sliding steps. The default value will give about ~300 sliding windows for publication quality results.



Click the **OK** button, Monte Carlo simulation steps can be displayed in the Command Window of MatLab. A log file and the related \*.AC.fig file will be generated recording all parameters used in the evolutionary correlation coefficient analysis. The user needs to decide which figure output should be saved or not.

Tips: Users may save the main window using “File” → “save ac.fig” menu anytime. This will save the data stored in the main window figure, and the user doesn’t have to re-run the eCOCO using the same parameters.

Tips: User can plot eCOCO results anytime at “Plot” → “ECOCO plot” menu.

Q: Which window should I use?

A: Well, if your series is dominated by 35 m cycles (405 kyr), then a 70 m window (= 35 \*2) may be good to keep the balance: A large window eCOCO losses resolution of variable sedimentation rates, and a small window may not give correct results.

## Track Sedimentation Rates

*Not finish yet...*

## 4.8 Help

### Readme

Update log

### Manuals

Open the folder of user’s guide

### Find Updates

Visit our website to find updates of acycle software.

[www.mingsongli.com/acycle](http://www.mingsongli.com/acycle)

<https://github.com/mingsongli/acycle>

### Copyright

### Contact


## 4.9 Mini-robot

This tiny tool can do some work automatically, with default settings.

Step 1: click one data file.

Step 2: click the mini-robot button.

Step 3: review parameters and click ok.



### It will do:

1. Data preparation - check the selected data: remove NaN numbers, sort the data (based on the first column), remove duplicated numbers (replace with their mean value), remove empty values
2. Interpolation: using median sampling rate of the data
3. Detrending: using a 25% LOWESS trend
4. Power spectral analysis: to show significant frequencies; aided with a robust AR(1) red noise model using a 20% median smoothed spectrum and a log best-fit to that spectrum.
5. Evolutionary FFT: show frequencies across sliding windows; using a 1250-unit window.
6. Do the wavelet transform using default values.
7. Save results
8. Pause 0.5 seconds after each above step.

## 5. DYNOT model Description

[Li et al. \(2018a\)](#) developed a dynamic noise after orbital tuning, or DYNOT model for the recognition of sea-level variations based on the dynamic non-orbital signal in climate proxy records after subtracting orbital, i.e., astronomically forced climate signal. The DYNOT model is supplemented by a second, independent lag-1 autocorrelation coefficient, or  $\rho_1$  model, which forms the basis of a well-established statistical method for red noise estimation of time series. DYNOT and  $\rho_1$  modeling of a GR series of ODP Site 1119 over the past 1.4 myr correlates with the classic low-passed  $\delta^{18}\text{O}$  sea-level curve, demonstrating the efficacy of the sedimentary noise model.

### 5.1 Startup

\*Select Timeseries - DYNOT




Fig. 1. MatLab workspace for the DYNOT model.

The DYNOT sea-level model GUI is as follows (Fig. 2):




Fig. 2. The DYNOT model

## 5.2 Import Data

*data for the DYNOT model (support data in \*.csv and \*.txt format)*

Name:	data		
Length:	$m \times 2$	% must be a 2-column dataset	
Column 1:	time	% unit must be in ka;	
Column 2:	value		

### Notes:

#1: Proxy data is assumed to be sensitive to water-depth related noise at your section/core.

#2: There is no requirement for interpolation, normalization, or removing long-term trend (i.e., pre-whitening) of the dataset.

#3: Extreme values should be removed.

#4: Both increasing-upward and decreasing-upward time series are valid.

Click **Data ready** button. Or  
from \*.txt or \*.csv file

In the DYNOT menu: Select “File” → “Import Data (\*.txt, \*.csv)” → Select data (choose “1119\_gr\_1400de\_finetuned.txt” or “1119\_gr\_1400de\_finetuned.csv”) → Click “Open”




Fig. 3. Load data to DYNOT model.

## 5.3 Settings

**Yellow:** load data and run the model.

**Red:** Key settings. Check before running the model.

**Green:** Optional settings. Default values are okay for most running.

**5.3.0.** Click on **Data ready** (button) to load data into the DYNOT model.

**5.3.1.** Cut data (*optional*): These settings automatically show the beginning and the end of the time series, i.e., time span of dataset. Unit is ka. If you want to choose a different interval, just type two new ages and click **Cut** button.

**5.3.2.** Sampling rates (*optional*): These show a range of sample rates covering 90% of sample rates (Green Box 20 in Fig. 4). Unit is ka. A Monte Carlo method of hypothesis testing and the multi-taper method (MTM) of power spectral analysis are to be undertaken, and so resampling must be applied. Sampling rates of proxy datasets in time are always greater than zero and so are non-normally distributed. Therefore, the Weibull distribution is used to represent sampling rate distributions for uncertainty analysis in the DYNOT model. To avoid an ultra-low or ultra-high, unrealistic sampling rate created by the Weibull distribution algorithm, we set the 5<sup>th</sup> and 95<sup>th</sup> percentiles of sampling rates of the data as default, lower and upper limits of the generated, Weibull-distributed sampling rates.

**5.3.3.** **Windows:** These values set sliding window range. Moving window length in units of time (<< total data length). Unit is ka.

Different windows in the DYNOT model can affect results in two ways.

- (1) The DYNOT model with a large window will shorten DYNOT results, and the model with a small window will generate longer DYNOT results,  $N_r = N_{data} - window + 1$ , where  $N_r$  is total number of DYNOT values of each simulation,  $N_{data}$  is total number of interpolated data points, and  $window$  is the running window employed.
- (2) The DYNOT model with a small running window generates higher resolution results, however, the variance of low-frequency cycles and total variance diminish simultaneously, which leads to increased uncertainty in non-orbital signal ratio estimation.

The DYNOT model with a small running window also increases the MTM power spectrum bandwidth (i.e., reduces frequency resolution). The expected sea-level variations of interest in the Early Triassic are  $10^4$  to  $10^6$  year-scale, i.e., the fifth to

third-order sequences, therefore a comparable or shorter time window (e.g., 300-500 kyr, 400 kyr or shorter) should be adopted for DYNOT modeling.

- 5.3.4.** Time-bandwidth product (*optional*): Time-bandwidth product of discrete prolate spheroidal sequences used for window. Typical choices are 2, 5/2, 3, 7/2, 4.
- 5.3.5.** Zero-padding (*optional*). zero-padding number, e.g., 1000.
- 5.3.6.** Step (*optional*). step of calculations; default is 5 ka.
- 5.3.7.** **Number of Monte Carlo Simulations:** default is 1000. Maybe use 100 or 300 for a trial running. Recommended value for publication is >5000.
- 5.3.8.** **Age of the time series:** The age in Ma will be used to estimated target orbital cycles in 5.3.9. You can use either 5.3.8 or 5.3.9 to tell the DYNOT model the target cycles.
- 5.3.9.** **Target orbital cycles** (space delimited, in ka): 6 orbital cycles of long-eccentricity (405), short-eccentricity (125 and 95), obliquity (40.9 or shorter), precession (23.6, 22.3, and 19.1 or shorter). This is age dependent (see 7.8). The 405, 125, and 95 kyr cycles are assumed to be invariant through time. While the obliquity = 41-0.0332\*age; precession 1 = 23.75-0.0121\*age; precession 2 = 22.43-0.0121\*age; precession 3=19.18-0.0079\*age. These calculations are from [Yao et al. \(2015\)](#), and are based on the La2004 astronomical model ([Laskar et al., 2004](#)).




Fig. 4. Settings of the DYNOT model.

**Yellow:** load data and run the model.

**Red:** Key settings. Check before running the model.

**Green:** Optional settings. Default values are okay for most running.

- 5.3.10.** Frequency ranges (*optional*): For the definition of the non-orbital signal ratio by [Li et al. \(2018a\)](#), cutoff frequencies and their bandwidths are crucial for estimation of variances of eccentricity, obliquity and precession signals. We vary each cutoff frequency assuming a uniform distribution with cutoff frequency ranges at  $\pm 90\%$  to  $\pm 120\%$  bandwidth. Here the bandwidth (*bw*) equals  $nw/window$ , where *nw* is time-bandwidth product of discrete prolate spheroidal sequences, and *window* is the running window.
- 5.3.11.** Cutoff frequencies (*optional*): lower cutoff frequency ( $> 0$ ) for estimation of total variance and upper cutoff frequency ( $<$  Nyquist frequency) for estimation of total variance.
- 5.3.12.** Confidence levels (*optional*): default values show median and confidence levels (e.g., 50%, 68%, 80%, 90%, and 95%) of the DYNOT results.
- 5.3.13.** Interpolation (*optional*): In 5.3.3, a smaller *Nr* compared to *Ndata* leads to a “no data” effect at the very beginning and/or very end of the DYNOT results. To avoid this problem and to provide a better constraint for noise estimation, technically, the DYNOT model is interpolated and randomly shifts and plots simulation results of a single iteration at the same time scale of the dataset, although the plots also generate relatively smoothed DYNOT spectra when a gap is shorter than  $2 \times window$ . Here 1000 is adequate for the DYNOT model.
- 5.3.14** Shift plot grids (*optional*): See 5.3.13 for interpretation. Default is 15. One can also use 15-30 for the better shape of the beginning and the end of the DYNOT spectra.
- 5.3.15.** Number of physical cores (*optional*): This detects the physical cores of the CPU of the computer.
- 5.3.16.** Number of itineraries to estimate the process time (*optional*): To estimate process time of the time-consuming DYNOT model, the model will run some itineraries. Default is 50.
- 5.3.17.** Emergency note: Press “Ctrl” + “C” to cease the DYNOT process before the parallel computing. Press “Ctrl” + “X” to cease the DYNOT process during the parallel computing. You may need to type the following script in the command window to quite parallel computing.
- ```
>> delete(gcp('nocreate'))
```
- 5.3.18.** Click the button to run the model.
- 5.3.19.** A window shows the dataset.
- 5.3.20.** A window shows sample rates of the dataset OR the DYNOT spectrum of the dataset.

## 5.4. Running the DYNOT model

Click the **Let's go** button to run the DYNOT code. In the command window, the estimated running time will appear:

```
16:21:20 Begin the process ...
16:22:54 First 50 iterations suggest: remain >= 0h:7m:27sec
```

% The model runs the first 50 iterations to estimate that the total running time will last ca. 7 minutes 27 seconds. The real run-time may be 10s seconds to several minutes longer than this estimate.

```
Starting parallel pool (parpool) using the 'local' profile ...
connected to 4 workers.
```

```
16:23:07 Current iteration takes 1.11 seconds
16:23:08 Current iteration takes 1.21 seconds
16:23:15 Current iteration takes 1.19 seconds
16:26:26 Current iteration takes 1.38 seconds
```

% Start parallel computing and show time of each iteration.

```
Parallel pool using the 'local' profile is shutting down.
```

```
>> Done. % Stop parallel computing and display the DYNOT result (Fig. 5).
```




Fig. 5. DYNOT sea-level model of the gamma-ray series at ODP site 1119 from 0 to 1.4 Ma.

## 5.5. Output Files

After running the DYNOT model, the median value of noise and percentiles of the outputs will be saved as text files.

The GUI menu (Fig. 6) can be used to:

#1: save a MatLab-fig in the working directory entitled “plots\_.fig”.

#2: save a PDF file of the plots in the working directory entitled “plots\_.pdf”

#3: pop-up display the DYNOT spectrum in a new window.

#4: save DYNOT output data in the working directory entitled “result\_handles.mat”.

**Caution: Change names of output files, or they will be overwritten by new files.**



Fig. 6. Output files

## References:

- Berger, A., Loutre, M., Dehant, V., 1989. Influence of the changing lunar orbit on the astronomical frequencies of pre-Quaternary insolation patterns. *Paleoceanography* 4, 555-564.
- Husson, D., 2014. MathWorks File Exchange: RedNoise\_ConfidenceLevels, [http://www.mathworks.com/matlabcentral/fileexchange/45539-rednoise-confidencelevels/content/RedNoise\\_ConfidenceLevels/RedConf.m](http://www.mathworks.com/matlabcentral/fileexchange/45539-rednoise-confidencelevels/content/RedNoise_ConfidenceLevels/RedConf.m).
- Kodama, K.P., Hinnov, L., 2015. Rock Magnetic Cyclostratigraphy. Wiley-Blackwell.
- Laskar, J., Fienga, A., Gastineau, M., Manche, H., 2011. La2010: a new orbital solution for the long-term motion of the Earth. *Astronomy & Astrophysics* 532.
- Laskar, J., Robutel, P., Joutel, F., Gastineau, M., Correia, A.C.M., Levrard, B., 2004. A long-term numerical solution for the insolation quantities of the Earth. *Astronomy & Astrophysics* 428, 261-285.
- Li, M., Hinnov, L.A., Huang, C., Ogg, J.G., 2018a. Sedimentary noise and sea levels linked to land-ocean water exchange and obliquity forcing. *Nature communications* 9, 1004.
- Li, M., Huang, C., Hinnov, L., Ogg, J., Chen, Z.-Q., Zhang, Y., 2016. Obliquity-forced climate during the Early Triassic hothouse in China. *Geology* 44, 623-626.
- Li, M., Kump, L.R., Hinnov, L.A., Mann, M.E., 2018b. Tracking variable sedimentation rates and astronomical forcing in Phanerozoic paleoclimate proxy series with evolutionary correlation coefficients and hypothesis testing. *Earth and Planetary Science Letters* 501, 165-179.
- Lisiecki, L.E., Raymo, M.E., 2005. A Pliocene-Pleistocene stack of 57 globally distributed benthic  $\delta^{18}\text{O}$  records. *Paleoceanography* 20.
- Lomb, N.R., 1976. Least-squares frequency analysis of unequally spaced data. *Astrophysics and Space Science* 39, 447-462.
- Mann, M.E., Lees, J.M., 1996. Robust estimation of background noise and signal detection in climatic time series. *Climatic Change* 33, 409-445.
- Scargle, J.D., 1982. Studies in astronomical time series analysis. II-Statistical aspects of spectral analysis of unevenly spaced data. *The Astrophysical Journal* 263, 835-853.
- Thomson, D.J., 1982. Spectrum estimation and harmonic analysis. *Proceedings of the IEEE* 70, 1055-1096.
- Torrence, C., Compo, G.P., 1998. A practical guide to wavelet analysis. *Bulletin of the American Meteorological society* 79, 61-78.

- Waltham, D., 2015. Milankovitch Period Uncertainties and Their Impact On Cyclostratigraphy. *Journal of Sedimentary Research* 85, 990-998.
- Yao, X., Zhou, Y., Hinnov, L.A., 2015. Astronomical forcing of a Middle Permian chert sequence in Chaohu, South China. *Earth and Planetary Science Letters* 422, 206-221.
- Zeebe, R.E., 2017. Numerical Solutions for the orbital motion of the Solar System over the Past 100 Myr: Limits and new results. *The Astronomical Journal* 154, 193.