Changqing Su

PM 566

25 Nov. 2020

Exploring Covid-19 Deaths by State, Sex, and Age Groups

Introduction:

At the end of 2019, a novel coronavirus was identified as the cause of a cluster of pneumonia cases in China. It rapidly spread, and resulted in an epidemic throughout the world. In February 2020, the World Health Organization designated the disease COVID-19, which stands for coronavirus disease 2019. This report is designed to explore the association between COVID-19 death and state, sex, age groups.

Methods:

The data of Covid-19 deaths was obtained from the US CDC, Centers of Disease Control and Prevention on Oct 17, 2020. The data include deaths due to coronavirus disease 2019 (COVID-19), pneumonia, and influenza reported to NCHS by sex, age group and state. (https://data.cdc.gov/api/views/9bhg-hcku/rows.csv?accessType=DOWNLOAD)

The age group variable contains overlapping data. Therefore, only portion of the data was used.

The proportionate mortality ratio (PMR) was obtained by using COVID-19 deaths/total deaths.

The data of Covid_19 cases was also obtained from the US CDC on Oct 17, 2020.

(https://data.cdc.gov/api/views/9mfq-cb36/rows.csv?accessType=DOWNLOAD)

The case fatality rate (CFR) was obtained by using Coviding-19 deaths/Covid-19 cases.

The population data was obtained from the United States Census Bureau. The population data was estimated based on the 2010 Census and reflect changes to the April 1, 2010 population due to the Count Question Resolution program and geographic program revisions. (http://www2.census.gov/programs-surveys/popest/datasets/2010-2019/national/totals/nst-est2019-alldata.csv)

The state area data was obtained from the datasets package. The population density was obtained by using population/state area in square miles.

Results:

According to Figure 1, New York and New Jersey have a high proportionate mortality ratio of COVID-19. In addition, Figure 2 provides the information that it may be caused by high population density in the state of New York and New Jersey. Since the virus can spread from an infected person's mouth or nose in small liquid particles, others are very easily to get infected when staying with infected people.

Changqing Su

PM 566

25 Nov. 2020

Covid PMR Map

Figure 1: Covid-19 PMR by State

Population Density

Figure 2: Population Density by State

According to Table 1, New Jersey has much higher population density than New York but almost same proportionate mortality ratio as New York. One reason may be that the medical resources is better in New Jersey. Less people died from Covid-19. California also has a large number of deaths due to Covid-19, but California has a very low PMR comparing to New York

Changqing Su

PM 566

25 Nov. 2020

and New Jersey. This may be because that California has a large population and the state government did a better job on stopping the spread of Covid-19.

State	Covid-19 Deaths	Total Deaths	Proportionate Mortality Ratio (PMR)	Population	Population Density (people per square miles)
New York	32428	144301	0.225	19453561	392.399
Texas	16560	160010	0.104	28995881	108.461
California	15534	202764	0.077	39512223	248.985
Florida	14828	162904	0.091	21477737	366.765
New Jersey	14362	66941	0.215	8882190	1133.511
Pennsylvania	8402	98410	0.085	12801989	282.399

Table 1: Top 5 Covid-19 Deaths State

According to Figure 3, New York, New Jersey, Massachusetts, and Connecticut have a very high case fatality rate. This may be caused by either lack of medical resources or unaffordable medical expenses. California, Florida, and Texas have a large number of cases but the CFR is very low. The reason may be that those areas provides affordable expenses and sufficient medical resources.


Figure 3: Total Deaths vs Case Fatality Rate with Cases by State

Changqing Su

PM 566

25 Nov. 2020

According to Figure 4, New York, California, Florida, and Texas shows that more males died from Covid-19 than females. Other states had close numbers between males and females. This may be because that males are more likely to have social communications with others, and they have a larger chance to contact with infect people.


Figure 4: State vs COVID-19 Deaths by Sex

According to Figure 5, the number of deaths increases as the age increases. Older people are more likely to die due to Covid-19. Sex does not affect the number of Covid-19 deaths in this plot.

Changqing Su

PM 566

25 Nov. 2020

Figure 5: Age group vs Covid-19 Deaths by Sex

Conclusion:

In conclusion, the number of deaths due to Covid-19 varies in different states, sex, and age groups.

The state New York has the highest Covid-19 deaths and proportionate mortality among all states. Generally, more people die from COVID-19 in states with high population density.

New York, New Jersey, Massachusetts, and Connecticut have a very high case fatality rate. California, Florida, and Texas have a large number of cases but very low CFR.

Slightly more males died from COVID-19 than females. But the PMR does not vary between males and females.

In addition, older people (greater than 65 years old) are more likely to die because of COVID-19.