# Frontend Development with React.js

# **Project Documentation for Rhythmic Tunes**

#### 1. Introduction

Project Title: Rhythmic Tunes

• Team Members:

ARULKUMAR K (Team Leader) [Email Id: mohanarul2003@gmail.com]

♣ Ramesh S [Email Id: rameshsramesh2087@gmail.com]

**♣ Sudharsan S** [Email Id: <u>sudharsansudhar960@gmail.com</u>]

↓ Vetri G M [Email Id: vetrimartin052@gmail.com]

### 2. Project Overview

### Purpose:

Rhythmic Tunes is a web application designed to provide users with a seamless music listening experience. The application allows users to browse, search, and play music tracks, create playlists, and discover new music based on their preferences.

#### Features:

- o Music player with play, pause, skip, and volume control.
- Search functionality to find songs, albums, and artists.
- User authentication (login/signup).
- o Playlist creation and management.
- Responsive design for mobile and desktop.

#### 3. Architecture

#### • Component Structure:

The application is built using React.js with a component-based architecture. Major components include:

- Header: Contains the navigation bar and search bar.
- Player: Music player controls (play, pause, volume, etc.).
- Sidebar: Displays user playlists and navigation links.
- HomePage: Displays featured tracks, recommended playlists, and new releases.
- SearchPage: Allows users to search for songs, albums, and artists.
- > **PlaylistPage**: Displays user-created playlists and allows playlist management.

### • State Management:

The application uses **Redux** for global state management. The Redux store manages user authentication, current playing track, playlist data, and search results.

# • Routing:

The application uses **React Router** for navigation. Routes include:

- ∘ /: Home page
- /search: Search page
- /playlist/:id: Playlist details page
- /login: User login page

### 4. Setup Instructions

#### Prerequisites:

- Node.js (v16 or higher)
- npm (v8 or higher)
- o Git

#### Installation:

- Clone the repository: git clone https://github.com/asunm12911844/rythmic-tune.git
- 2. Navigate to the client directory: cd rhythmic-tunes/client
- 3. Install dependencies: npm install
- 4. Configure environment variables: Create a .env file in the client directory and add the necessary variables (e.g., API keys).
- 5. Start the development server: npm start

#### 5. Folder Structure

#### Client:

o **src/components:** # Reusable components (Header, Player, etc.)

src/pages: # Page components (HomePage, SearchPage, etc.)

o **src/assets:** # Images, icons, and other static files

src/redux: # Redux store, actions, and reducers

src/utils: # Utility functions and helpers

App.js: # Main application component

o index.js: # Entry point

#### Utilities:

o api.js: Handles API requests to the backend.

o **auth.js**: Manages user authentication and token storage.

o hooks/usePlayer.js: Custom hook for managing the music player state.

### 6. Running the Application

#### Frontend:

- To start the frontend server, run the following command in the client directory:
  npm start
- o npm install
- o npx json-server ./db/db.json
- o npm run dev
- The application will be available at http://localhost:3000

### 7. Component Documentation

### Key Components:

- o **Header**: Displays the navigation bar and search bar.
  - Props: onSearch (function to handle search queries).
- o Player: Controls the music playback.
  - Props: currentTrack (object containing track details), onPlay, onPause, onSkip.

- o **PlaylistCard**: Displays a playlist with its name and cover image.
  - Props: playlist (object containing playlist details), onClick (function to handle playlist selection).

# • Reusable Components:

- o **Button**: A customizable button component.
  - Props: text, onClick, disabled.
- o **Input**: A reusable input field for forms and search.
  - Props: type, placeholder, value, onChange.

### 8. State Management

#### Global State:

The Redux store manages the following global states:

- o **user:** Current authenticated user.
- o **player:** Current playing track, playback status (playing/paused), and volume.
- playlists: User-created playlists.
- o **searchResults:** Results from the search functionality.


#### Local State:

Local state is managed using React's useState hook within components. For example, the SearchPage component manages the search query input locally.


# 9. User Interface

#### Screenshots


o **Home Page:** Display featured tracks and recommended playlists.



o Search Page: Allows users to search for songs, albums, and artists.



o Playlist Page: Displays user-created playlists and allows playlist management.



# 10. Styling

# • CSS Frameworks/Libraries:

The application uses **Styled-Components** for styling. This allows for modular and scoped CSS within components.

# • Theming:

A custom theme is implemented using Styled-Components, with support for light and dark modes.

# 11. Testing

# • Testing Strategy:

- Unit Testing: Using Jest and React Testing Library.
- Integration Testing: Is performed to ensure that components work together as expected.
- End-to-End Testing: Cypress is used for end-to-end testing of user flows.

# • Code Coverage:

 Code coverage is monitored using Jest's built in coverage tool. The current coverage is 85%.

#### 12. Screenshots or Demo

### Demo Link:

https://drive.google.com/file/d/1ROVO0udGYwpFo rTD9KGNFiUPm34ZvNS/view?usp=drivesdk

• **Screenshots:** See section 9 for UI screenshots.

#### 13. Known Issues

- Issue 1: The music player sometimes skips tracks unexpectedly.
- **Issue 2**: The search functionality is slow with large datasets.

#### 14. Future Enhancements

#### • Future Features:

- o Add support for user profiles and social sharing.
- o Implement a recommendation engine for personalized music suggestions.
- o Add animations and transitions for a smoother user experience.

This documentation provides a comprehensive overview of the **Rhythmic Tunes** project, including its architecture, setup instructions, and future plans.