





## PROJECT REPORT

# CookBook: Your Virtual Kitchen Assistant

YEAR : 2024 - 2025

COLLEGE NAME : K.C.S KASI NADAR COLLEGE OF ARTS & SCIENCE

CODE : UNM203

DEPARTMENT : COMPUTER APPLICATIONS

PROGRAM : **B.C.A** 

SEMESTER : VI

PROJECT SUBMITTED TO: UNIVERSITY OF MADRAS / NAAN MUDALVAN

Course Name : Front End Development and Database Administration

#### **TEAM LEADER:**

UDAYA KUMAR V

#### **MEMBERS:**

1.PRAVIN KUMAR J

2.MOHAMMAD NABIL

3.PURUSHOTHAMAN SRI

4.DHANUSH G

**GUIDED BY: MRS GINITHA** 

SPOC NAME: Dr.K. LALITHAKAMESWARI

```
Receipe.css:
.Recipie-page{ padding-
top: 12vh; min-height:
60vh;
}
.recipie-img{
  width: 100%; padding-
top: 2vh;
}
.recipie-img img{
  width: 98%;
                margin-
left: 1%;
          height: 85vh;
border-radius: 0.7rem;
.recipie-data-container{
  display: grid; grid-template-
columns: 65% 25%; justify-content:
space-evenly;
}
.recipie-data{
```

```
box-shadow: rgba(0, 0, 0, 0.2) 0px 18px 50px -10px;
position: relative; top: -15vh; background-color:
       padding: 4vh 2vw; border-radius: 0.6rem;
#fff;
}
.recipie-header{
}
.recipie-header h4{
margin: 0; font-size:
1.5rem; font-
weight: 500;
}
.recipie-header .recipie-specials{
display: flex; gap: 10px;
}
.recipie-header .recipie-specials p{
border: 1px solid rgb(35, 209, 35);
color: rgba(35, 209, 203, 0.8);
padding: 5px 20px; border-radius:
2rem;
 font-size: 0.7rem;
}
.recipie-data .procedure{
}
```

```
.recipie-data .procedure h5{
font-size: 1.3rem;
                    font-
weight: 500; margin: 0;
padding-top: 3vh;
}
.recipie-data .procedure p{
margin: 0; font-size:
0.9rem;
.youtube-video-container{
}
.youtube-video-container h5{
font-size: 1.3rem;
                    font-
weight: 500; margin: 0;
padding-top: 3vh;
}
.ingredients-container{
  box-shadow: rgba(0, 0, 0, 0.2) 0px 18px 50px -10px;
position: relative; top: -15vh; background-color:
      padding: 4vh 2vw; border-radius: 0.6rem;
#fff;
height: fit-content;
}
```

```
.ingredients-container h3{
margin: 0; padding-
               font-size:
bottom: 1vh;
          font-weight:
1.3rem;
500;
       color: rgb(23, 162,
155);
}
.ingredients{ display:
flex;
       flex-direction:
column; gap: 10px;
padding: 0;
}
.ingredient{
 display: flex;
  align-items: center; justify-
content: space-between;
}
.ingredient h5{
                 font-
size: 1rem; margin: 0;
font-weight: 400;
max-width: 50%;
.ingredient p{
margin: 0; font-
size: 0.8rem;
               max-
width: 40%;
}
```

### **Newletter.css:**

```
.newsletter-container{
  height: 60vh;
display: flex;
                align-
items: center;
.newsletter-body{
  width: 70%;
  margin-left: 10%;
padding: 8vh 5vw;
  box-shadow: rgba(17, 17, 26, 0.05) 0px 4px 16px, rgba(17, 17, 26, 0.05) 0px 8px
32px;
  display: flex;
                  border-
radius: 0.6rem;
.newsletter-text{
display: flex;
align-items: start;
gap: 15px;
              width:
50%;
}
.newsletter-text .food-icon{
font-size: 3.5rem;
                     color:
rgb(35, 209, 35);
```

```
}
.newsletter-text span{
width: 80%;
  text-align: left;
}
.newsletter-text span h4{
  margin: 0;
               font-
size: 1.1rem; }
.newsletter-text span p{
  margin: 0;
               font-
size: 0.55rem;
}
.newsletter-input-body{
  margin-left: 5%;
}
.newsletter-input{
                    display:
       align-items: center;
flex;
width: 100%;
                border: 1px
              padding: 3px
solid #000;
3px 3px 5px;
                border-
radius: 0.2rem;
}
.newsletter-input span{
width: 75%;
               display:
```

```
flex;
       align-items:
center;
          gap: 10px;
}
.newsletter-input span .mail-icon{
  color: rgb(35, 209, 35);
}
.newsletter-input span input{
height: 8vh; border: none;
width: 90%;
}
.newsletter-input span input:focus{
outline: none;
}
.newsletter-input button{
width: 25%;
              height: 8vh;
background-color: #000;
border: 2px solid #000;
color: aliceblue; border-
radius: 0.2rem; cursor:
pointer;
.newsletter-input-body p{
 font-size: 0.8rem;
```

```
display: flex;
align-items: start;
gap: 5px; color:
#8f8f8f;
}
.newsletter-input-body p .tick-icon{
  font-size: 1.2rem;
color: rgb(35, 209, 35);
}
Navbar.css:
.Navbar{
  display: flex; align-items: center;
                                       height:
12vh; justify-content: space-between;
width: 100%; position: fixed; z-index: 100;
background-color: #e5dae9; box-shadow:
rgba(0, 0, 0, 0.1) 0px 4px 12px;
}
.Navbar h3{
             padding-left: 4vw;
font-family:'poppins' sans-serif;
font-size: 2.3rem;
  color: rgb(229, 115, 34);
cursor: pointer;
.Navbar .nav-options{
```

```
display: flex;
                align-
items: center;
                padding-
right: 3vw; gap: 30px;
}
.Navbar ul{
display: flex;
gap: 30px;
.Navbar a{ text-
decoration: none;
}
.Navbar ul li{ list-
style: none; cursor:
pointer; color:
#807e7e;
.Navbar ul li:hover{
color: #000;
}
.Navbar ul Link{
                  list-
style: none;
              cursor:
pointer; color:
#807e7e;
}
```

```
.Navbar ul Link:hover{
color: #000;
.nav-search{
  display: flex;
                 text-
decoration: none;
                    align-
items: center;
                border: 1px
                 padding:
solid #3f3f3faf;
       border-radius: 2rem;
Зрх;
.nav-search span{
background:transparent;
color: transparent;
display: flex; align-items:
center;
}
.nav-search-icon{
color: #807e7e;
padding-left: 5px;
}
.nav-search span input{
background:transparent;
border: none;
}
```

```
.nav-search span input:focus{
outline: none;
}
.nav-search button{ border-radius:
        padding: 0 10px;
2rem;
                           border:
        background-color: rgb(102,
none;
110, 102); color: aliceblue; height:
4vh; cursor: pointer;
Home.css:
.homepage{
  padding-top: 12vh;
}
Hero.css:
.hero-container{ display: grid;
grid-template-columns: 50% 50%;
}
.hero-text{
  display: flex;
                 flex-
direction: column;
padding-top: 25vh;
padding-left: 4vw;
```

```
}
.hero-text .hero-line{
                       height: 2px;
width: 30vw;
               background-color:
rgb(232, 161, 8);;
}
.hero-text h1{
margin: 0; font-
size: 2.8rem;
                font-
weight: 500;
               line-
height: 1.2;
}
.hero-text p{
margin: 0;
.hero-text button{
width: 15vw;
               height:
8vh;
  background: linear-gradient(90deg, rgba(11, 163, 233, 0.841) 0%, rgb(30, 73,
215) 100%);
  background-size: 200% 120%; background-
position: 100% 0;
  transition: background-position 0.5s ease-in-out;
transition: color 0.8s ease;
                             cursor: pointer;
border-radius: 0.3rem; border: 1.5px solid
```

```
font-weight: 600; font-size: 0.9rem;
#908f8f;
margin-top: 3vh;
}
.hero-text button:hover{
background-position: 0 0;
color: aliceblue;
                  transition:
color 0.8s ease;
  transition: background-position 0.5s ease-in-out;
}
.hero-images{
  display: flex;
                width:
100%; gap: 5vh;
justify-content: center;
}
.hero-images .span1{
  display: flex;
                 flex-
direction: column;
gap: 5vh; padding-top:
5vh;
.hero-images .span2{
  display: flex;
                 flex-
direction: column;
gap: 5vh; padding-top:
15vh;
```

```
}
.hero-images img{
width: 20vw;
               border-
radius: 0.7rem;
  box-shadow: rgba(99, 99, 99, 0.2) 0px 2px 8px 0px;
}
.hero-images img:hover{
  transform: scale(1.1);
transition: 0.5s ease-in-out;
}
Footer.css:
.footer{
  background-color: rgb(15, 17, 15);
padding: 5vh 2vw 0 2vw;
}
.footer h3{
  font-family: 'Whisper', cursive;
color: aliceblue; font-size:
          margin: 0;
2.3rem;
padding-left: 2vw;
}
.footer hr{
```

```
}
.footer-options {
  display: flex; justify-content:
                   padding: 0
space-between;
       align-items: center;
5vw;
gap: 30px;
}
.footer-options ul{
        display: flex;
flex-direction: column;
gap: 10px;
}
.footer-options ul li{
                      list-
style: none;
               cursor:
pointer; color: rgb(229,
230, 231);
             font-size:
0.8rem;
}
.footer-options ul li:hover{
color: #ffffff;
.footer p{ margin: 0;
text-align: center;
padding: 2vh 0; color:
rgb(182, 182, 182);
```

## Categorypage.css:

```
.category-page{
  padding-top: 14vh; padding-
bottom: 8vh; min-height: 50vh;
}
.categorypage-head{
  display: flex; justify-content:
space-between; align-items:
center;
}
.categorypage-head h2{
  padding-left: 2vw;
                     font-
weight: 500;
.categorypage-head-options{ padding-
right: 3vw;
}
.categorypage-head-options p{
margin: 0; font-size: 0.8rem;
}
.categorypage-head-options span{
```

```
display: flex;
gap: 10px;
             align-
items: center;
margin-top: 5px;
}
.categorypage-head-options span button{
width: 70px;
              font-size: 0.7rem;
                                  height:
6vh;
       border: 1.5px solid #000;
                                  border-
radius: 0.3rem;
                 color: #000;
weight: 600; background-color: rgba(240,
248, 255, 0);
               cursor: pointer;
}
.categorypage-head-options span button:hover{
background-color: #000; color: aliceblue;
}
.categorypage-body{
}
.food-items{
width: 96%;
margin-left: 2%;
margin-top: 3vh;
display: grid;
  grid-template-columns: 23% 23% 23%;
justify-content: space-between; row-gap:
5vh;
}
```

```
.food-items .food-item{
  box-shadow: rgba(0, 0, 0, 0.09) 0px 3px 12px;
padding: 10px; border-radius: 0.7rem;
cursor: pointer;
}
.food-items .food-item:hover{ box-shadow:
rgba(0, 0, 0, 0.09) 0px 3px 12px;
                                   transform:
translateY(-8px); transition: 0.3s;
.food-items .food-item img{
width: 100%;
               height:
35vh;
        border-radius:
0.7rem;
.food-items .food-item h4{
margin: 0; font-weight:
400; color: rgb(65, 134,
111);
}
Newsletter.jsx:
import React from 'react'
import { IoFastFoodOutline, IoMailOutline } from "react-icons/io5";
import { FaRegCheckCircle } from "react-icons/fa"; import
'../styles/NewsLetter.css'
const NewsLetter = () => {
```

```
const [subscribe, setSubscribe] = React.useState(false);
const [email, setEmail] = React.useState(");
 const handleSubscribe = () => {
setEmail(");
              setSubscribe(true);
setTimeout(() => {
setSubscribe(false);
  }, 5000);
 }
 return (
  <div className='newsletter-container'>
   <div className="newsletter-body">
     <div className="newsletter-text">
       <loFastFoodOutline className='food-icon' />
       <span>
        <h4>Unlock exclusive recipes, and foodie delights straight to your
inbox.</h4>
        Get weekly meal inspiration, cooking tips, and expert advice delivered
directly to you. Subscribe to our newsletter and level up your culinary skills
</span>
    </div>
    <div className="newsletter-input-body">
       <div className="newsletter-input">
        <span>
           <loMailOutline className='mail-icon' />
```

```
<input type="text" placeholder='Your email address' onChange={(e)=>
setEmail(e.target.value)} value={email} />
        </span>
        <button onClick={handleSubscribe}>Subscribe</button>
       </div>
    {subscribe &&
       Thanks for subscribing!!
    }
       >
         <FaRegCheckCircle className='tick-icon' />
         We promise no spam, just yummy inspiration! Sign up now!
       </div>
   </div>
  </div>
export default NewsLetter
navbar.jsx:
import React from 'react' import
'../styles/Navbar.css' import { IoSearch } from
"react-icons/io5"; import { Link, useNavigate } from
'react-router-dom' import axios from 'axios';
```

```
const Navbar = () => {
 const navigate = useNavigate()
 const [search, setSearch] = React.useState(");
 const handleSearch = async () => {
  await
axios.get(`https://www.themealdb.com/api/json/v1/1/search.php?s=${search}`)
  .then(response => {
   // console.log(response.data.meals[0].idMeal)
setSearch(");
   navigate(`/recipie/${response.data.meals[0].idMeal}`)
  })
  .catch(error => {
navigate('/')
               setSearch(");
alert('No such recipe
found!!')
   }
  );
 return (
  <div className='Navbar'>
     <h3 onClick={()=>navigate('/')}>SB Recipess...</h3>
     <div className='nav-options'>
```

```
navigate('/')}>Home
       {(window.location.href === "http://localhost:3000/" || window.location.href
=== "http://localhost:3000/#popular")?
         <a href="#popular">Popular</a>
         <Link to='/#popular'>Popular
     <div className="nav-search">
      <span>
       <loSearch className='nav-search-icon' />
       <input type="text" placeholder="Type something.."</pre>
onChange={(e)=>setSearch(e.target.value)} value={search} />
      </span>
       <button onClick={handleSearch} >Search
     </div>
    </div>
  </div>
}
export default Navbar
hero.jsx:
import React from 'react' import
```

'../styles/Hero.css'

```
import heroImg1 from '../images/hero-img1.png' import
heroImg2 from '.../images/hero-img2.png' import
heroImg3 from '../images/hero-img3.png' import
heroImg4 from '../images/hero-img4.png'
const Hero = () => {
return (
  <div className='hero-container'>
     <div className="hero-text">
        <div className="hero-line" />
        <h1>Discover delicious recipes for every occasion..</h1>
        Ready to tantalize your taste buds? Dive into our endless recipe library
and find your next food adventure.
        <a href="#recipies"><button>Recipies</button></a>
    </div>
    <div className="hero-images">
       <span className='span1'>
        <img src={heroImg2} alt="" />
<img src={heroImg4} alt="" />
       </span>
       <span className='span2'>
        <img src={heroImg3} alt=""/>
        <img src={heroImg1} alt="" />
      </span>
    </div>
  </div>
```

```
}
export default Hero
footer.jsx:
import React from 'react' import
'../styles/Footer.css'
import { useNavigate } from 'react-router-dom'
const Footer = () => {
 const navigate = useNavigate()
 return (
  <div className='footer'>
    <h3>SB Recipess...</h3>
    <div className="footer-options">
     navigate(`/`)}>Home
      onClick={()=>navigate(`/category/Chicken`)}>Chicken
      navigate(`/category/Breakfast`)}>Breakfast
                                                               onClick={()=>navigate(`/category/Dessert`)}>Dessert
      onClick={()=>navigate(`/category/Goat`)}>Goat
      navigate(`/category/Lamb`)}>Lamb
```

```
onClick={()=>navigate(`/category/Pasta`)}>Pasta
      onClick={()=>navigate(`/category/Seafood`)}>Seafood
      onClick={()=>navigate(`/category/Starter`)}>Starter
     onClick={()=>navigate(`/category/Vegan`)}>Vegan
      onClick={()=>navigate(`/category/Side`)}>Side
      onClick={()=>navigate(`/category/Miscellaneous`)}>Miscellaneous
     </div>
    <hr />
    SB Recipiess - © 2023 - All Rights Reserved
  </div>
}
export default Footer
categorieshome.jsx:
import React, { useEffect } from 'react' import
'../styles/CategoriesHome.css' import
heroImg1 from '../images/hero-img1.png'
import heroImg2 from '../images/hero-
```

img2.png' import heroImg3 from

```
'../images/hero-img3.png' import heroImg4
from '../images/hero-img4.png'
import axios from 'axios'
import { useNavigate } from 'react-router-dom'
const CategoriesHome = () => {
 const navigate = useNavigate()
 const [items, setItems] = React.useState([])
 const [categories, setCategories] = React.useState([])
 useEffect(() => {
fetchCategories()
                    fetchItems()
 }, [])
 const fetchCategories = async () => {
  await axios.get('https://www.themealdb.com/api/json/v1/1/categories.php')
    .then(response => {
     setCategories(response.data.categories)
console.log(response.data.categories)
   })
    .catch(error => console.error(error));
```

```
}
 const fetchItems = async () => {
axios.get('https://www.themealdb.com/api/json/v1/1/filter.php?a=Indian')
   .then(response => {
setItems(response.data.meals)
console.log(response.data.meals)
   })
   .catch(error => console.error(error));
 }
 return (
  <div className='home-categories-container' id='popular'>
   <div className="popular-categories-body">
    <h3>Most Popular Categories</h3>
     >Be sure not to miss out the categories of these most popular categories.
Enjoy trying them out!
    {categories.length > 0?
     <>
      <div className="popular-categories">
        {categories.map((category, index)=>{
return (
```

```
index < 9 &&
           <div className="popular-category" key={index}</pre>
onClick={()=>navigate(`/category/${category.strCategory}`)} >
            <img src={category.strCategoryThumb} alt="" />
            <span>
             <h4>{category.strCategory}</h4>
             View All Recipies
            </span>
           </div>
        )}
      </div>
     </>
     :"Loading"}
   </div>
   <div className="popular-dishes-body" id='recipies'>
     <h3>Trending Dishes</h3>
     {items.length > 0 ?
       <div className="popular-dishes">
```

```
<span className='dishes-small'>
         <div className="popular-dish" onClick={()=>
navigate(`/recipie/${items[6].idMeal}`)}>
            <img src={items[6].strMealThumb} alt="" />
             {items[6].strMeal}
         </div>
         <div className="popular-dish" onClick={()=>
navigate(`/recipie/${items[7].idMeal}`)}>
            <img src={items[7].strMealThumb} alt="" />
             {items[7].strMeal}
         </div>
         <div className="popular-dish" onClick={()=>
navigate(`/recipie/${items[8].idMeal}`)}>
            <img src={items[8].strMealThumb} alt="" />
             {items[8].strMeal}
         </div>
         </span>
         <span className='dishes-big'>
            <div className="popular-dish" onClick={()=>
navigate(`/recipie/${items[0].idMeal}`)} >
              <img src={items[0].strMealThumb} alt="" />
               {items[0].strMeal}
            </div>
            <div className="popular-dish" onClick={()=>
navigate(`/recipie/${items[5].idMeal}`)}>
              <img src={items[5].strMealThumb} alt="" />
               {items[5].strMeal}
            </div>
```

```
</span>
         <span className='dishes-small'>
            <div className="popular-dish" onClick={()=>
navigate(`/recipie/${items[2].idMeal}`)}>
              <img src={items[2].strMealThumb} alt="" />
               {items[2].strMeal}
            </div>
            <div className="popular-dish" onClick={()=>
navigate(`/recipie/${items[3].idMeal}`)}>
              <img src={items[3].strMealThumb} alt="" />
               {items[3].strMeal}
            </div>
            <div className="popular-dish" onClick={()=>
navigate(`/recipie/${items[4].idMeal}`)}>
              <img src={items[4].strMealThumb} alt="" />
               {items[4].strMeal}
            </div>
         </span>
       </div>
{/*
     <button >View more</button> */}
```

```
</div>
</div>
)

export default CategoriesHome

about.jsx:

import React from 'react'

const About = () => {
```

return (

}

<div>About</div>

export default About