Capgemini Exceller Hiring Process

100 Practice Questions with Answer Key

Covers classic 2026 rounds + newer framework: AI Literacy, Debugging, AI-Assisted Coding, Game-Based, Interviews

How to use this paper

- Total 100 questions in 9 sections. Answers and explanations are in the Answer Key at the end.
- Technical questions assume 0-based indexing and integer division unless stated.
- There is no negative marking reported in the online tests, so attempt every question.
- Exact pattern, timing and question counts vary by drive and may not be officially published by Capgemini. Confirm with your invite email or placement cell.

Section A: AI Literacy (Technical Module - Q1 to Q20)

Q1. What does LLM stand for?

A) Large Language Model
B) Linear Logic Machine
C) Limited Learning Method
D) Long Loop Memory

Q2. In generative AI, "hallucination" means:

A) The model runs very slowly
B) The model produces confident but incorrect or made-up information
C) The model refuses every question
D) The model deletes your data

Q3. A "prompt" is:

A) The output of a model
B) The input instruction or text given to an AI model
C) A type of database
D) A programming language

Q4. Which prompt is the BEST for getting useful code?

A) Write code
B) Do coding
C) Write a Python function that reverses a string, no external libraries, with 2 test cases
D) Python

Q5. Zero-shot prompting means:

A) Giving the model no examples, only the task
B) Giving 10 examples
C) Training a new model
D) Using zero tokens

Q6. Few-shot prompting means:

A) Asking the model to be brief
B) Giving a few examples in the prompt to guide output
C) Using a small model
D) Limiting the number of users

Q7. In LLMs, a "token" is:

A) A password

B) A chunk of text (word or part of a word) the model processes
C) A hardware chip
D) A payment unit only

Q8. AI bias mainly arises from:

A) Internet speed
B) Training data that reflects biased patterns
C) Screen resolution
D) Keyboard layout

Q9. Before using AI-generated code in a project you should:

A) Paste it directly
B) Review it and test it
C) Delete all comments
D) Share it publicly

Q10. A higher "temperature" setting generally makes output:

A) More random and creative
B) Always identical
C) Shorter
D) Faster to download

Q11. Which of these is NOT a generative AI application?

A) Text summarization
B) Image generation from text
C) Adding numbers with a fixed SUM formula
D) Drafting an email reply

Q12. Pasting confidential client data into a public AI tool is:

A) Fine if you are in a hurry
B) A privacy and data-leak risk and should be avoided
C) Required for accuracy
D) Recommended by default

Q13. Prompt engineering is:

A) Building hardware
B) Designing and refining inputs to get better AI outputs
C) Writing operating systems
D) Encrypting data

Q14. Chain-of-thought prompting asks the model to:

A) Reason step by step
B) Answer in one word
C) Ignore context
D) Translate to another language

Q15. The "context window" of an LLM is:

A) The browser window
B) The maximum amount of text (tokens) it can consider at once
C) The training time
D) The number of users allowed

Q16. RAG (Retrieval-Augmented Generation) means:

A) Randomly generating answers
B) Fetching relevant documents and giving them to the model to ground its answer
C) Removing all grammar errors
D) Resizing AI graphics

Q17. Which is a core responsible-AI principle?

A) Secrecy only
B) Fairness, transparency, accountability and privacy
C) Maximum speed only
D) Unlimited data collection

Q18. An AI tool gives an answer that looks wrong. Best first step?

A) Trust it
B) Verify with reliable sources and refine the prompt
C) Submit it quickly
D) Blame the user

Q19. Training a spam classifier using emails labelled "spam"/"not spam" is an example of:

A) Supervised learning
B) Unsupervised learning
C) Reinforcement only
D) Data deletion

Q20. Fine-tuning a model means:

A) Cleaning the keyboard

B) Further training a pretrained model on specific data
C) Deleting old data
D) Reducing screen brightness

Section B: Technical - DSA, Pseudocode, CS Fundamentals (Q21 to Q45)

Assume 0-based array indexing and integer division unless stated.

Q21. Time complexity of binary search on a sorted array is:

A) O(n)
B) O(log n)
C) O(n^2)
D) O(1)

Q22. A stack follows which principle?

A) FIFO
B) LIFO
C) Random
D) Priority

Q23. A queue follows which principle?

A) LIFO
B) FIFO
C) Random
D) Sorted

Q24. What is printed?

```
x = 5, y = 3
x = x + y
y = x - y
x = x - y
print x, y
```

A) 5 3
B) 3 5
C) 8 3
D) 8 5

Q25. What is printed?

```
s = 0
for i = 1 to 5
    s = s + i
print s
```

A) 10
B) 15
C) 21

D) 5

Q26. What is printed? (// is integer division)

```
n = 10, c = 0
while n > 0
    n = n // 2
    c = c + 1
print c
```

A) 3
B) 4
C) 5
D) 10

Q27. What does f(5) return?

```
f(n): if n <= 1 return 1
        else return n * f(n - 1)
```

A) 25
B) 60
C) 120
D) 24

Q28. f(0)=0, f(1)=1, f(n)=f(n-1)+f(n-2). What is f(6)?

A) 5
B) 8
C) 13
D) 21

Q29. a = [2, 4, 6, 8, 10] (0-based). What is a[a[0]]?

A) 2
B) 4
C) 6
D) 8

Q30. What is 5 & 3 (bitwise AND)?

A) 0
B) 1
C) 2
D) 7

Q31. What is 5 ^ 3 (bitwise XOR)?

A) 1

B) 2
C) 6
D) 8

Q32. What is 1 << 4?

A) 4
B) 8
C) 16
D) 32

Q33. Worst-case time complexity of bubble sort:

A) O(n)
B) O(n log n)
C) O(n^2)
D) O(log n)

Q34. Which sorting algorithm uses divide and conquer and has O(n log n) worst-case time?

A) Bubble sort
B) Merge sort
C) Insertion sort
D) Selection sort

Q35. Which data structure is used for BFS traversal?

A) Stack
B) Queue
C) Heap
D) Tree only

Q36. Which data structure is typically used for DFS (iterative)?

A) Queue
B) Stack
C) Array only
D) Hash only

Q37. A primary key in a table:

A) Can have duplicates
B) Uniquely identifies each row and cannot be NULL
C) Is always a string
D) Is optional for all tables

Q38. Which SQL statement removes the entire table including its structure?

A) DELETE
B) TRUNCATE
C) DROP TABLE
D) UPDATE

Q39. In ACID, the letter "A" stands for:

A) Availability
B) Atomicity
C) Authority
D) Access

Q40. Which is NOT a necessary condition for deadlock?

A) Mutual exclusion
B) Hold and wait
C) Preemption
D) Circular wait

Q41. Which OSI layer is responsible for routing packets?

A) Physical
B) Data link
C) Network
D) Application

Q42. Binding data and methods together and restricting direct access is called:

A) Inheritance
B) Encapsulation
C) Recursion
D) Compilation

Q43. How many "*" are printed?

```
for i = 1 to 3
    for j = 1 to i
        print "*"
```

A) 3
B) 5
C) 6
D) 9

Q44. What is printed? (% is remainder, // is integer division)

```
print(17 % 5 + 17 // 5)
```

A) 4
B) 5
C) 6
D) 7

Q45. Time complexity of inserting a node at the head of a singly linked list:

A) O(1)
B) O(n)
C) O(log n)
D) O(n^2)

Section C: Debugging Assessment (Q46 to Q55)

Find the bug and write the fix. (Debugging round: C / C++ / Java; ~20 min per task in the real test.)

Q46. Goal: sum of 1..n. Find the bug.

```
int sum = 0;
for (int i = 1; i < n; i++)
    sum += i;
```

Your answer: _____

Q47. Find the bug (empty list).

```
def avg(a):
    return sum(a) / len(a)
print(avg([]))
```

Your answer: _____

Q48. Java: strings are not matching even when text is same. Find the bug.

```
String s1 = new String("hi");
String s2 = new String("hi");
if (s1 == s2) System.out.println("same");
```

Your answer: _____

Q49. C: this block always runs. Why?

```
int x = 3;
if (x = 5) printf("five");
```

Your answer: _____

Q50. Python: program never ends. Fix it.

```
i = 0
while i < 5:
    print(i)
```

Your answer: _____

Q51. C: array of size 5. What is wrong?

```
int a[5];
for (int i = 0; i <= 5; i++)
    a[i] = i;
```

Your answer: _____

Q52. Python: calling add(1) then add(2) returns [1, 2] on the second call. Why, and fix?

```
def add(x, lst=[]):
    lst.append(x)
    return lst
```

Your answer: _____

Q53. Java: a=3, b=4, expected 3.5 but prints 3.0. Fix?

```
int a = 3, b = 4;
double avg = (a + b) / 2;
System.out.println(avg);
```

Your answer: _____

Q54. C: for x = 1 it prints "One" and "Two". Fix?

```
switch (x) {
  case 1: printf("One");
  case 2: printf("Two");
}
```

Your answer: _____

Q55. Python: factorial crashes with RecursionError. Fix?

```
def fact(n):
    return n * fact(n - 1)
```

Your answer: _____

Section D: AI-Assisted Coding (Q56 to Q60)

In this round you direct an AI assistant by prompts and are judged on problem understanding, prompt quality and verification.

Q56. Write a strong prompt asking an AI assistant for a function that checks whether a string is a palindrome, ignoring case and spaces.

Your answer: _____

Q57. The AI gives code that fails for empty input. What do you do?

Your answer: _____

Q58. AI gives an O(n^2) solution but n can be 100000. How do you prompt next?

Your answer: _____

Q59. List your verification checklist before submitting AI-generated code.

Your answer: _____

Q60. You must build a small student-record CLI (add, search, delete). How do you split work into prompts?

Your answer: _____

Section E: English Communication (Q61 to Q70)

Grammar, vocabulary and usage.

Q61. She ___ to school every day.

A) go
B) goes
C) going
D) gone

Q62. Neither of the boys ___ present.

A) were
B) are
C) was
D) have been

Q63. Synonym of "rapid":

A) Slow
B) Quick
C) Weak
D) Late

Q64. Antonym of "scarce":

A) Rare
B) Abundant
C) Small
D) Costly

Q65. Choose the correct spelling:

A) Acommodation
B) Accomodation
C) Accommodation
D) Acomodation

Q66. I have been working here ___ 2020.

A) for
B) since
C) from
D) by

Q67. He is good ___ mathematics.

A) in

B) on
C) at
D) with

Q68. If I ___ you, I would apply.

A) am
B) was
C) were
D) be

Q69. "Break the ice" means:

A) Damage something
B) Start a conversation in an awkward situation
C) Cancel a plan
D) Feel very cold

Q70. Passive voice of "The team completed the project":

A) The project completed the team
B) The project was completed by the team
C) The project is completing by the team
D) The team was completed by the project

Section F: Cognitive / Game-Based Practice (Q71 to Q80)

Text versions of logic and pattern tasks (Deductive, Inductive, Grid, Motion-style thinking).

Q71. Series: 2, 6, 12, 20, 30, ?

A) 38
B) 40
C) 42
D) 44

Q72. Series: 3, 6, 12, 24, ?

A) 36
B) 42
C) 48
D) 54

Q73. Odd one out:

A) Circle
B) Triangle
C) Square
D) Cube

Q74. If A=1, B=2, ... then CAT = 3+1+20 = 24. What is DOG?

A) 24
B) 26
C) 28
D) 30

Q75. An arrow points UP and rotates 90 degrees clockwise each step: Up, Right, Down, ?

A) Up
B) Left
C) Right
D) Down

Q76. Geo-Sudo style: each row and column must contain Circle, Square and Triangle once. Row1 = Circle, Square, Triangle. Row2 = Square, Triangle, ?. Row3 = Triangle, ?, ?. What is Row3 Column3?

A) Circle
B) Square
C) Triangle

D) Cannot decide

Q77. A is taller than B and B is taller than C. Who is the shortest?

A) A
B) B
C) C
D) Cannot say

Q78. Angle between the clock hands at 3:00 is:

A) 30
B) 60
C) 90
D) 180

Q79. Memory task: sequence 7 2 9 4. Reverse order is:

A) 7 2 9 4
B) 4 9 2 7
C) 2 7 4 9
D) 9 4 7 2

Q80. Series: 1, 4, 9, 16, 25, ?

A) 30
B) 34
C) 36
D) 49

Section G: Behavioral / PowerSkills Situations (Q81 to Q85)

Q81. A teammate in your project is not contributing. What do you do?

Your answer: _____

Q82. Deadline is tight and requirements are unclear. What do you do?

Your answer: _____

Q83. You made a mistake that affects your team. What do you do?

Your answer: _____

Q84. You disagree with a teammate's approach. What do you do?

Your answer: _____

Q85. You must learn a new technology in one week. What do you do?

Your answer: _____

Section H: Technical Interview (Q86 to Q95)

Short-answer questions with model answers.

Q86. Explain your final-year/major project in 2 minutes.

Your answer: _____

Q87. Difference between array and linked list?

Your answer: _____

Q88. Explain the four pillars of OOP.

Your answer: _____

Q89. Difference between process and thread?

Your answer: _____

Q90. What is normalization in DBMS?

Your answer: _____

Q91. Difference between stack and heap memory?

Your answer: _____

Q92. What is an API / REST API?

Your answer: _____

Q93. Difference between DELETE, TRUNCATE and DROP?

Your answer: _____

Q94. How would you use AI tools responsibly while coding?

Your answer: _____

Q95. Explain binary search and its prerequisite.

Your answer: _____

Section I: HR Interview (Q96 to Q100)

Sample answers should be adapted to your own story.

Q96. Tell me about yourself.

Your answer: _____

Q97. Why Capgemini?

Your answer: _____

Q98. What are your strengths and weaknesses?

Your answer: _____

Q99. Are you willing to relocate and work in shifts?

Your answer: _____

Q100. Where do you see yourself in 5 years?

Your answer: _____