

Automated tests for Gnome-logs

Rashi Aswani







Klotski Manual

Introduction

Objective

Playing Klotski

Authors

License





Klotski Manual


Introduction

Objective

Playing Klotski

Authors

License



GNOME Logs

	Logs Q =	×
Important	Gtk-Message: GtkDialog mapped without a transient parent. Th.	3:26 PM
	** (caribou:1994): WARNING **: AT-SPI: Error in GetItems, se	3:26 PM
All Applications	<pre><info> Connectivity check for uri 'https://fedoraproject.or</info></pre>	3:25 PM
	** (caribou:1994): WARNING **: AT-SPI: Error in GetItems, se…	3:25 PM
	** (caribou:1994): WARNING **: AT-SPI: Error in GetItems, se	3:24 PM
	[system] Successfully activated service 'org.freedesktop.hos	3:22 PM
System	SELinux: initialized (dev tmpfs, type tmpfs), uses transitio	3:22 PM
Security	[system] Activating via systemd: service name='org.freedeskt	3:22 PM
	Gtk-Message: GtkDialog mapped without a transient parent. Th.	3:22 PM
Hardware	<pre><info> Connectivity check for uri 'https://fedoraproject.or</info></pre>	3:20 PM
	Gtk-Message: GtkDialog mapped without a transient parent. Th.	3:16 PM
	** (caribou:1994): WARNING **: AT-SPI: Error in GetItems, se	3:16 PM

Work done till now

- ▶ Tests for the selection of an item in the sidebar menu.
- ▶ Tests for the selection of the particular log listing for the respective selected item by creating a mock GLJournal API and writing a fake message.
- ▶ Tests for the "Go back" functionality when the log listing is selected.
- ► Tests for the Search Functionality.