PONDICHERRYUNIVERSITY

(ACentraluniversity)



SCHOOLOFENGINEERINGANDTECHNOLOGYD EPARTMENTOFCOMPUTERSCIENCE

M.Sc.ComputerScience

NAME : Aswanth EK

REG.NO. : 23370009

SEMESTER : 3^{RD} SEMESTER

SUBJECT : CSSC513-webtechnologyandcomputernetworkslab

PONDICHERRYUNIVERSITY

(ACentraluniversity)



SCHOOLOFENGINEERINGANDTECHNOLOGYD EPARTMENTOFCOMPUTERSCIENCE

M.Sc.ComputerScience

PRACTICALLABRECORD

BONAFIDECERTIFICATE

ThisistocertifythatthisisaBonafiderecordofpracticalworkdoneby ASWANTH EK havingReg. No. **23370009** semester - III from the month July 2024 toDecember2024

	FACULI YIN-CHARGE
SUBMITTEDFORTHEPRACTICALEXAMHELDON:	
INTERNAL EYAMINER	FYTERNAI FYAMINEI

ONLINEBOOKSTORE

AIM:

Todesignawebpageforonlinebookstore


HOMEPAGE

SOURCECODE:


```
<!DOCTYPEhtml>
<htmllang="en">
<head>
  <metacharset="UTF-8">
  <metaname="viewport"content="width=device-width,initial-scale=1.0">
  <title>HomePage</title>
  <style>
    body{
       font-family: Arial, sans-
       serif;margin:0;
       padding:
       0;display:flex;
       flex-direction:
       column;min-height:
       100vh;background-
       color:#f4f4f4;
    }
    .header{
       background-
       color:#333;color:white;
```

```
padding: 15px; text-
align:center;
     .header img
        {height:50px;
      }
      .header h1
        {margin:0;
     .nav-bar{
        margin-top:10px;
      .nav-bar a
        {color:white;
        text-decoration:
        none;padding: 10px
        20px;margin:010px;
        font-size:16px;
     .nav-bar a:hover
        {background-
        color:#444;border-
        radius:4px;
      .content-
        wrapper{display
        : flex;flex:1;
     .sidebar{
```

```
width:200px;
      background-
      color:#eaeaea;padding:20px;
    .sidebar a
       {display:
      block;padding:
       10px;margin:10
      px0;
      color:#333;
      text-decoration:
      none; background-
      color:white;border-
      radius:4px;
    }
    .sidebar a:hover
       {background-color:#bbb;
    .main-content
       {flex:
       1;padding:20p
      х;
      background-color:#fff;
    }</style>
</head>
<body>
 <divclass="header">
    <imgsrc="logo.png"alt="Logo"><!--Replacewithyourlogo--><br><br>
    <h1>ONLINEBOOKSTORE</h1><br>
    <divclass="nav-bar">
```



```
<ahref="login.html"target="main-content">Login</a>
                        <ahref="registration.html"target="main-content">Registration</a>
                        <ahref="catalogue.html"target="main-content">Catalogue</a>
                        <ahref="cart.html"target="main-content">Cart</a>
                </div>
        </div>
  <div class="content-wrapper">
                 <divclass="sidebar">
                        <ahref="cse_catalogue.html">CSE</a>
                        <ahref="ece_catalogue.html">ECE</a>
                        <ahref="eee_catalogue.html">EEE</a>
                        <ahref="civil_catalogue.html">CIVIL</a>
                </div>
    <divclass="main-content"id="main-content">
                        <h2style="font-size:20px;">WelcometotheOnlineBookstore</h2><br><br>
                        Here you can find various books from
different departments like CSE, ECE, EEE, and CIVIL. < br>Select a department from the left matter of the contraction of the 
enutoviewthecatalogueofbooksavailableforthatdepartment.
                </div>
  </div>
</body>
</html>
```



LOGINPAGE

SOURCECODE:-

```
<!DOCTYPEhtml>
<htmllang="en">
<head>
  <metacharset="UTF-8">
  <metaname="viewport"content="width=device-width,initial-scale=1.0">
  <title>LoginPage</title>
  <style>
    body{
       font-family: Arial, sans-
       serif;margin:0;
       padding:0;
       background-
       color:#f4f4f4;display:flex;
       flex-
       direction:column;min-
       height:100vh;
     }
    .header{
       background-
       color:#333;color:white;
       padding:
       15px;text-
       align:center;
    . headerimg \{\\
```


```
height:50px;
}
.header h1
  {margin:0;
}
.nav-bar{
  margin-top:10px;
.nav-bar a
  {color:white;
  text-decoration:
  none;padding: 10px
  20px;margin:010px;
  font-size:16px;
.nav-bar a:hover
  {background-
  color:#444;border-
  radius:4px;
}
.content-
  wrapper{display
  : flex;flex:1;
}
.sidebar{width:2
  00px;
  background-
  color:#eaeaea;padding:20px;
  height:100vh;/*Makesidebarfullheight*/
```

```
box-sizing:border-box;
}
.sidebar a
  {display:
  block;padding:
  10px;margin:10
  px0;
  color:#333;
  text-decoration:
  none;background-color:
  #ffffff;border-radius:4px;
}
.sidebar a:hover
  {background-color:#bbb;
}
.login-form{flex:
  1;padding:20p
  х;
  background-
  color:#fff;border-
  radius:4px;
  box-shadow:0010pxrgba(0,0,0,0.1);
}
.login-form h2
  {margin-
  top:0;
.login-form label
  {display:
  block;margin: 10px
```

05px;font-
size:14px;
S1ZC.14px,

```
color:#333;
}
.login-forminput[type="text"],
.login-form input[type="password"]
  {width:100%;
  padding:
  10px;margin: 5px 0
  15px;border:1pxsolid#
  ccc;border-radius:4px;
}
.login-form button
  {padding:10px20px;
  background-
  color:#4CAF50;color:white;
  border:
  none;border-
  radius:4px;cursor:p
  ointer;
.login-form button:hover
  {background-color:#45a049;
}
.login-form input[type="reset"]
  {padding: 10px
  20px;background-color:
  #f44336;color:white;
  border:
  none; border-
  radius:4px;cursor:p
  ointer;
```

```
}
    .login-form input[type="reset"]:hover
       {background-color:#e53935;
</style>
</head>
<body>
  <divclass="header">
    <imgsrc="logo.png"alt="Logo">br><br>
    <h1>ONLINEBOOKSTORE</h1><BR>
    <divclass="nav-bar">
      <ahref="homepage.html"target="main-content">Home</a>
      <ahref="login.html"target="main-content">Login</a>
       <ahref="registration.html"target="main-content">Registration</a>
       <ahref="catalogue.html"target="main-content">Catalogue</a>
       <ahref="cart.html"target="main-content">Cart</a>
    </div>
  </div>
  <div class="content-wrapper">
    <divclass="sidebar">
      <ahref="cse_catalogue.html">CSE</a>
      <ahref="ece_catalogue.html">ECE</a>
       <ahref="eee_catalogue.html">EEE</a>
       <ahref="civil_catalogue.html">CIVIL</a>
    </div>
    <divclass="login-form">
       <h2>Login</h2><br>
       <formaction="login_process.html"method="POST">
```



REGISTRATIONPAGE

SOURCECODE:-


```
<!DOCTYPEhtml>
<htmllang="en">
<head>
  <metacharset="UTF-8">
  <metaname="viewport"content="width=device-width,initial-scale=1.0">
  <title>RegistrationForm</title>
  <style>
    body{
      font-family: Arial, sans-
      serif;margin:0;
      padding:0;
      background-color:#f4f4f4;
    }
    .container{
       max-width:
      600px;margin: 50px
       auto; background-
      color:white;padding:20px
      border-radius:8px;
      box-shadow:0010pxrgba(0,0,0,0.1);
    }
    h2{
```


```
text-align: center;
color:#333;
      }
     label{
        display:
        block;margin-top:
        10px;color:#333;
      }
     input[type="text"],input[type="password"],input[type="email"],textarea,select
        width:100%;padding:
        10px;margin-top:
        5px;margin-bottom:
        15px;border:1pxsolid#
        ccc;border-radius:4px;
     input[type="radio"],input[type="checkbox"]{ma
        rgin-right:10px;
     .button{
        background-
        color:#4CAF50;color:white;
        padding:12px20px;b
        order: none; border-
        radius:4px;cursor:
        pointer; width: 100%
```

```
.button:hover{
      background-color:#45a049;
    .form-group{
      margin-bottom:15px;
    }
  </style>
</head>
<body>
<divclass="container">
    <h2>RegistrationForm</h2>
    <formaction="#"method="POST">
      <divclass="form-group">
         <labelfor="name">Name</label>
         <inputtype="text"id="name"name="name"required>
      </div>
       <divclass="form-group">
         <labelfor="password">Password</label>
         <inputtype="password"id="password"name="password"required>
       </div>
      <divclass="form-group">
         <labelfor="email">E-mailID</label>
        <inputtype="email"id="email"name="email"required>
       </div>
      <divclass="form-group">
         <labelfor="phone">PhoneNumber</label>
        <inputtype="text"id="phone"name="phone"required>
       </div>
       <divclass="form-group">
```

```
<label>Sex</label>
   <inputtype="radio"id="male"name="sex"value="Male"required>
   <labelfor="male">Male</label>
   <inputtype="radio"id="female"name="sex"value="Female">
   <labelfor="female">Female</label>
   <inputtype="radio"id="other"name="sex"value="Other">
   <labelfor="other">Other</label>
 </div>
 <divclass="form-group">
   <labelfor="dob">DateofBirth</label>
   <selectid="day"name="day"required>
      <optionvalue="">Day</option>
     <option value="1">1</option>
     <option value="2">2</option>
     <option value="3">3</option>
     <!--Addalldaysupto31-->
   </select>
  <selectid="month"name="month"required>
     <optionvalue="">Month</option>
     <optionvalue="1">January</option>
     <optionvalue="2">February</option>
     <optionvalue="3">March</option>
   </select>
<selectid="year"name="year"required>
     <optionvalue="">Year</option>
     <!--Addyears-->
     <optionvalue="2000">2000</option>
     <optionvalue="1999">1999</option>
   </select>
```

```
</div>
       <divclass="form-group">
         <label>LanguagesKnown</label>
         <inputtype="checkbox"id="english"name="languages"value="English">
         <labelfor="english">English</label>
         <inputtype="checkbox"id="telugu"name="languages"value="Telugu">
         <labelfor="telugu">Telugu</label>
         <inputtype="checkbox"id="hindi"name="languages"value="Hindi">
         <labelfor="hindi">Hindi</label>
         <inputtype="checkbox"id="tamil"name="languages"value="Tamil">
         <labelfor="tamil">Tamil</label>
       </div>
      <divclass="form-group">
         <labelfor="address">Address</label>
         <textareaid="address"name="address"rows="4"required></textarea>
       </div>
       <buttontype="submit"class="button">Register</button>
    </form>
  </div>
</body>
</html>
```






CATALOGUE PAGE

SOURCECODE:

```
<!DOCTYPEhtml>
<htmllang="en">
<head>
  <metacharset="UTF-8">
  <metaname="viewport"content="width=device-width,initial-scale=1.0">
  <title>CataloguePage</title>
  <style>
    body{
       font-family: Arial, sans-
       serif;margin:0;
       padding:0;
       background-color:#f4f4f4;
     }
    .header{
       background-
       color:#333;color:white;
       padding:
       15px;text-
       align:center;
    .headerimg{
       height:50px;/*Adjustaccordingtoyourlogosize*/
     .header h1
       {margin:0;
     }
```

```
.nav-bar{
  margin-top:10px;
.nav-bar a
  {color:white;
  text-decoration:
  none;padding: 10px
  20px;margin:010px;
  font-size:16px;
.nav-bar a:hover
  {background-
  color:#444;border-
  radius:4px;
}
.content-
  wrapper{display:
  flex;padding:20p
  х;
.sidebar{width:2}
  00px;
  background-
  color:#eaeaea;padding:20px;
  height:100vh;
  box-sizing:border-box;
.sidebar a
  {display:
  block;padding:
  10px;margin:10
```



```
color:#333;
  text-decoration:
  none;background-color:
  #ffffff;border-radius:4px;
}
.sidebar a:hover
  {background-color:#bbb;
}
.catalogue{flex:
  1;
  padding:
  20px;background-
  color:#fff;border-
  radius:4px;
  box-shadow:0010pxrgba(0,0,0,0.1);
}
.catalogue h2
  {margin-
  top:0;
}
table{
  width:100%;
  border-collapse:
  collapse;margin-
  top:20px;
}
table,th,td{
  border:1pxsolid#ddd;
}
th,td{
```

padding:


10px;text-
1' 1 6
align:left;

```
}
    th{
      background-color:#f2f2f2;
    .book-img{width:
       100px;height:
       150px;object-
      fit:cover;
    }
    .add-to-cart{
      background-
      color:#4CAF50;color:white;
      border:
      none;padding:8px1
      6px;cursor:
      pointer; border-
      radius:4px;
    </style>
</head>
<body>
  <divclass="header">
    <imgsrc="logo.png"alt="Logo"><br><br>
    <h1>ONLINEBOOKSTORE</h1><br>
    <divclass="nav-bar">
      <ahref="homepage.html">Home</a>
      <ahref="login.html">Login</a>
       <ahref="registration.html">Registration</a>
       <ahref="catalogue.html">Catalogue</a>
       <ahref="cart.html">Cart</a>
```

```
</div>
</div>
<div class="content-wrapper">
 <divclass="sidebar">
   <ahref="cse_catalogue.html">CSE</a>
   <ahref="ece_catalogue.html">ECE</a>
   <ahref="eee_catalogue.html">EEE</a>
   <ahref="civil_catalogue.html">CIVIL</a>
 </div>
 <divclass="catalogue">
   <h2>BooksCatalogue</h2>
   <thead>
      Book
        Author
        Publisher
        Price
        Action
      </thead>
     >
         XMLBible
        Winston
        Wiley
        Rs40.5
```

```
<buttonclass="add-to-cart">AddtoCart</button>
AI
 S.Russell
 PrincetonHall
 Rs63
 <bd>doCart</button>
Java2
 Watson
 BPBPublications
 Rs35.5
 <bd>dtoCart</button>
HTMLin24Hours
 SamPeter
 SamPublications
 Rs50
 <bd>dtoCart</button>
```

```
</div>
</div>
</body>
</html>
```




CARTPAGE

SOURCECODE:

```
<!DOCTYPEhtml>
<htmllang="en">
<head>
  <metacharset="UTF-8">
  <metaname="viewport"content="width=device-width,initial-scale=1.0">
  <title>CartPage</title>
  <style>
    body{
      font-family: Arial, sans-
      serif;margin:0;
      padding:0;
      background-color:#f4f4f4;
    }
    .header{
      background-
      color:#333;;color:white;
       padding:10px20px;te
      xt-align:center;
    }
    .nav{
      text-align:
      center; margin-
       top:10px;
       background-
      color:#fffafa;padding:10px;
```

```
}
.nava{
  color: rgb(0, 0,
  0);text-decoration:
  none;margin:020px;
}
.container
  {margin:20px;
}
table{
  width:100%;
  border-collapse:
  collapse;margin-
  top:20px;
}
table,th,td{
  border:1pxsolid#ccc;
}
th,td\{
  padding:
  12px;text-
  align:left;
}
th\{
  background-color:#f2f2f2;
}
.total{
  margin-top:
  20px;text-align:
  right;font-size:
  18px;font-
```



```
}
</style>
</head>
<body>
  <divclass="header">
   <imgsrc="logo.png"alt="Logo"height="50"><!--Replacewithyourlogo-->
   <h1>ONLINEBOOKSTORE</h1>
 </div>
<divclass="nav">
   <ahref="home.html">Home</a>
   <ahref="login.html">Login</a>
   <ahref="registration.html">Registration</a>
   <ahref="catalogue.html">Catalogue</a>
   <ahref="cart.html">Cart</a>
  </div>
<divclass="container">
   <h2>YourCart</h2>
   <thead>
       BookName
         Price
         Quantity
         Amount
       </thead>
```

```
CSEJava
     $35.5
     2
     $70
    ECEXMLBible
     $40.5
     1
     $40.5
    <divclass="total">
   TotalAmount:$110.5
  </div>
 </div>
</body>
</html>
```

