A

User Manual

| | |
|---|---|
| **Date** | 30September 2026 |
| **TeamID** | 6ab4756eb5170a9b58b3f57e |
| **ProjectName** | **Script-Controlled ACL – Restrict Record Access Based on Field Value** |
| **Maximum Marks** | 3 Marks |

**USER MANUAL**

Script-Controlled ACL – Restrict Record Access Based on Field Value
Platform ServiceNow Developer Instance
Application Institution Details
Security Access Control Lists (ACLs)
Main Read Rule Branch = EEE
Roles BB1, BB2, BB3, BB4
Operations Read, Create, Write, Delete
Purpose: This manual explains how to configure, use and validate the ServiceNow project. It covers user and role setup,
the Institution Details table, ACL configuration, testing and expected results.

1. **Project Overview**

   The project demonstrates record-level security in ServiceNow using Access Control Lists. A custom Institution Details
   table stores student and institutional information. Its Branch field contains ECE, EEE and CSC choices. The main security
   requirement is to restrict the configured project user's Read access to records belonging to the EEE branch.
   Separate ACLs control Read, Create, Write and Delete operations. BB1, BB2, BB3 and BB4 are used for these
   operations respectively.

   **2. Prerequisites**

   • ServiceNow Developer Instance.
   • Permission to configure users, roles, tables and ACLs.
   • A project test user.
   • Roles BB1, BB2, BB3 and BB4.
   • Institution Details table and required fields.
   • Sample ECE, EEE and CSC records.

### 3. User and Role Setup

### 3.1 Create the Project User

Open the Application Navigator and Users module.
Select New.
Enter user ID, name and email details.
Save the user record.

### 3.2 Create Roles

Open the Roles module and select New.
Create BB1 and save.
Repeat for BB2, BB3 and BB4.
Role Purpose
BB1 Read authorized records
BB2 Create records
BB3 Write/modify records
BB4 Delete records

### 4. Institution Details Table

Create a custom table named Institution Details. Configure the following fields:
Field Type / Purpose
Student ID String
Student Name Reference
Faculty Name Reference
Branch Choice
Email String
Phone Number String
Description String
Configure Branch choices: ECE, EEE and CSC, then save the choices.

### 5. Create Sample Records

Student ID Branch Testing Purpose
100 ECE Restricted for EEE-only Read access
200 EEE Authorized Read test record
300 CSC Restricted for EEE-only Read access

### 6. Configure ACLs

ACL Operation Role Control
ACL-01 Read BB1 Branch = EEE + script
ACL-02 Create BB2 Role-based
ACL-03 Write BB3 Role-based
ACL-04 Delete BB4 Role-based

### 6.1 Read ACL

Open Access Controls and select New.
Select Institution Details.

Set Operation to Read.
Assign BB1.
Set Branch is EEE.
Enter the authorization script and save.
answer = (current.branch == 'EEE');
The script checks the Branch value of the current record. EEE evaluates to true; non-EEE records are restricted by the
configured Read ACL.

**6.2 Other ACLs**

Create ACL: Institution Details + Create + BB2. Write ACL: Institution Details + Write + BB3. Delete ACL: Institution
Details + Delete + BB4.

**7. Using the Project**

Log in with the configured project user, open Institution Details, and view the record list. ServiceNow evaluates the
applicable ACL. For Read access, the Branch condition and script are evaluated. The intended result is that the
authorized EEE record is accessible while ECE and CSC records are restricted.
An authorized administrator can review Institution Details records for management and verification.

**8. Testing Procedure**

Test Action Expected Result
Read – EEE Open EEE record with BB1 Access permitted
Read – ECE Attempt ECE record Access restricted
Read – CSC Attempt CSC record Access restricted
Create Create with BB2 Permitted when role requirement is satisfied
Write Modify with BB3 Permitted when role requirement is satisfied
Delete Delete with BB4 Permitted when role requirement is satisfied
Unauthorized Operation without required role Restricted

**9. Expected Results**

The configured project user should be able to access the EEE record and should not receive unrestricted access to ECE
or CSC records. Create, Write and Delete operations should be controlled by BB2, BB3 and BB4 respectively.

**10. Troubleshooting**

Problem Check
EEE not accessible Verify BB1, Branch value, condition and script.
ECE/CSC visible Verify Read ACL and actual Branch internal value.
Create fails Verify BB2 and Create ACL.
Write fails Verify BB3 and Write ACL.
Delete fails Verify BB4 and Delete ACL.

Choice mismatch Check the internal value of the EEE choice.

**11. Project Deliverables**

• Final Project Report
• Team Roles and Responsibilities
**• 7-Day Project Schedule**
• ACL Matrix
• ACL Script
• Update Set XML
• Test Cases
• Test Screenshots
• Ideation, Architecture, Use Case, DFD and ER diagrams
• Project demonstration video and Google Drive link

**12. Important Note**

This manual is based on the supplied project transcript and documentation. Service Now menu names and layouts may
vary by release and instance. Verify actual field internal values and ACL behavior in the target Developer Instance before