

DBMS – PAYMENT MANAGEMENT

Meesho Women's Fashion Database Management System


1. Database Design

1.1 Payment Table

Attribute	Data Type	Constraint
Payment_ID	NUMBER	Primary Key
Order_ID	NUMBER	Foreign Key
Payment_Mode	VARCHAR2(20)	NOT NULL
Payment_Date	DATE	NOT NULL
Payment_Amount	NUMBER(10,2)	NOT NULL
Payment_Status	VARCHAR2(20)	NOT NULL

The Payment table stores payment information associated with each order, including payment mode, date, amount, and transaction status.

2. Table Relationships



3. Table Creation

3.1 Create Payment Table

```
SQL> CREATE TABLE Meesho_Payments (
2     Payment_ID NUMBER PRIMARY KEY,
3     Order_ID NUMBER,
4     Payment_Mode VARCHAR2(20) NOT NULL,
5     Payment_Date DATE NOT NULL,
6     Payment_Amount NUMBER(10,2) NOT NULL,
7     Payment_Status VARCHAR2(20) NOT NULL,
8     FOREIGN KEY (Order_ID) REFERENCES Meesho_Orders(Order_ID)
9 );
```

Table created.

4. Payment Data Insertion

```
SQL> INSERT INTO Meesho_Payments
  2 (Payment_ID, Order_ID, Payment_Mode, Payment_Date, Payment_Amount, Payment_Status)
  3 VALUES
  4 (101, 1, 'UPI', DATE '2026-09-01', 799.00, 'Successful');

1 row created.

SQL>
SQL> INSERT INTO Meesho_Payments
  2 (Payment_ID, Order_ID, Payment_Mode, Payment_Date, Payment_Amount, Payment_Status)
  3 VALUES
  4 (102, 2, 'Card', DATE '2026-09-02', 1299.00, 'Successful');

1 row created.

SQL>
SQL> INSERT INTO Meesho_Payments
  2 (Payment_ID, Order_ID, Payment_Mode, Payment_Date, Payment_Amount, Payment_Status)
  3 VALUES
  4 (103, 3, 'Cash', DATE '2026-09-03', 599.00, 'Successful');

1 row created.

SQL>
SQL> INSERT INTO Meesho_Payments
  2 (Payment_ID, Order_ID, Payment_Mode, Payment_Date, Payment_Amount, Payment_Status)
  3 VALUES
  4 (104, 4, 'UPI', DATE '2026-09-04', 999.00, 'Failed');

1 row created.

SQL>
SQL> INSERT INTO Meesho_Payments
  2 (Payment_ID, Order_ID, Payment_Mode, Payment_Date, Payment_Amount, Payment_Status)
  3 VALUES
  4 (105, 5, 'Card', DATE '2026-09-05', 1499.00, 'Successful');

1 row created.
```

5. Manage Payment Transactions

5.1 Display Successful Payments

```
SQL> SELECT Payment_Mode,
  2 COUNT(*) AS Number_Of_Transactions,
  3 SUM(Payment_Amount) AS Total_Amount_Collected
  4 FROM Meesho_Payments
  5 WHERE Payment_Status = 'Successful'
  6 GROUP BY Payment_Mode;
```

PAYMENT_MODE	NUMBER_OF_TRANSACTIONS	TOTAL_AMOUNT_COLLECTED
UPI	2	1798
Card	2	2798
Cash	1	599

5.2 Display Failed Payments

```
SQL> SELECT *
  2 FROM Meesho_Payments
  3 WHERE Payment_Status = 'Failed';
```

PAYMENT_ID	ORDER_ID	PAYMENT_MODE	PAYMENT_D	PAYMENT_AMOUNT
104	4	UPI	04-SEP-26	999
Failed				

6. Modify Payment Status

```
SQL> UPDATE Meesho_Payments
  2 SET Payment_Status = 'Successful'
  3 WHERE Payment_ID = 104;

1 row updated.

SQL>
SQL> COMMIT;

Commit complete.

SQL> SELECT *
  2 FROM Meesho_Payments
  3 WHERE Payment_ID = 104;

PAYMENT_ID  ORDER_ID  PAYMENT_MODE      PAYMENT_D  PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
          104          4 UPI              04-SEP-26          999
Successful
```

7. Analyze Payment Methods

Calculate Amount Collected by Payment Mode

```
SQL> SELECT Payment_Mode,
  2          COUNT(*) AS Number_Of_Transactions,
  3          SUM(Payment_Amount) AS Total_Amount_Collected
  4 FROM Meesho_Payments
  5 WHERE Payment_Status = 'Successful'
  6 GROUP BY Payment_Mode;

PAYMENT_MODE      NUMBER_OF_TRANSACTIONS  TOTAL_AMOUNT_COLLECTED
-----
UPI                2                      1798
Card                2                      2798
Cash                1                      599
```

8. Payment Transaction Report

```
SQL> SELECT Payment_ID,
  2          Order_ID,
  3          Payment_Mode,
  4          Payment_Date,
  5          Payment_Amount,
  6          Payment_Status
  7 FROM Meesho_Payments
  8 ORDER BY Payment_Date;

PAYMENT_ID  ORDER_ID  PAYMENT_MODE      PAYMENT_D  PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
          101          1 UPI              01-SEP-26          799
Successful
          102          2 Card              02-SEP-26         1299
Successful
          103          3 Cash              03-SEP-26          599
Successful

PAYMENT_ID  ORDER_ID  PAYMENT_MODE      PAYMENT_D  PAYMENT_AMOUNT
-----
          104          4 UPI              04-SEP-26          999
Successful
          105          5 Card              05-SEP-26         1499
Successful
```