

IDEATION PHASE – BRAINSTORM & IDEA PRIORITIZATION

Date	29 September 2026
Team ID	6ab800af30f9767f87729b97
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Step 1: Team / Problem Identification

How can we restrict access to Institution Details records in ServiceNow based on user roles and the Branch field, while allowing administrators full access?

Step 2: Brainstorming – Ideas Generated

Idea	Project Application	Priority
Role-based access control	Use ServiceNow roles to control who can perform actions.	High
Script-controlled READ ACL	Evaluate role and branch conditions before allowing record access.	High
Branch-based restriction	Restrict visibility according to the Branch field.	High
CREATE ACL	Allow record creation only to authorized users.	Medium
WRITE ACL	Allow editing only to authorized users.	Medium
DELETE ACL	Allow deletion only to authorized users.	Medium
Admin full access	Allow administrators to access all records.	High
Impersonation testing	Validate access with different users and roles.	High

Step 3: Grouping of Ideas

Group	Ideas
Access Control	Role-based access control; READ/CREATE/WRITE/DELETE ACLs
Field-Based Security	Branch-based restriction using the Branch field
Administrative Access	Admin full access
Validation & Testing	Impersonation testing with different users and roles

Step 4: Idea Prioritization

Idea	Importance	Feasibility	Decision
Script-Controlled ACL with role + Branch evaluation	High	High	Selected
Branch-based record restriction	High	High	Core feature
Role-based CRUD ACLs	High	High	Core feature
Admin full access	High	High	Required
Impersonation testing	Medium	High	Validation

Final Selected Idea

Script-Controlled ACL – Restrict Record Access Based on Field Value

The solution uses ServiceNow ACLs to evaluate user roles and the Branch value for record access. Authorized EEE users can view permitted EEE records, while administrators retain full access. Separate ACLs control CREATE, WRITE and DELETE operations.