


PROJECT DESIGN PHASE-II – DATA FLOW DIAGRAM & USER STORIES

Date	29 September 2026
Team ID	6ab800af30f9767f87729b97
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

1. Data Flow Diagram

The DFD shows how an access request moves from a ServiceNow user through the ACL evaluation layer, where role and Branch conditions are evaluated, to an access decision and the Institution Details records.



2. User Stories

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance Criteria	Priority	Release
EEE User	Branch-Based READ Access	USN-1	As an EEE user, I can view permitted EEE Institution	EEE user with required access can view	High	Release 1

			Details records.	permitted EEE records; unauthorized records are not exposed.		
Authorized User	CREATE Access	USN-2	As an authorized user, I can create an Institution Details record.	User with bb2 can see/use the New action and create a record.	High	Release 1
Authorized User	WRITE Access	USN-3	As an authorized user, I can edit permitted Institution Details records.	User with bb3 can modify permitted records; users without write permission cannot.	High	Release 1
Authorized User	DELETE Access	USN-4	As an authorized user, I can delete permitted Institution Details records.	User with bb4 can delete permitted records; users without delete permission cannot.	High	Release 1
Administrator	Full Access	USN-5	As an administrator, I can access all Institution Details records.	Admin can view and manage records without the branch restriction applied to the test user.	High	Release 1
Administrator	Access Validation	USN-6	As an administrator,	Impersonation confirms	Medium	Release 1

			I can test access using user impersonation.	expected allow/deny behaviour for different roles and operations.		
--	--	--	---	---	--	--

DFD Flow Summary: ServiceNow User → Access Request → ACL Evaluation (Role + Branch) → Access Granted / Denied → Institution Details Records.