

PROJECT DEVELOPMENT PHASE – FUNCTIONAL & PERFORMANCE TESTING

Date	29 September 2026
Team ID	6ab800af30f9767f87729b97
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	As per project requirement

Test Scenarios & Results

Test Case ID	Scenario (What to test)	Test Steps (How to test)	Expected Result	Actual Result	Pass/Fail
FT-01	EEE user READ access	1. Impersonate EEE user. 2. Open Institution Details list. 3. Review records.	Permitted EEE records are visible according to the configured READ ACL.	To be recorded during execution.	To be recorded
FT-02	Unauthorized READ access	1. Impersonate a user without the required role. 2. Open Institution Details.	Unauthorized record access is denied.	To be recorded during execution.	To be recorded
FT-03	Administrator READ access	1. Impersonate admin. 2. Open Institution Details list.	Administrator can access all Institution Details records.	To be recorded during execution.	To be recorded
FT-04	CREATE permission	1. Impersonate user with bb2. 2. Open Institution Details.	Authorized user can create a record.	To be recorded during execution.	To be recorded

		3. Select New. 4. Submit a valid record.			
FT-05	CREATE denial	1. Impersonate user without bb2. 2. Attempt to create a record.	User without required create permission cannot create the record.	To be recorded during execution.	To be recorded
FT-06	WRITE permission	1. Impersonate user with bb3. 2. Open an allowed record. 3. Modify and save.	Authorized user can modify the permitted record.	To be recorded during execution.	To be recorded
FT-07	WRITE denial	1. Impersonate user without bb3. 2. Attempt to modify a record.	User without required write permission cannot modify the record.	To be recorded during execution.	To be recorded
FT-08	DELETE permission	1. Impersonate user with bb4. 2. Open a permitted record. 3. Delete it.	Authorized user can delete the permitted record.	To be recorded during execution.	To be recorded
FT-09	DELETE denial	1. Impersonate user without bb4. 2. Attempt to delete a record.	User without required delete permission cannot delete the record.	To be recorded during execution.	To be recorded
FT-10	ACL role + Branch evaluation	1. Test users with different roles. 2. Use records with different Branch values.	Access behaviour follows the configured ACL role and Branch conditions.	To be recorded during execution.	To be recorded

		3. Compare access results.			
--	--	----------------------------	--	--	--

Performance Test Scenarios

Test ID	Scenario	Test Steps / Method	Expected Result	Actual Result
PT-01	ACL response time	Open and access permitted Institution Details records under normal test conditions.	Access should complete within normal ServiceNow transaction response; record actual response time during execution.	To be recorded
PT-02	Access evaluation consistency	Repeat role/Branch access checks for the same user and record conditions.	Repeated checks should produce consistent access decisions.	To be recorded
PT-03	Multiple-record list access	Open the Institution Details list containing multiple records and apply the ACL evaluation.	List should load and enforce configured access restrictions without unexpected access errors.	To be recorded
PT-04	Concurrent user validation	Test the ACL behaviour with multiple authorized/unauthorized test users when the environment permits.	Each user should receive access according to their own roles and applicable ACL conditions.	To be recorded

Testing Note: The supplied functional/performance example contains GenAI-specific scenarios such as content generation, API connection and file upload. Those functions are not part of this ServiceNow ACL project, so they are not represented here. The test cases above cover the actual ACL functionality and relevant performance behaviour.